

	Revie	wed on 04/02/2012
1	Identification	
	Product identifier Product name: Perfluoro(2-methyl-3-oxahexanoyl) fluoride	
	Stock number: L16483 CAS Number:	
	2062-98-8 EC number:	
	218-173-8 Relevant identified uses of the substance or mixture and uses advised against.	
	Identified use: SU24 Scientific research and development	
	Details of the supplier of the safety data sheet Manufacturer/Supplier:	
	Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill MA 01835 8000	
	30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660	
	Fax: 800-322-4757	
	Email: tech@alfa.com www.alfa.com	
	Information Department: Health, Safety and Environmental Department Emergency telephone number:	
	During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-	0789.
2	Phazard(s) identification	
	Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
	GHS05 Corrosion	
	Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
	Eye Dam. 1 H318 Causes serious eye damage.	
	GHS07	
	STOT SE 3 H335 May cause respiratory irritation.	
	STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
	Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
	$\triangle \land$	
	GHS05 GHS07	
	Signal word Danger Hazard statements	
	H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.	
	Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
	P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsin P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	g.
	P405 Store locked up.	
	P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
	D2B - Toxic material causing other toxic effects E - Corrosive material	
	A A	
	Classification system HMIS ratings (scale 0-4)	
	(Hazardous Materials Identification System)	
	HEALTH I Health (acute effects) = 3 FIRE I Flammability = 1	
	REACTIVITY D Physical Házard = 1	
	Other hazards Results of PBT and vPvB assessment	
	PBT: Not applicable. vPvB: Not applicable.	
3	Composition/information on ingredients	
•	Chemical characterization: Substances	
	CAS# Description: 2062-98-8 Perfluoro(2-methyl-3-oxahexanoyl) fluoride	
	Identification number(s): EC number: 218-173-8	
4	First-aid measures	
7	Description of first aid measures	
	General information Immediately remove any clothing soiled by the product.	(Contd. on page 2)
		USA -

Product name: Perfluoro(2-methyl-3-oxahexanoyl) fluoride (Contd. of page 1) After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing** Seek medical treatment. **Information for doctor Most important symptoms and effects, both acute and delayed** Causes series series eye damage. **Judication of any immediate modical effection and events** Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Corbon meanavide and eachen dioxiden discussion of the released: Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation **Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of containnated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Store away from strong bases. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keen container tipothy sealed Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. **Breathing equipment:** Use suitable respirator when high concentrations are present. **Protection of hands:** Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Protection of glove material (in minutes)** Not determined

Eye protection: Tightly sealed goggles

(Contd. on page 3)

Product name: Perfluoro(2-methyl-3-oxahexanoyl) fluoride

Full face protection

(Contd. of page 2)

Full face protection Body protection: Protective work clothing.					
9 Physical and chemical properties					
Information on basic physical and che General Information Appearance: Form: Color:	emical properties Liquid Colorless				
Odor: Odor threshold:	Not determined Not determined				
pH-value:	Not determined.				
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined 54-56 °C (129-133 °F) Not determined Not determined Not determined Not determined Not determined Not determined.				
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water:	Not determined Not determined Not determined Not determined Not determined. Not determined. Not determined. Not determined.				
Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	: Not determined. Not determined. Not determined. No further relevant information available.				
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Bases Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen fluoride					
11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes severe skin burns. Eye irritation: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.					
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.					
13 Disposal considerations Waste treatment methods Recommendation Consult state, local o	or national regulations to ensure proper disposal.	(Contd. on page 4)			

Product name: Perfluoro(2-methyl-3-oxahexanoyl) fluoride

(Contd. of page 3)

Uncleaned packagings:

Uncleaned packagings: Recommendation: Disposal must be made according to offi	icial regulations.			
14 Transport information				
UN-Number	100005			
DOT, IMDG, IATA UN proper shipping name	UN3265			
DOT	Corrosive liquid, acidic, organic, n.o.s. (Perfluoro(2-methyl-3-oxahexanoyl) fluoride			
IMDG, IATA	Corrosive liquid, acidic, organic, n.o.s. (Perfluoro(2-methyl-3-oxahexanoyl) fluoride CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Perfluoro(2-methyl-3- oxahexanoyl) fluoride)			
Transport hazard class(es)				
DOT				
A state of the				
Class	8 Corrosive substances.			
Label Class	8			
Label	8 (C3) Corrosive substances 8			
IMDG, IATA				
Class Label	8 Corrosive substances. 8			
Packing group DOT, IMDG, IATA				
Environmental hazards:	Not applicable.			
Special precautions for user	Warning: Corrosive substances			
Transport in bulk according to Annex II of MARPOL73/78	3 and the IBC Code Not applicable.			
Transport/Additional information:				
DOT Marine Pollutant (DOT):	No			
UN "Model Regulation":				
	UN3265, Corrosive liquid, acidic, organic, n.o.s. (Perfluoro(2-methyl-3- oxahexanoyl) fluoride), 8, II			
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Strength of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Strength of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Strength of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Strength of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Strength of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Strength of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Strength of the pictogram of the pictogr				
Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / - Abbreviations and acronyms: ADR: Accord europeens use the transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MUSC, integrational Marine				
IMDG: International Maritime Coalsport des indicidades dangereuses par rou IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	(Contd. on page			

Product name: Perfluoro(2-methyl-3-oxahexanoyl) fluoride

- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent VPUB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

(Contd. of page 4)

USA