

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 02/01/2007

1 Identification of substance:**Product details:****Product name:** Cesium hydroxide, 50% Aqueous Solution**Stock number:** 10020**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

Cesium hydroxide (CAS# 21351-79-1), 50%

Water (CAS# 7732-18-5), 50%

Identification number(s):**EINECS Number:** 244-344-1**3 Hazards identification****Hazard description:**

C Corrosive

Information pertaining to particular dangers for man and environment

R 22 Harmful if swallowed.

R 34 Causes burns.

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	3
FIRE	0
REACTIVITY	2

Health (acute effects) = 3

Flammability = 0

Reactivity = 2

GHS label elements**Danger**

3.1/3 - Toxic if swallowed.

**Danger**

3.2/1B - Causes severe skin burns and eye damage.

Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see label).

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 02/01/2007

Product name: Cesium hydroxide, 50% Aqueous Solution

(Contd. of page 1)

Rinse mouth.

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures**General information** Immediately remove any clothing soiled by the product.**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.**5 Fire fighting measures****Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable**Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Do not store together with acids.**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Cesium hydroxide

mg/m3

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 02/01/2007

Product name: Cesium hydroxide, 50% Aqueous Solution

(Contd. of page 2)

ACGIH TLV 2
 Belgium TWA 2
 Denmark TWA 2
 Finland TWA 2
 France VME 2
 Korea TLV 2
 Netherlands MAC-TGG 2
 Russia 0.3-STEL
 Switzerland TWA 2
 United Kingdom TWA 2

Additional information: No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:** Impervious gloves**Eye protection:**

Safety glasses

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.**9 Physical and chemical properties:****General Information**

Form: Solution
Color: Colorless
Odor: Not determined

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined

Flash point: Not determined**Ignition temperature:** Not determined**Decomposition temperature:** Not determined**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:**

Lower: Not determined
Upper: Not determined

Vapor pressure: Not determined**Density:** Not determined**Solubility in / Miscibility with****Water:** Fully miscible**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided:**Acids**

Aqueous solutions are incompatible with alkali and alkaline earth metals and many reactive organic and inorganic chemicals.

Dangerous reactions

Reacts with alkali metals.

Reacts with alkaline earth metals.

Dangerous products of decomposition: Metal oxide fume

- USA -

(Contd. on page 4)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 02/01/2007

Product name: Cesium hydroxide, 50% Aqueous Solution

(Contd. of page 3)

11 Toxicological information**Acute toxicity:****Primary irritant effect:****on the skin:**

Corrosive effect on skin and mucous membranes.

Irritant to skin and mucous membranes.

on the eye:

Strong corrosive effect.

Irritating effect.

Sensitization: No sensitizing effects known.**Subacute to chronic toxicity:**

Cesium compounds may cause hyper-irritability, including spasms, dizziness, abdominal cramps, vomiting, diarrhea, convulsions and collapse. Chronic ingestion of cesium has been fatal to laboratory animals, possibly due to the replacement of potassium. Chronic exposure also can have blood and neuromuscular effects.

Subacute to chronic toxicity:

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

Additional toxicological information:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:**

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information**DOT regulations:****Hazard class:**

8

Identification number:

UN3266

Packing group:

II

Proper shipping name (technical name): CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (cesium hydroxide)

Label

8

Land transport ADR/RID (cross-border)**ADR/RID class:**

8 (C5) Corrosive substances

Danger code (Kemler):

80

UN-Number:

3266

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 02/01/2007

Product name: Cesium hydroxide, 50% Aqueous Solution

(Contd. of page 4)

Packaging group: II
Description of goods: 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (cesium hydroxide)

Maritime transport IMDG:

IMDG Class: 8
UN Number: 3266
Label 8
Packaging group: II
Proper shipping name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (cesium hydroxide)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 8
UN/ID Number: 3266
Label 8
Packaging group: II
Proper shipping name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (cesium hydroxide)

UN "Model Regulation": UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, II**15 Regulations****Product related hazard informations:****Hazard symbols:**

C Corrosive

Risk phrases:

22 Harmful if swallowed.
 34 Causes burns.

Safety phrases:

20 When using do not eat or drink.
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 45 In case of accident or if you feel unwell, seek medical advice immediately.
 60 This material and its container must be disposed of as hazardous waste.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use: For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 6)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 02/01/2007

Product name: Cesium hydroxide, 50% Aqueous Solution

(Contd. of page 5)

ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)

USA