Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.07.2013 Revision: 25.11.2009

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

2-Naphthylmagnesium bromide, 0.25M in MeTHF H51160 21473-01-8 Trade name

Stock number:

CAS Number:

1.2 Relevant identified uses of the substance or mixture and uses advised against.

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com www.alfa.com

Informing department:

www.ana.com
Product safety Tel + +049 (0) 7275 988687-0
Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)
Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240 1.4 Emergency telephone number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

F; Highly flammable Highly flammable. R11:

Reacts violently with water. May form explosive peroxides.

Information concerning particular hazards for human and environment:

Other hazards that do not result in

classification

2.2 Label elements

Hazard pictograms

Signal word Hazard statements

Precautionary statements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation. GHS02, GHS05

No information known.

Not applicable

GHS02, GHS05

Danger
H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

2.3 Other hazards
Results of PBT and vPvB assessment

PBT: vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients

.1 Substances

After skin contact

CAS# Designation: 21473-01-8 2-Naphthylmagnesium bromide, 0.25M in MeTHF

SECTION 4: First aid measures

4.1 Description of first aid measures

General information After inhalation

Instantly remove any clothing soiled by the product.
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice

Rinse opened eye for several minutes under running water. Then consult doctor.

After eve contact After swallowing Seek medical tréatment.

4.2 Most important symptoms and effects,

both acute and delayed
4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents

For safety reasons unsuitable extinguishing

5.2 Special hazards arising from the

substance or mixture

Drv sand

Extinguishing powder. Do not use water.

Carbon dioxide Water.

Reacts violently with water

(Contd. on page 2)

(Contd. of page 1)

Printing date 02.07.2013 Revision: 25.11.2009

Trade name 2-Naphthylmagnesium bromide, 0.25M in MeTHF

If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide

Hydrogen bromide (HBr)

5.3 Advice for firefighters Protective equipment: Wear self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

6.2 Environmental precautions:

Keep away from ignition sources

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

6.3 Methods and material for containment

and cleaning up:

Keep away from ignition sources.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: 6.4 Reference to other sections

Do not flush with water of aqueous cleansing agonts. Keep away from ignition sources. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Information about protection against

explosions and fires:

rotect against electrostatic charges.

Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and

containers: Information about storage in one common

storage facility:

Store in cool location.

Store away from oxidizing agents. Store away from air. Store away from water.

Further information about storage

conditions:

Store under dry inert gas.

This product is moisture sensitive. This product is air sensitive.

Protect from humidity and keep away from water.

Store in cool, dry conditions in well sealed containers.

Avoid contact with air / oxygen (formation of peroxide).

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Check container pressure periodically to prevent explosive peroxides. No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters Components with critical values that require monitoring at the workplace: Additional information:

Not required. No data

8.2 Exposure controls

Breathing equipment: Protection of hands:

Personal protective equipment General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment.

Use breathing protection with high concentrations.

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Penetration time of glove material Impervious gloves Not determined

Eye protection:

Tightly sealed safety glasses. Full face protection Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance: Form:

Body protection:

Liquid

Colour: Not determined Smell: Odour threshold: Not determined.

(Contd. on page 3)

Printing date 02.07.2013 Revision: 25.11.2009

Trade name 2-Naphthylmagnesium bromide, 0.25M in MeTHF

(Contd. of page 2) pH-value: Not determined.

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Self-inflammability: Not determined Not determined Not determined Not determined. Not determined Not determined Not determined

May form explosive peroxides. Do not distill to dryness. Danger of explosion:

Critical values for explosion: Lower: Not determined Upper: Not determined Steam pressure: Density Not determined Not determined Relative density
Vapour density
Evaporation rate
Solubility in / Miscibility with
Water: Not determined. Not determined Not determined.

Reacts violently Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: Not determined. kinematic

Not determined. No further relevant information available 9.2 Other information

SECTION 10: Stability and reactivity

Reacts violently with water. May form explosive peroxides. Stable under recommended storage conditions. 10.1 Reactivity

10.2 Chemical stability
Thermal decomposition / conditions to be

avoided:

10.3 Possibility of hazardous reactions

10.5 Incompatible materials:

10.6 Hazardous decomposition products:

Water/moisture
Carbon monoxide and carbon dioxide
Hydrogen bromide

No decomposition if used and stored according to specifications.

Oxidizing agents

Reacts violently with water Forms peroxides

Metal oxide

No data

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for

classification: Skin irritation or corrosion: Eye irritation or corrosion: Sensitization:

Causes severe skin burns. Causes serious eye damage. No sensitizing effect known. Germ cell mutagenicity: No effects known Carcinogenicity No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. No effects known.

Reproductive toxicity: Specific target organ system toxicity -

repeated exposure:

Specific target organ system toxicity - single exposure:

Aspiration hazard:

Additional toxicological information:

No effects known.

No effects known. No effects known

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity

12.1 Toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
Additional ecological information: No further relevant information available. No further relevant information available. No further relevant information available.

General notes:

No further relevant information available.

Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment PBT:

Not applicable.

Not applicable.
No further relevant information available. 12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA

UN2924

Printing date 02.07.2013 Revision: 25.11.2009

Trade name 2-Naphthylmagnesium bromide, 0.25M in MeTHF

(Contd. of page 3) 14.2 UN proper shipping name ADR 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (2-Naphthylmagnesium bromide/2-methyltetrahydrofuran)
FLAMMABLE LIQUID, CORROSIVE, N.O.S. (2-Naphthylmagnesium bromide/2-methyltetrahydrofuran) IMDG, IATA

14.3 Transport hazard class(es)

ADR





Class Label IMDG, IATA



Class

Packing group ADR, IMDG, IATA 14.5 Environmental hazards:

14.6 Special precautions for user Kemler Number:

EMS Number: 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Transport/Additional information:

ADR **Excepted quantities (EQ):** Limited quantities (LQ)
Transport category
Tunnel restriction code

UN "Model Regulation":

3 (FC) Flammable liquids. 3+8

3 Flammable liquids.

Ш

Not applicable. Warning: Flammable liquids. F-F.S-C

Not applicable.

E2 1L D/E

UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (2-Naphthylmagnesium bromide/2-methyltetrahydrofuran), 3 (8), II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical

Substances

Standard for the Uniform Scheduling of Drugs and Poisons National regulations

Information about limitation of use:

Substance is not listed. Substance is not listed.

For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed. Water hazard class 1 (Self-assessment): slightly hazardous for water.

Water hazard class:
Other regulations, limitations and prohibitive regulations
ELINCS (European List of Notified Chemical

Substances)

Substances)
Substances of very high concern (SVHC)
according to REACH, Article 57
REACH - Pre-registered substances
15.2 Chemical safety assessment:

Substance is not listed.

Substance is not listed.

Substance is not listed. A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing data specification sheet:
Abbreviations and acronyms:

Health, Safety and Environmental Department.

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport Association" (IATA)
ICAC: International Civil Aviation Organization
ICAO: TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Civil Aviation Organization" (ICAO)
ICAC-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDC: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Hamiltonal Air Transport Association and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concernation, 50 percent

DE/E-

DE/E