



Page 1/5 Printing date 11/14/2018 Revision date 11/13/2018 Version 1

	Version
1	1 Identification
	Product identifier
	Product name: Aluminium hydroxide
	Stock number: 12366 CAS Number: 21645-51-2
	EC number: 244-492-7
	Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
	Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar
	Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660
	Fax: 800-322-4757 Email: tech@alfa.com
	www.alfa.com Information Department: Health, Safety and Environmental Department
	Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
	2 Hazard(s) identification
	Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
	GHS07
	Skin Irrit. 2 H315 Causes skin irritation.
	Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.
	STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.
	Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
	$\langle 1 \rangle$
	GHS07
	Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray
	P280 Wear protective gloves / eve protection / face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
	WHMIS classification D2B - Toxic material causing other toxic effects
	(\mathbf{T})
	Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
	HEALTH I FIRE I FRACTIVITY Physical Hazard = 1
	Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
3	B Composition/information on ingredients Chemical characterization: Substances CAS# Description: 21645-51-2 Aluminium hydroxide Concentration: ≤100% Identification number(s):
	EC number: 244-492-7
4	First-aid measures Description of first aid measures
	After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

(Contd. on page 2) USA

٦

Product name: Aluminium hydroxide

Product name: Aluminium hydroxide				
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available.	td. of page 1)			
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Aluminum oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.				
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-2: 73 mg/m3 PAC-3: 440 mg/m3				
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.				
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters				
Components with limit values that require monitoring at the workplace:				
21645-51-2 Aluminium hydroxide (100.0%) PEL (USA) Long-term value: 15*, 5** mg/m³				
*totăl dust, as Al; **respirable fraction, as Al REL (USA) Long-term value: 2 mg/m³				
TLV (USA) Long-term value: 1* mg/m³				
TLV (USA) Long-term value: 1* mg/m³ as Al;*as respirable fraction EL (Canada) Long-term value: 10 mg/m³				
Additional information: No data				
Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type N95 (USA) or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.				
Conte	d. on page 3) USA			

Product name: Aluminium hydroxide

(Contd. of page 2) Penetration time of glove material (in minutes) 480						
Glove thickness: 0.11 mm Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.						
9 Physical and chemical properties						
Information on basic physical and ch General Information Appearance:	Information on basic physical and chemical properties General Information					
Form: Odor: Odor threshold:	Granules Odorless Not determined.					
pH-value:	Not applicable.					
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined					
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Not determined Not determined.					
Danger of explosion: Explosion limits: Lower:	Not determined. Not determined					
Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate	Not determined Not applicable. Not determined Not determined. Not applicable. Not applicable.					
Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water)	Insoluble					
Viscosity: dynamic: kinematic: Other information	Not applicable. Not applicable. No further relevant information available.					
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Acids Oxidizing agents Hazardous decomposition products: Aluminum oxide						
 11 Toxicological information Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. 						
*	Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.					
	Specific target organ system toxicity - repeated exposure: No effects known.					
Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known.						
Subacute to chronic toxicity: The Reg Additional toxicological information:	gistry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	ce.				
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.						
Results of PBT and vPvB assessmen	t					

Avoid transfer into the environment. **Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable. **Other adverse effects** No further relevant information available.

USA (Contd. on page 4)

Product name: Aluminium hydroxide

(Contd. of page 3)

13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal.					
Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.					
14 Transport information					
UN-Number DOT, ADN, IMDG, IATA	Not applicable				
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable				
Transport hazard class(es)					
DOT, ADR, ADN, IMDG, IATA Class	Not applicable				
Packing group DOT, ADR, IMDG, IATA	Not applicable				
Environmental hazards:	Not applicable.				
Special precautions for user	Not applicable.				
Transport in bulk according to Annex II of MARPOLT					
Transport/Additional information:					
DOT Marine Pollutant (DOT):	No				
UN "Model Regulation":	Not applicable				
15 Regulatory information					

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/actional/international regulations. Dispose of contents/container in accordance with local/regional/national/international regulations. P501 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
RID: Rejement international concimant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADF: Accord européen sur le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Road)
IMD: Rejement international concimant le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMD: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMD: Rejement international Concerning the International Carriage of Dangerous Goods by Road)
IMD: Rejentinet of Transportation
IATA: International Air Transport Association
ENEXCE: Luropean Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (Canada)
LESO: Lethal concentration, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVH: Substances of Very High Concern
VPW: very Persistent, Bioaccumulative and Toxic
SVH: Coupational Safety and Health Administration (USA)
NTP: National Concept of Research on Cancer

(Contd. on page 5)

EPA: Environmental Protection Agency (USA) Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 24: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 4)

USA -