Page 1/5 Printing date 10/17/2016 Revision date 10/14/2016

1 Identification

Product identifier

Product name: (R)-(+)-1-(4-Methoxyphenyl)ethylamine

Stock number: L16321

CAS Number: 22038-86-4 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.walfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







Signal word Danger Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER or doctor/physician.

WHMIS classification

D2B - Toxic material causing other toxic effects E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 1
Flammability = 1
Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 22038-86-4 (R)-(+)-1-(4-Methoxyphenyl)ethylamine Identification number(s):

EC number: 606-907-3

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

Page 2/5 Printing date 10/17/2016 Revision date 10/14/2016

(Contd. of page 1)

Product name: (R)-(+)-1-(4-Methoxyphenyl)ethylamine

After skin contact

After Skin Contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from air. Store away from oxidizing agents. Further information about storage conditions:

Store under dry inert gas. This product is air sensitive

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Tightly sealed goggles Full face protection

(Contd. on page 3)

Page 3/5 Printing date 10/17/2016 Revision date 10/14/2016

Product name: (R)-(+)-1-(4-Methoxyphenyl)ethylamine

Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Liguid Odor: Odor threshold: Amine-like Not determined.

pH-value (10 g/l) at 20 °C (68 °F):

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: <-20 °C (<-4 °F) 65 °C (149 °F) (0.38mm) Not determinéd

Flammability (solid, gaseous) Not determined. Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined Danger of explosion: Not determined.

Explosion limits: Lower:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density Not determined Not determined Not determined

1.02 g/cm³ (8.512 lbs/gal) Not determined. Not determined.

Vapor density Vapor density
Evaporation rate
Solubility in / Miscibility with
Water at 20 °C (68 °F):
Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic Not determined. kinematic: Not determined.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitroaen oxides

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

Training in Wallowed.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information: General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 4)

Page 4/5 Printing date 10/17/2016 Revision date 10/14/2016

Product name: (R)-(+)-1-(4-Methoxyphenyl)ethylamine (Contd. of page 3) Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information **UN-Number** DOT, IMDG, IATA UN2735 UN proper shipping name DOT Amines, liquid, corrosive, n.o.s. ((R)-(+)-1-(4-Methoxyphenyl)ethylamine) AMINES, LIQUID, CORROSIVE, N.O.S. ((R)-(+)-1-(4-Methoxyphenyl)ethylamine) IMDG, IATA Transport hazard class(es) DOT Class 8 Corrosive substances. (C7) Corrosive substances Class Label IMDG, IATA Class 8 Corrosive substances. Label Packing group DOT, IMDG, IATA Ш Environmental hazards: Not applicable. Warning: Corrosive substances F-A,S-B Alkalis Special precautions for user EMS Number: Segregation groups Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:

15 Regulatory information

Marine Pollutant (DOT):

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



DOT





Signal word Danger Hazard statements

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER or doctor/physician.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

No

8, III

UN2735, Amines, liquid, corrosive, n.o.s. ((R)-(+)-1-(4-Methoxyphenyl)ethylamine),

SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 10/17/2016 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 5)

Page 5/5 Printing date 10/17/2016 Revision date 10/14/2016

Product name: (R)-(+)-1-(4-Methoxyphenyl)ethylamine

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HAMIS: Hazardous Materials Indentification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C

(Contd. of page 4)

USA