

Safety Data Sheet per OSHA HazCom 2012

1 Identification
Product identifier
Product name: 2-(Difluoromethoxy)aniline
Stock number: B20255, L16164 CAS Number:
22236-04-0 Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-343-0600
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS06 Skull and crossbones
Acute Tox. 3 H311 Toxic in contact with skin.
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
H227 Combustible liquid. Hazards not otherwise classified No information known.
Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS06
Signal word Danger Hazard statements
H227 Combustible liquid. H302+H332 Harmful if swallowed or if inhaled.
H311 Toxic in contact with skin. H315 Causes skin irritation.
H319 Causes serious eye irritation. Precautionary statements
P280 Wear protective gloves / protective clothing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/
WHMIS classification B3 - Combustible liquid
D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH 2 Health (acute effects) = 2
FIRE Image: Planmability = 2 REACTIVITY II Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment
PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients Chemical characterization: Substances
CAS# Description:
22236-04-0 2-(Difluoromethoxy)aniline
(Contd. on page 2)

	wea on on 1772/2010
Product name: 2-(Difluoromethoxy)aniline	
	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly.	
Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed Methemoglobinemia	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	
For safety reasons unsuitable extinguishing agents Water with full jet.	
Special hazards arising from the substance of mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide	
Nitrogen oxides (NOx) Possibly Hydrogen cyanide (HCN) Hydrogen fluoride (HF)	
Hydrogen fluoride (HF) Advice for firefighters	
Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation	
Ensure adoquate ventration Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation	
Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling	
Keen container tightly sealed	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away.	
Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: No special requirements.	
Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:	
Keep container tightly sealed.	
Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace: Not required. Additional information: No data	
Exposure controls Personal protective equipment	
General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Beause of a solid conteminated electring immediately.	
Wash hands before breaks and at the end of work.	
Remove all solled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	
Protection of hands:	
Impervious gloves Check protective gloves prior to each use for their proper condition.	
The selection of suitable gloves not only depends on the material, but also on guality. Quality will vary from manufacturer to manufacturer	
Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses	

Eye protection: Safety glasses Body protection: Protective work clothing.

USA (Contd. on page 3)

Product name: 2-(Difluoromethoxy)aniline

		(Contd. of page 2)
9 Physical and chemical properties	S	
Information on basic physical and ch		
General Information Appearance:		
Form:	Liquid	
Color: Odor:	Light brown Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition	N () () ()	
Melting point/Melting range: Boiling point/Boiling range:	Not determined 205 °C (401 °F)	
Sublimation temperature / start:	Not determined	
Flash point:	92 °C (198 °F)	
Flammability (solid, gaseous) Ignition temperature:	Not determined. Not determined	
Decomposition temperature:	Not determined	
Auto igniting:	Not determined.	
Danger of explosion: Explosion limits:	Product does not present an explosion hazard.	
Lower:	Not determined	
Upper: Vapor pressure:	Not determined Not determined	
Density at 20 °C (68 °F):	1.265 g/cm³ (10.556 lbs/gal)	
Relative density Vapor density	Not determined. Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix	
Partition coefficient (n-octanol/water)		
Viscosity: dynamic:	Not determined.	
kİnematic: Other information	Not determined. No further relevant information available.	
	No further relevant mormation available.	
Incompatible materials: Oxidizing agen Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Hydrogen fluoride Possibly Hydrogen cyanide (HCN)		
11 Toxicological information		
Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. Toxic in contact with skin. Danger through skin absorption. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Subacute to chronic toxicity: Aspiration hazard: No effects known. Subacute to chronic toxicity: Absorption into the body may lead to the formation of methemoglobin, producing cyanosis, and marked fall in blood pressure leading to collapse, coma and possibl, death. Onset may be delayed 2-4 hours or longer. Additional toxicological information: Aspiration attaicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.		
12 Ecological information		
Toxicity		
Aquatic toxicity: No further relevant ini Persistence and degradability No furt Bioaccumulative potential No further Mobility in soil No further relevant infor Additional ecological information: General notes: Do not allow material to be released to t Do not allow undiluted product or large of Avoid transfer into the environment. Results of PBT and vPvB assessmen PBT: Not applicable. vPvB: Not applicable.	her relevant information available. relevant information available. rmation available. the environment without proper governmental permits. quantities to reach ground water, water course or sewage system. ht	
Other adverse effects No further releva	מחנ וחוטוחומנוטח מלמוומטופ.	

(Contd. of page 3)

	(Contd. of page 3)
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulation	ions to ensure proper disposal.
Uncleaned packagings: Recommendation: Disposal must be made according to c	official regulations.
14 Transport information	
UN-Number DOT, IMDG, IATA	UN2810
UN proper shipping name	
DOT IMDG, IATA	Toxic, liquids, organic, n.o.s. (2-(Difluoromethoxy)aniline) TOXIC LIQUID, ORGANIC, N.O.S. (2-(Difluoromethoxy)aniline)
Transport hazard class(es)	
DOT	
10xc	
Class	6.1 Toxic substances.
Label Class	6.1 6.1 (T1) Toxic substances
Label IMDG, IATA	6.1
×	
Class	6.1 Toxic substances.
Label Packing group	6.1
Packing group DOT, IMDG, IATA	
Environmental hazards: Special precautions for user	Not applicable. Warning: Toxic substances
Transport in bulk according to Annex II of MARPOL73/	
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	UN2810, Toxic, liquids, organic, n.o.s. (2-(Difluoromethoxy)aniline), 6.1, III
GHS06 Signal word Danger Hazard statements H227 Combustible liquid.	
H302+H332 Harmful if swallowed or if inhaled. H311 Toxic in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P280 Wear protective gloves / protective clot	thing. er for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. doctor/
This product is not listed in the U.S. Environmental Protect to research and development only. This product must be u product must not be used for commercial purposes or in fo SARA Section 313 (specific toxic chemical listings) Su California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is no Information about limitation of use: For use only by tech Other regulations, limitations and prohibitive regulatio Substance of Verv Hiah Concern (SVHC) according to	ubstance is not listed. e is not listed. d. not listed. brically qualified individuals. ons ons othe REACH Regulations (EC) No. 1907/2006. Substance is not listed. and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on th
Chemical safety assessment: A Chemical Safety Assess 16 Other information Employers should use this information only as a suppleme information to ensure proper use and protect the health an	sment has not been carried out. ent to other information gathered by them, and should make independent judgement of suitability of this nd safety of employees. This information is furnished without warranty, and any use of the product not in ombination with any other product or process, is the responsibility of the user.
	(Contd. on page

Product name: 2-(Difluoromethoxy)aniline

 Date of preparation / last revision 11/24/2015 /

 Abbreviations and acronyms:

 RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

 IAT-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

 ICAO: International Concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

 IAD: Réglement international Conriganization

 ICAO: The rechnical Instructions by the "International Civil Aviation Organization" (ICAO)

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMD: Réglement international Maritime Code for Dangerous Goods

 DOT: US Department of Transport Association

 CAS: Chemical Abstract Service (division of the American Chemical Society)

 HIT: Réglement international Visit Transport Association

 CAS: Chemical Abstract Service (division of the American Chemical Society)

 HIT: Réglement international System (USA)

 WHMIS: Workplace Hazardous Materials Information System (Canada)

 LC50: Lethal concentration, 50 percent

 <

(Contd. of page 4)

USA