



1 Identification	
Product identifier Product name: 3-(Trifluoromethyl)benzoyl chloride	
Stock number: A14493, L01842	
CAS Number: 2251-65-2	
EC number: 218-844-5	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar Thermo F <u>i</u> sher Scientific Chemicals, Inc.	
30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eve Dam 1 H318 Causes serious eve damage	
Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05	
Signal word Danger	
Hăzard statements H314 Causes severe skin burns and eye damage.	
Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P309 IF exposed or if you feel unwell:	
WHMIS classification	
D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH B Health (acute effects) = 3 FRE D Flammability = 1	
REACTIVITY[1] Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
2251-65-2 3-(Trifluoromethyl)benzoyl chloride Identification number(s): EC number: 218-844-5	
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhelation	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. (Contd. oi	n nage 21
(Conta. or	USA USA

(Contd. of page 1)

Product name: 3-(Trifluoromethyl)benzoyl chloride

Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eve damage Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Hydrogen chloride (HCI)

Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course. **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Store away from strong bases. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls

Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). CEN (EU). Protection of hands:

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Tightly sealed goggles

Full face protection Body protection: Protective work clothing.

(Contd. of page 2)

	(Contd. of page 2		
9 Physical and chemical properties	<u></u>		
Information on basic physical and ch General Information Appearance:	hemical properties		
Form: Odor:	Liquid Pungent		
Odor threshold: pH-value:	Not determined. Not determined.		
Change in condition			
Melłing point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 189-191 °C (372-376 °F) Not determined		
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	> 110 °C (> 230 °F) Not determined. Not determined Not determined Not determined.		
Danger of explosion: Explosion limits:	Not determined.		
Lower:	Not determined		
Upper: Vapor pressure:	Not determined Not determined		
Density at 20 °C (68 °F): Relative density	1.408 g/cm³ (11.75 lbs/gal) Not determined.		
Vapor density	Not determined.		
Evaporation rate Solubility in / Miscibility with	Not determined.		
Water: Not miscible or difficult to mix Partition coefficient (n-octanol/water): Not determined. Viscosity:			
dynamic: kinematic:	Not determined. Not determined.		
Other information	No further relevant information available.		
Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Bases Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen fluoride Hydrogen chloride (HCI)			
11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes server skin burns. Eye irritation or corrosion: Causes server skin burns. Germ cell mutagenicity: No effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Aspiration toxicity is known.			
Carcinogenic categories OSHA-Ca (Occupational Safety & Hea	ealth Administration) Substance is not listed.		
12 Ecological information			
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.			
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Becommendation: Disposal must be made according to official regulations			

Recommendation: Disposal must be made according to official regulations.

Product name: 3-(Trifluoromethyl)benzoyl chloride

	(Contd. of page 3)	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN3265	
UN proper shipping name DOT IMDG, IATA	Corrosive liquid, acidic, organic, n.o.s. (3-(Trifluoromethyl)benzoyl chloride) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (3-(Trifluoromethyl)benzoyl chloride)	
Transport hazard class(es) DOT		
Class Label Class Label IMDG, IATA	8 Corrosive substances. 8 8 (C3) Corrosive substances 8	
Class Label	8 Corrosive substances. 8	
Packing group DOT, IMDG, IATA	11	
Environmental hazards:	Not applicable.	
Special precautions for user EMS Number: Segregation groups	Warning: Corrosive substances F-A,S-B Acids	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information: DOT		
Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-(Trifluoromethyl)benzoyl chloride), 8, II	
 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Constrained and the secondance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Constrained and constrained and the secondance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Constrained and constrained and the secondance with 29 CFR 1910 (OSHA HCS) Hazard statements Hard Causes severe skin burns and eye damage. Procautionary statements Procautionary statements Proceeding and the severe and the several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Proceeding and the several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Proceeding and a POISON CENTER or doctor/physician. Mational regulations for this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. Prop 65 - Obvelopmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concer		
 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 06/28/2016 / -		

Product name: 3-(Trifluoromethyl)benzoyl chloride

LD50: Lethal dose, 50 percent vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 (Contd. of page 4)

USA -