

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 01/14/2010

1 Identification

Product identifier

Product name: (S)-(+)-2-Amino-3-methylbutane

Stock number: L16332

CAS Number: 22526-46-1

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: technologies access

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS05 GHS06

Signal word Danger Hazard statements

Hazard statements
H225 Highly flammable liquid and vapor.
H302+H332 Harmful if swallowed or if inhaled.
H311 Toxic in contact with skin.
Causes severe skin burns and eye damage.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
WHMIS classification.

WHMIS classification

B2 - Flammable liquid
D2B - Toxic material causing other toxic effects

- Corrosive material



Classification system HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 3
ACTIVITY 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Product name: (S)-(+)-2-Amino-3-methylbutane

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 22526-46-1 (S)-(+)-2-Amino-3-methylbutane

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Information for doctor
Most important symptoms and effects, both acute and delayed
Causes severe skin burns.
Causes serious eye damage.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
Possibly Hydrogen cyanide (HCN)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Keep away from ignition sources

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keen ignition sources away.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from air. Further information about storage conditions:

Store under dry inert gas. This product is air sensitive.

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 3)

(Contd. of page 2)

Product name: (S)-(+)-2-Amino-3-methylbutane

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:

Protection of names:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Penetration time of glove material (in minutes) Not determined
The profession:

Eye protection: Tightly sealed goggles Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Odor threshold:

Appearance: Form: Color: Liquid Colorless Amine-like Odor:

pH-value (60 g/l) at 20 °C (68 °F):

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined 85-57 °C (185-135 °F) Not determined

Flash point: Flammability (solid, gaseous)

< 21 °C (< 70 °F) Not determined. Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Not determined

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

0.746 g/cm³ (6.225 lbs/gal) Not determined.

Not determined.

Not determined.

Evaporation rate
Solubility in / Miscibility with
Water at 20 °C (68 °F):
Partition coefficient (n-octanol/water): Not determined.

80 g/l
Partition coefficient (n-octanol/water): Not determined.

Viscosity. dynamic: Not determined. Not determined.

kinematic: Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials:
Oxidizing agents

Air Carbon dioxide

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides Hydrogen cyanide Possibly Hydrogen cyanide (HCN)

11 Toxicological information

Information on toxicological effects

Information on toxicological effects
Acute toxicity:
Harmful if inhaled.
Harmful if swallowed.
Toxic in contact with skin.
Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No effects known.
Carcinogenicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

USA

Product name: (S)-(+)-2-Amino-3-methylbutane

(Contd. of page 3)

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional coolegical information:

Additional ecological information:

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information	on
--------------------------	----

UN-Number DOT, IMDG, IATA UN2733

UN proper shipping name DOT_____


Amines, flammable, corrosive, n.o.s. ((S)-(+)-2-Amino-3-methylbutane) AMINES, FLAMMABLE, CORROSIVE, N.O.S. ((S)-(+)-2-Amino-3-methylbutane) IMDG, IATA

Transport hazard class(es)

DOT









Class 3 Flammable liquids. Label 3+8	Label
---	-------

Packing group DOT, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Flammable liquids Segregation groups Alkalis

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation": UN2733, Amines, flammable, corrosive, n.o.s. ((S)-(+)-2-Amino-3-methylbutane), 3 (8), ÎÎ

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







Signal word Danger

Hazard statements H225 Highly flammable liquid and vapor. H302+H332 Harmful if swallowed or if inhaled.

H311 H314

Toxic in contact with skin. Causes severe skin burns and eye damage.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
P310 Astional regulations

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

(Contd. on page 5)

(Contd. of page 4)

Product name: (S)-(+)-2-Amino-3-methylbutane

SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:
RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Hazardous Materials Identification System (Canada)
LD50: Lethal dose, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA