

Safety Data Sheet per OSHA HazCom 2012

Reviewed 0	n 05/23/2011
1 Identification	
Product identifier	
Product name: Thallium (III) trifluoroacetate	
Stock number: 43643 CAS Number: 23596 52.0	
23586-53-0 EC number:	
245-761-1 Index number:	
081-002-00-9	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099	
Ward Hill, MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 2 H300 Fatal if swallowed.	
Acute Tox. 2 H300 Fatal if inhaled.	
GHS08 Health hazard	
STOT RE 2 H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral. Hazards not otherwise classified No information known.	
Label elements GHS label elements Hazard pictograms	
GHS06 GHS08	
Signal word Danger Hazard statements	
H300+H330 Fatal if swallowed or if inhaled. H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.	
Precautionary statements	
P260 Do not breathe dust/fume/gas/mist/vapours/spray. P284 [In case of inadequate ventilation] wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/ P320 Specific treatment is urgent (see on this label).	
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor P320 Specific treatment is urgent (see on this label).	
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH B Health (acute effects) = 3	
FIRE Flammability = 0 REACTIVITY 2 Physical Hazard = 2	
Other hazards	
Results of PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances	
CAS# Description: 23586-53-0 Thallium (III) trifluoroacetate	
23586-53-0 Thallium (III) trifluoroacetate Identification number(s): EC number: 245-761-1	
Index number: 081-002-00-9	USA
(Co	ntd. on page 2)

Product name: Thallium (III) trifluoroacetate

Page 2/5 Printing date 11/24/2015 Reviewed on 05/23/2011

(Contd. of page 1)

	(Conta: of page 1)
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product.	
Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly.	
Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help.	
Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available.	
Indication of any immediate medical attention and special freatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media	
Suitable extinguishing agents CO2, extinguishing powder or water spray. Fight larger fires with water spray. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
Toxic metal oxide fume Hydrogen fluoride (HE)	
Carbon monoxide (CO) Advice for firefighters	
Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.	
Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation	
Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling	
Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: No information known.	
Conditions for safe storage, including any incompatibilities Storage	
Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: No information known.	
Further information about storage conditions: Avoid contact with air/oxygen.	
Keep container tightly séaled. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace:	
Fluorides (as F)	
mg/m3 ACGIH TLV 2.5 Austria MAK 2.5 Belgium TWA 2.5	
Belgium TWA 2.5 Finland TWA 2.5 France TWA 2.5	
Germany MAK 2.5 Hungary TWA 1; 2-STEL	
Netherlands MAC-K 3.5 Norway TWA 0.6 Poland TWA 1: 3-STEL	
Sweden NGV 2 Switzerland MAK-W 1.5; 3-KZG-W United Kingdom TWA 2.5	
United Kingdom TWA 2.5	
USA PEL 2.5	
Thallium and soluble thallium compounds (as TI) mg/m3 ACGIH TLV 0.1 (skin)	
	(Contd. on page 3)

Safety Data Sheet per OSHA HazCom 2012

	Re	viewed on 05/23/2011	
Product name: Thallium (III) trifluoro	acetate		
Austria MAK 0.1 Belgium TWA 0.1 (skin) Denmark TWA 0.1 (skin) Finland TWA 0.1 (skin) France VME 0.1 Germany MAK 0.1 Ireland TWA 0.1 (skin) Korea TLV 0.1 (skin) Norway TWA 0.1 (skin) Norway TWA 0.1 (skin) Norway TWA 0.1 (skin) Norway TWA 0.1 (skin) United Kingdom LTEL 0.1 (skin) USA PEL 0.1 (skin) USA PEL <th>acetate te (100.0%) 3³ ures and ling chemicals should be followed. Ind feed. hing immediately. Ind of work. orking environment. ed respiratory protective device in emergency situations. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.</th> <th>(Contd. of page 2)</th>	acetate te (100.0%) 3 ³ ures and ling chemicals should be followed. Ind feed. hing immediately. Ind of work. orking environment. ed respiratory protective device in emergency situations. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	(Contd. of page 2)	
Body protection: Protective work clothi	ng.		
9 Physical and chemical properties Information on basic physical and chemical properties General Information			
Appearance: Form: Odor: Odor threshold:	Powder Not determined Not determined.		
pH-value:	Not applicable.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	213 °C (415 °F) (dec) Not determined Not determined		
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Not determined. Not determined Not determined Not determined.		
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Densitv:	Product does not present an explosion hazard. Not determined Not determined Not applicable. Not determined		
Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water).	Not determined. Not applicable. Not applicable. Decomposes		
Viscosity: dynamic: kinematic: Other information	Not determined. Not applicable. Not applicable. No further relevant information available.		
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recome Thermal decomposition / conditions to Possibility of hazardous reactions No Conditions to avoid No further relevant Incompatible materials: Air Oxidizing agents No information known. Hazardous decomposition products: Toxic metal oxide fume Hydrogen fluoride Carbon monoxide and carbon dioxide	o be avoided: Decomposition will not occur if used and stored according to specifications. dangerous reactions known		
11 Toxicological information Information on toxicological effects			

Information on toxicological effects Acute toxicity: Fatal if inhaled.

(Contd. on page 4)

Product name: Thallium (III) trifluoroacetate

	(Contd. of page 3)			
Fatal if swallowed. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes. Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.	(conta. of page of			
Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.				
Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.				
Subacute to chronic toxicity: The main symptoms of thallium poisoning are peripheral neuropathy and loss of hair. Acute poisoning causes paresthesios, ataxia, alopecia, fever, coryza, abdominal pain, nausea and vomiting. Symptoms may progress to lethargy, speech disorders, tremors, convulsions, cyanosis, pulmonary edema, bronchopneumonia and death. Kidney, liver and brain damage can occur. Thallium poisoning during the first trimester of pregnancy can cause skeletal deformaties, alopecia, low birth weight and premature birth. Chronic thallium poisoning may produce alopecia, salivation and a blue line on the gums. Damage to the gastrointestinal, endocrine system and kidneys may also occur. Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic function poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects. Subacute to chronic toxicity: No effects known.				
Additional toxicological information: To the best of our knowledge the acute	and chronic toxicity of this substance is not fully known.			
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Toxic for aquatic organisms Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Toxic for aquatic organisms				
Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic to aquatic life. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.				
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal.				
Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.				
14 Transport information				
UN-Number DOT, IMDG, IATA	UN1707			
UN proper shipping name	001707			
DOT IMDG, IATA	Thallium compounds, n.o.s. (thallium (III) trifluoroacetate) THALLIUM COMPOUND, N.O.S. (thallium (III) trifluoroacetate)			
Transport hazard class(es)				
DOT				
1 conce				
Class	6.1 Toxic substances.			
Label Class	6.1 6.1 (T5) Toxic substances			
Label IMDG, IATA	6.1			
Class Label	6.1 Toxic substances. 6.1			
Packing group DOT, IMDG, IATA	Ш			
Environmental hazards:	Environmentally hazardous substance, solid			
Special precautions for user	Warning: Toxic substances			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				
Transport/Additional information: DOT				
Marine Pollutant (DOT):	No			
UN "Model Regulation":	UN1707, Thallium compounds, n.o.s. (thallium (III) trifluoroacetate), 6.1, II			

(Contd. on page 5)

Product name: Thallium (III) trifluoroacetate

Page 5/5 Printing date 11/24/2015 Reviewed on 05/23/2011

(Contd. of page 4) 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms R GHS06 GHS08 Signal word Danger Hazard statements H300+H330 Fatal if swallowed or if inhaled. May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P284 [In case of inadequate ventilation] wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/... P320 Specific treatment is urgent (see on this label). P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. SARA Section 313 (specific toxic chemical listings) 23586-53-0 Thallium (III) trifluoroacetate California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. This product contains thallium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372. Other regulations. limitations and prohibitive regulations. 40CFR372. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees." This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 /
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (IATA)
ICAC: International Civil Aviation Organization
ICAC-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Carriage of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Agency for greent
IATA: International Agene USA