

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 10/14/2010

1 Identification

Product identifier

Product name: Lithium isopropoxide

Stock number: 16352

CAS Number: 2388-10-5

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Self-heat. 1 H251 Self-heating: may catch fire.



Skin Corr. 1B H314 Causes severe skin burns and eye damage. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





Signal word Danger

Hazard statements
H251 Self-heating: may catch fire.
H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

P402+P404 Store in a dry place. Store in a closed container.

WHMIS classification

WHMIS classification

B6 - Reactive flammable material
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 3
Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 2388-10-5 Lithium isopropoxide

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 2)

(Contd. of page 1)

Product name: Lithium isopropoxide

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide

Lithium oxide

Lithium oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents **Prevention of secondary hazards:** Keep away from ignition sources. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling

Hendle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location. Information, about storage in one common storage facility:

Store away from oxidizing agents.
Store away from air.
Store away from water/moisture.
Further information about storage conditions:

Turner information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
This product is air sensitive.
Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace: Not required. Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection:

Eye protection: Tightly sealed goggles Full face protection

(Contd. on page 3)

Product name: Lithium isopropoxide

Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Powder White Not determined Color Odor: Odor threshold: Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Not determined Not determined

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Not applicable Highly flammable. Not determined Not determined Not determined.

Not determined.

Not applicable.

Danger of explosion: Explosion limits: Lower:

Auto igniting:

Not determined Not determined Upper: Vapor pressure: Density: Relative density Not applicable. Not determined Not determined Napor density Evaporation rate Solubility in / Miscibility with Not applicable. Not applicable.

Water: Reacts violently Partition coefficient (n-octanol/water): Not determined. Viscositv:

dynamic kinematic: Not applicable.

Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity Reacts violently with water.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts violently with water

Conditions to avoid No further relevant information available.

Incompatible materials:
Oxidizing agents

Water/moisture

Hazardous decomposition products: Carbon monoxide and carbon dioxide Lithium oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity:

Large amounts of lithium compounds may cause vomiting, diarrhea, ataxia, intestinal irritation, kidney injury, central nervous system depression and a drop in blood pressure. Central nervous system effects may include slurred speech, blurred vision, dizziness, sensory loss, convulsions and stupor. Chronic intake may cause neuromuscular effects such as tremor, ataxia, weakness, clonus and hyperactive reflexes. Lithium can cause kidney damage, gastrointestinal disturbances, fatigue, dehydration, weight loss, dermatological effects and thyroid damage. Lithium ion has shown teratogenic effects in rats and mice.

Subacute to chronic toxicity:

Subacute to chronic toxicity:

Subacute to chronic toxicity:

Subactive to Chronic toxicity:
Isopropyl alcohol, if formed, may act as a local irritant and in high concentrations as a narcotic with symptoms such as headache, nausea, dizziness, vomiting, mental depression, anesthesia, and coma. Similar symptoms may be caused by ingestion. It can cause corneal burns on contact with the eyes and has caused teratogenic, mutagenic and reproductive effects in laboratory animals.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

(Contd. on page 4)

(Contd. of page 3)

Product name: Lithium isopropoxide

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14	Transpor	t information

UN-Number DOT, IMDG, IATA UN3206

UN proper shipping name DOT

Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Lithium isopropoxide) ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S. (Lithium IMDG, IATA isopropoxide)

Transport hazard class(es)

DOT



Class Label Class

IMDG, IATA





4.2 Substances liable to spontaneous combustion.

Packing group DOT, IMDG, IATA

Environmental hazards:

Not applicable.

11

Special precautions for user

Warning: Substances liable to spontaneous combustion

4.2 Substances liable to spontaneous combustion. 4.2+8

4.2 (SC4) Substances liable to spontaneous combustion 4.2+8

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT):

UN "Model Regulation":

No

UN3206, Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Lithium isopropoxide), 4.2 (8), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







Signal word Danger
Hazard statements
H251 Self-heating: may catch fire.
H314 Causes severe skin burns and eye damage.
Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/...
P402+P404 Store in a dry place. Store in a closed container.
National regulations

P402+P404 Store in a dry place. Store in a closed container.

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

(Contd. on page 5)

Product name: Lithium isopropoxide

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 4)

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-Ti: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
USA)
WirMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPWS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA