

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 11/10/2010

#### 1 Identification

Product identifier

Product name: Magnesium ethoxide

Stock number: 14264 **CAS Number:** 2414-98-4

**EC** number: 219-323-5

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Self-heat. 1 H251 Self-heating: may catch fire.



Eye Irrit. 2A H319 Causes serious eye irritation. **Hazards not otherwise classified** No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS07

Signal word Danger Hazard statements

H251 Self-heating: may catch fire. H319 Causes serious eye irritation.

H319 Causes serious eye ırrıtauon.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P402+P404 Store in a dry place. Store in a closed container.

WHMIS classification
B6 - Reactive flammable material
D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



PALTH Property Proper

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 2414-98-4 Magnesium ethoxide Identification number(s): EC number: 219-323-5

# 4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

(Contd. on page 2)

## Product name: Magnesium ethoxide

After skin contact

(Contd. of page 1)

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents
Dry sand
Extinguishing powder. Do not use water.
For safety reasons unsuitable extinguishing agents
Carbon dioxide
Water
Special because 1...

Special hazards arising from the substance or mixture Reacts violently with water Contact with water releases a flammable alcohol.

If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide

Metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation
Keep away from ignition sources

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## 7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:

Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

This product is air sensitive.
This product is air sensitive.
Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.

Impervious groves. Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

(Contd. on page 3)

# Product name: Magnesium ethoxide

Eye protection: Safety glasses Full face protection Body protection: Protective work clothing.

(Contd. of page 2)

#### 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:
Form:
Color: Granules White Odor: Odorless Odor threshold: Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point: Flammability (solid, gaseous)

Ignition temperature:
Decomposition temperature: Auto igniting:

Danger of explosion: Explosion limits: Lower: Upper:

Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with

Reacts violently Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic:

Other information

270 °C (518 °F) (dec) Not determined Not determined

Not applicable.

Not applicable Highly flammable. Not determined Not determined Not determined Not determined.

Not determined Not determined Not applicable. 1.01 g/cm³ (8.428 lbs/gal) Not determined.

Not applicable. Not applicable.

Contact with water releases a flammable alcohol.

Not applicable.

Not applicable. No further relevant information available.

## 10 Stability and reactivity

Reactivity Reacts violently with water.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Conditions to be avoided: Decompt Possibility of hazardous reactions Reacts violently with water Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents

Air Carbon dioxide Water/moisture

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Metal oxide fume

## 11 Toxicological information

Information on toxicological effects
Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes mild irritant effect.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Inhalation of magnesium compounds may cause metal fume fever. Metallic magnesium which perforates the skin may cause local lesions. Some magnesium salts have produced muscle weakness, cardiac arrhythmias, respiratory effects and changes in blood chemistry following ingestion.

Subacute to chronic toxicity: No effects known.

Subacute to chronic toxicity: No effects known.

Subacute to chronic toxicity:

Ethyl alcohol, if formed, is a central nervous system depressant. Ingestion leads to drowsiness, lassitude, loss of appetite and inability to concentrate.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# 12 Ecological information

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information: General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

(Contd. on page 4)

(Contd. of page 3)

# Product name: Magnesium ethoxide

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

Recommendation. Disposal must be made according to ometal regulations.	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3205
UN proper shipping name DOT IMDG, IATA	Alkaline earth metal alcoholates, n.o.s. (Magnesium ethoxide) ALKALINE EARTH METAL ALCOHOLATES, N.O.S. (Magnesium ethoxide)
Transport hazard class(es)	
DOT	
Class Label Class Label IMDG, IATA	<ul><li>4.2 Substances liable to spontaneous combustion.</li><li>4.2</li><li>4.2 (S4) Substances liable to spontaneous combustion</li><li>4.2</li></ul>
9	



Class 4.2 Substances liable to spontaneous combustion. Label

Packing group DOT, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Substances liable to spontaneous combustion

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation": UN3205, Alkaline earth metal alcoholates, n.o.s. (Magnesium ethoxide), 4.2, II

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS07

Signal word Danger

Hazard statements
H251 Self-heating: may catch fire.
H319 Causes serious eye irritation.
Precautionary statements

P402+P404 Store in a dry place. Store in a closed container.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the Substance is not listed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA

Product name: Magnesium ethoxide

(Contd. of page 4)

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: The control of Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doose, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal doose, 50 percent
LD50: Le

USA