

Safety Data Sheet

Page 1/4 Printing date 01/26/2017 Revision date 01/20/2017

acc. to OSHA HCS Printing dai Revision dai	te 01/26/2017 te 01/20/2017
1 Identification Product identifier Product name: Tetrahydrofurfuryl methacrylate	
Stock number: L09365 CAS Number: 2455-24-5 EC number:	
219-529-5 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789	<u>. </u>
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS07	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3_H335_May cause respiratory irritation. H227_Combustible liquid. Hazards not otherwise classified No information known.	
Label elements GHS label elements Hazard pictograms	
GHS07	
Signal word Warning Hazard statements H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P305+P351-P1 IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of soap and water.	
WHMIS classification B3 - Combustible liquid D2B - Toxic material causing other toxic effects	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH I HEALTH I HEALTH I Fire I Flammability = 2	
REACTIVITY I Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PBT: Not applicable.	
vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 2455-24-5 Tetrahydrofurfuryl methacrylate Concentration: ≤100% Identification number(s): EC number: 219-529-5	
4 First-aid measures Description of first aid measures	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
	ontd. on page 2) USA

Safety Data Sheet

Product name: Tetrahydrofurfuryl methacrylate

Product name: Tetrahydrofurfuryl methacrylate	
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available.	(Contd. of page 1)
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture Danger of containers bursting upon heating. If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Store in the dark. Protect from heat. Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Protect from exposure to light. Refrigerate Specific end use(s) No further relevant information available.	
 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solid and contaminated clothing immediately. 	

The Usual preduitionary measures for handling chemicals should be followed. Reep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use suitable respirator when high concentrations are present. **Recommended filter device for short term use:** Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). **Protection of hands:** Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses **Body protection:** Protective work clothing. USA

USA (Contd. on page 3)

(Contd. of page 2)

		(Contd. of page 2)
9 Physical and chemical propertie	25	
Information on basic physical and cl General Information Appearance:	hemical properties	
Form: Odor: Odor threshold:	Liquid Not determined Not determined	
Odor threshold: pH-value:	Not determined. Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 178 °C (352 °F) Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	90 °C (194 °F) Not determined. Not determined Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water	Not determined. Not determined Not determined 1.04 g/cm ³ (8.679 lbs/gal) Not determined. Not determined. Not determined. Not miscible or difficult to mix r): Not determined	
Viscosity: dynamic: kinematic: Other information	Not determined. Not determined. No further relevant information available.	
Stable until: Depletion of inhibitor. Possibility of hazardous reactions Reacts with strong oxidizing agents Danger of polymerization Conditions to avoid No further relevant Incompatible materials: Oxidizing agents Heat Light Ultraviolet radiation Free radical initiators Hazardous decomposition products:		'ainer.
Reproductive toxicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: No effe Additional toxicological information:	skin irritation. erious eye irritation. nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. y - repeated exposure: No effects known. y - single exposure: May cause respiratory irritation.	
Carcinogenic categories OSHA-Ca (Occupational Safety & He	ealth Administration) Substance is not listed.	
12 Ecological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No further Bioaccumulative potential No further Mobility in soil No further relevant infor Additional ecological information: General notes: Avoid transfer into the Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant	ther relevant information available. relevant information available. ormation available. environment. nt	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local	or national regulations to ensure proper disposal.	(Contd. on page 4)
		USA USA

(Contd. of page 3)

Product name: Tetrahydrofurfuryl methacrylate

Uncl	leaned	packa	gings:	
5			3.29-	

Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, ADN, IMDG, IATA Not applicable UN proper shipping name DOT, ADN, IMDG, IATA Not applicable Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class Not applicable Packing group DOT, IMDG, IATA Not applicable Environmental hazards: Not applicable. Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning Hazard statements

Hazaro statements H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of soap and water. National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use beserved.

market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user."
Department issuing SDS: Global Marketing Department
Date of preparation / last revision 01/26/2017 / Abbreviations and acromys:
Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
DOT: US Department of Transport des marchandises doubtances
CAS: Chemical Abstracts Service (division of the American Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VP-WE very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
HTP: National Toxicology Program (USA)
HARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Fimmable liquids, Hazard Category 4
Eye Imt. 2A: Serious eye damage/eye irritation, Hazard Category 2A
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3