

1 Identification

Product identifier

Product name: 3-Isocyanatopropyltriethoxysilane

Stock number: A12890, L07590

CAS Number:
24801-88-5

EC number:
246-467-6

Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

H227 Combustible liquid.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS05 GHS06 GHS08

Signal word Danger

Hazard statements

H227 Combustible liquid.

H302+H312 Harmful if swallowed or in contact with skin.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 IF exposed or if you feel unwell:

P310 Immediately call a POISON CENTER/doctor/...

WHMIS classification

B3 - Combustible liquid

D1A - Very toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

E - Corrosive material



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 3 Health (acute effects) = 3

FIRE 2 Flammability = 2

REACTIVITY 1 Physical Hazard = 1

Product name: 3-Isocyanatopropyltriethoxysilane	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	(Contd. of page 1)
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 24801-88-5 3-Isocyanatopropyltriethoxysilane Identification number(s): EC number: 246-467-6	
4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen cyanide (HCN) Silicon oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.	

Product name: 3-Isocyanatopropyltriethoxysilane

(Contd. of page 2)

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace: Not required.
Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.

Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection:
Tightly sealed goggles
Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties
General Information
Appearance:
Form: Liquid
Color: Colorless
Odor: Mild
Odor threshold: Not determined.

pH-value: Not determined.

Change in condition
Melting point/Melting range: Not determined
Boiling point/Boiling range: 238 °C (460 °F)
Sublimation temperature / start: Not determined

Flash point: 77 °C (171 °F)
Flammability (solid, gaseous) Not determined.
Ignition temperature: Not determined
Decomposition temperature: Not determined
Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.
Explosion limits:
Lower: Not determined
Upper: Not determined
Vapor pressure at 20 °C (68 °F): <1.3 hPa (<1 mm Hg)
Density at 20 °C (68 °F): 0.99 g/cm³ (8.262 lbs/gal)
Relative density Not determined.
Vapor density Not determined.
Evaporation rate Not determined.
Solubility in / Miscibility with
Water: (hydrolyzes)
Partition coefficient (n-octanol/water): Not determined.
Viscosity:
dynamic: Not determined.
kinematic: Not determined.
Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials:
Alcohols
Amines
Oxidizing agents
Water/moisture
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Nitrogen oxides
Silicon oxide
Hydrogen cyanide

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Harmful in contact with skin.
Harmful if swallowed.
Fatal if inhaled.
Danger through skin absorption.

(Contd. on page 4)
USA

Product name: **3-Isocyanatopropyltriethoxysilane**

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. of page 3)

LD/LC50 values that are relevant for classification:

Oral	LD50	707 µL/kg (rat)
Dermal	LD50	1260 µL/kg (rabbit)
Inhalative	LC50/4H	360 mg/m3/4H (rat)
Irritation of skin	moderate	10 mg (rabbit)
Irritation of eyes	severe	5 µL (rabbit)

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Behavioral - somnolence (general depressed activity).

Behavioral - irritability.

Lungs, Thorax, or Respiration - dyspnea.

Lungs, Thorax, or Respiration - acute pulmonary edema.

Skin and Appendages - dermatitis, other (after systemic exposure).

Lungs, Thorax, or Respiration - fibrosis, focal (pneumoconiosis).

Blood - hemorrhage.

Gastrointestinal - other changes.

Sense Organs and Special Senses (Eye) - conjunctive irritation.

Subacute to chronic toxicity:

Organic silicon compounds are generally of low toxicity. Those exhibiting moisture sensitivity may be strongly irritating or corrosive on contact.

Isocyanates are extremely irritating to the skin, eyes and mucous membranes. Exposure may be fatal. Symptoms include burning sensation, coughing, wheezing,

laryngitis, headache, nausea and vomiting.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number
DOT, IMDG, IATA

UN2927

UN proper shipping name

DOT
IMDG, IATA

Toxic liquids, corrosive, organic, n.o.s. (3-Isocyanatopropyltriethoxysilane)
TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (3-Isocyanatopropyltriethoxysilane)

Transport hazard class(es)

DOT



Class
Label
Class
Label
IMDG, IATA

6.1 Toxic substances.
6.1+8
6.1 (TC1) Toxic substances
6.1+8



Class
Label

6.1 Toxic substances.
6.1+8

Packing group
DOT, IMDG, IATA

II

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Toxic substances




EMS Number:

F-A,S-B

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 5)
USA

Product name: 3-Isocyanatopropyltriethoxysilane	
(Contd. of page 4)	
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	UN2927, Toxic liquids, corrosive, organic, n.o.s. (3-Isocyanatopropyltriethoxysilane), 6.1 (8), II

15 Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance or mixture	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms	
  	
GHS05 GHS06 GHS08	
Signal word Danger	
Hazard statements	
H227 Combustible liquid.	
H302+H312 Harmful if swallowed or in contact with skin.	
H330 Fatal if inhaled.	
H314 Causes severe skin burns and eye damage.	
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Precautionary statements	
P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P309 IF exposed or if you feel unwell:	
P310 Immediately call a POISON CENTER/doctor/...	
National regulations	
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.	
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).	
SARA Section 313 (specific toxic chemical listings) Substance is not listed.	
California Proposition 65	
Prop 65 - Chemicals known to cause cancer Substance is not listed.	
Prop 65 - Developmental toxicity Substance is not listed.	
Prop 65 - Developmental toxicity, female Substance is not listed.	
Prop 65 - Developmental toxicity, male Substance is not listed.	
Information about limitation of use: For use only by technically qualified individuals.	
Other regulations, limitations and prohibitive regulations	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.	
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.	
Substance is not listed.	
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information	
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	
Department issuing SDS: Global Marketing Department	
Date of preparation / last revision 11/24/2015 / -	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)	
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	
ICAO: International Civil Aviation Organization	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
HMIS: Hazardous Materials Identification System (USA)	
WHMIS: Workplace Hazardous Materials Information System (Canada)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
vPvB: very Persistent and very Bioaccumulative	
ACGIH: American Conference of Governmental Industrial Hygienists (USA)	
OSHA: Occupational Safety and Health Administration (USA)	
NTP: National Toxicology Program (USA)	
IARC: International Agency for Research on Cancer	
EPA: Environmental Protection Agency (USA)	