Page 1/5 Printing date 08/25/2016 Revision date 08/24/2016

1 Identification

Product identifier

Product name: (S)-(-)-1-Phenylethylamine

Stock number: A12632 CAS Number:

2627-86-3 **EC** number: 220-098-0

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

H227 Combustible liquid.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements

H227 Combustible liquid. H302 Harmful if swallowed.

H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.

Precautionary statements
P210 Keep awa
P260 Do not br

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Store locked up

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
B3 - Combustible liquid
D1B - Toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 2 Physical Hazard = 1

(Contd. on page 2)

(Contd. of page 1)

Product name: (S)-(-)-1-Phenylethylamine

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 2627-86-3 (S)-(-)-1-Phenylethylamine Identification number(s): EC number: 220-098-0

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns. Harmful if swallowed.

Toxic in contact with skin. Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Headutions for sale nationing
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompation and storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store away from air.

Do not store together with acids.

Store away from oxidizing agents.

Store away from acid chlorides.

Store away from acid anhydrides.

Further information about storage conditions:

Store under dry inert gas.

Store under dry inert gas. This product is air sensitive.

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

(Contd. of page 2)

Product name: (S)-(-)-1-Phenylethylamine

Control parameters
Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Avail entact with the eves and skip.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EL) CEN (EU).

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Butyl rubber, BR

Eye protection:
Tightly sealed goggles
Full face protection

Performance of the protection of the protect

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Liquid Amine-like Odor: Odor threshold: Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -10 °C (14 °F) 187 °C (369 °F)

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Not determined 71 °C (160 °F) Not determined 355 °C (671 °F) Not determined

Not determined.

Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Not determined. Not determined.

Not determined Not determined

Opper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Not determined 0.948 g/cm³ (7.911 lbs/gal) Not determined.

Not determined.

Vapor density
Evaporation rate
Solubility in / Miscibility with
Water at 20 °C (68 °F):
Partition coefficient (n-octanol/water): Not determined.

Viscosity

Not determined

dynamic: kinematic:

Other information

Not determined.

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available. Incompatible materials:

Acids Air Oxidizing agents Acid chlorides Acid anhydrides

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides

11 Toxicological information

Information on toxicological effects

Information on toxicological effects
Acute toxicity:
Harmful if swallowed.
Toxic in contact with skin.
Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification:

Oral LD50 940 mg/kg (rat)

(Contd. on page 4)

Product name: (S)-(-)-1-Phenylethylamine

(Contd. of page 3)

739 mg/kg (rabbit)

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
De set allow patilities broduct or large quantities to reach ground water.

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA UN2922

UN proper shipping name DOT

Corrosive liquids, toxic, n.o.s. ((S)-(-)-1-Phenylethylamine) CORROSIVE LIQUID, TOXIC, N.O.S. ((S)-(-)-1-Phenylethylamine) IMDG, IATA

Transport hazard class(es)

DOT





Label Class Label

ĪMDG, IATA

8 Corrosive substances. 8+6.1 8 (CT1) Corrosive substances



Class Label

8 Corrosive substances.

8+6.1

Packing group DOT, IMDG, IATA

11

Environmental hazards:

Not applicable.

Special precautions for user EMS Number:

Warning: Corrosive substances F-A,S-B

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): UN "Model Regulation":

No

UN2922, Corrosive liquids, toxic, n.o.s. ((S)-(-)-1-Phenylethylamine), 8 (6.1), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements H227 Combustible liquid. H302 Harmful if swallowed.

(Contd. on page 5)

(Contd. of page 4)

Product name: (S)-(-)-1-Phenylethylamine

H311 Toxic in contact with skin.

H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Store locked up. Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations. limitations and prohibitive regulations

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 08/25/2016 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods by Road) MDG: International Air Transport Association ATA: International Air Transport Association (ATA: International Air Transport Association (ATA:

USA