

1 Identification
Product identifier Product name: 3-Chlorobenzenesulfonyl chloride
Stock number: A10283, L06890
CAS Number:
2888-06-4 EC number:
220-753-0 Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill. MA 01835-8099
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.
Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms
GHS05
Signal word Danger
Hazard statements H314 Causes severe skin burns and eye damage.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
D2B - Toxic material causing other toxic effects E - Corrosive material
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH I Health (acute effects) = 3
FIRE Flammability = 1 REACTIVITY Physical Hazard = 1
Other hazards
Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances CAS# Description:
2888-06-4 3-Chlorobenzenesulfonvl chloride
Identification number(s): EC number: 220-753-0
4 First-aid measures
Description of first aid measures
General information Immediately remove any clothing soiled by the product. After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. (Contd. on page 2,
UŠA –

Product name: 3-Chlorobenzenesulfonyl chloride After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor (Contd. of page 1) Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen chloride (HCl) Advice for firefighters **Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: use a respirator with organic vapor/acid gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves The selection of suitable gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Tightly sealed goggles Full face protection (Contd. on page 3)

Product name: 3-Chlorobenzenesulfonyl chloride

(Contd. of page 2)

Body protection: Protective work clothing. 9 Physical and chemical properties

9 Filysical and chemical properties	
Information on basic physical and che General Information Appearance:	
Form: Color:	Liquid Colorless to pale yellow
Odor:	Not determined
Odor threshold: pH-value:	Not determined.
Change in condition	Not determined.
Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	ca 21 °C (ca 70 °F) 102-104 °C (216-219 °F) (1mm) Not determined
Flash point:	> 110 °C (> 230 °F)
Flammability (solid, gaseous) Ignition temperature:	Not determined. Not determined
Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined.
	Not determined.
Danger of explosion: Explosion limits:	
Lower: Upper:	Not determined Not determined
Vapor pressure: Density at 20 °C (68 °F):	Not determined
Relative density	1.499 g/cm³ (12.509 lbs/gal) Not determined.
Vapor density	Not determined.
Evaporation rate Solubility in / Miscibility with	Not determined.
Water: Partition coefficient (n-octanol/water). Viscosity:	Not determined : Not determined.
dynamic:	Not determined.
kinematic: Other information	Not determined. No further relevant information available.
Possibility of nazardous reactions Re Conditions to avoid No further relevant Incompatible materials: Water/moisture Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen chloride (HCI)	
Skin irritation or corrosion: Causes se Eye irritation or corrosion: Causes se Sensitization: No sensitizing effects kno Germ cell mutagenicity: No effects kno Carcinogenicity: No classification data Reproductive toxicity: No effects know Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: No effect	rious eye damage. own. ow a carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. /n. - repeated exposure: No effects known. - single exposure: No effects known.
12 Ecological information	
Toxicity Aquatic toxicity: No further relevant inf Persistence and degradability No furth Bioaccumulative potential No further r Mobility in soil No further relevant infor Additional ecological information: General notes: Do not allow undiluted product or large of Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevation	mation available. quantities to reach ground water, water course or sewage system. t
13 Disposal considerations Waste treatment methods Procummentation Consult state, local of	

Recommendation Consult state, local or national regulations to ensure proper disposal.

Product name: 3-Chlorobenzenesulfonyl chloride (Cont. c. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. (Cont. c. 11 Transport information: UN3265 UN proper shipping name DOT, IMDG, IATA UN3265 Transport hazard class(es) Corrosive liquid, acidic. organic, n.o.s. (3-Chlorobenzenesulfonyl chloride) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (3-Chlorobenzenesulfonyl chloride) Transport hazard class(es) 6 (C3) Corrosive substances. DOT 6 (C3) Corrosive substances. Label 6 (C3) Corrosive substances. Label 6 (C3) Corrosive substances. Label 8 (C3) Corrosive substances. Special prequention of user Warning: Corrosive substances Expectating group 1 DOT, IMDG, IATA 10 Environmental hazards: Not applicable. Special prequentions for user FA, SB Edst 42/5 Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/78 and the IB
Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number UN-N
UN-Number DoT, IMDG, IATA UN3265 UN proper shipping name DOT, IMDG, IATA Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesultonyl chloride) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (3-Chlorobenzenesultonyl chloride) Transport hazard class(es) DOT DoT Image: State of the state of th
UN-Number DoT, IMDG, IATA UN3265 UN proper shipping name DOT, IMDG, IATA Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesultonyl chloride) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (3-Chlorobenzenesultonyl chloride) Transport hazard class(es) DOT DoT Image: State of the state of th
UN proper shipping name OPT IMDG, IATA Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (3-Chlorobenzenesulfonyl chloride) Transport hazard class(es) DOT Class Class 8 Corrosive substances. Label 8 (C3) Corrosive substances Class 8 (C3) Corrosive substances. Label 8 (C3) Corrosive substances Class 8 (C3) Corrosive substances. Label 8 (C3) Corrosive substances. Class 8 (C3) Corrosive substances. Label 8 (C3) Corrosive substances. MOC, IATA 8 Corrosive substances. 8 (C3) Corrosive substances. Seguestion for user Warning: Corrosive substances. Packing group 8 Port, IMDG, IATA II Environmental hazards: Not applicable. Seguestion for user Haring: Corrosive substances MMS (MBC, IATA II Environmental hazards: Not applicable. Transport/Additional information: Corrosive substances Seguestion frouges Acids Transport/Additional information: Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenes
DOT IMDG, IATA Corrosive guida acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride) chloride) Transport hazard class(es) 0 DOT Class 8 Corrosive substances. Label 8 (C3) Corrosive substances Class 8 (C3) Corrosive substances Label 8 (C3) Corrosive substances Class 8 (C3) Corrosive substances Label 8 (C3) Corrosive substances Class 8 (C3) Corrosive substances Label 8 Class 8 (C3) Corrosive substances Label 8 Corrosive substances 8 Packing group 8 Packing group 11 Environmental hazards: Not applicable Special precautions for user Warnia: Corrosive substances EMS Number: F-A,S-B Segregation groups Acids Transport/Additional information: O OT No UN 'Nockel Regulation': UN/32865, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, 11 Transport/Additional information: Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfon
DOT Image: Class index in the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Class in the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Class Label Class Label Class Label Class Label Class Label Class Label Class Corrosive substances. Becking group DOT, IMDG, IATA View Class Corrosive substances. Class Corrosive substances. Class Corrosive substances. Becking group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Acids Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport in bulk according to Annex II of Code Not applicable. Transport in bulk according to Annex II of
Label 6 8 (C3) Corrosive substances 8 (C3) Corrosive substance 9 (C3) Corros
Class Label IMDG, IATA [§] (C3) Corrosive substances Import [§] (C3) Corrosive substances Class [§] Corrosive substances. Label [§] Corrosive substances. Packing group DOT, IMDG, IATA II Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances EMS Number: FAS Segregation groups FAS Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. Transport/Additional information: DOT DOT Mo Warnine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
IMDG, IATA Impose Class 8 Corrosive substances. Label 8 Packing group 11 Environmental hazards: Not applicable. Special precautions for user FA, SB EMS Number: FA, SB Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT DOT Marine Pollutant (DOT): UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Karine Policon Substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Second Stress 8 Corrosive substances. Label 8 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Special precautions for user Warning: Corrosive substances FMS Number: F.A.S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT DOT No Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Kernel Cordination
Label 8 Packing group II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Mazirard pictograms VFR 1910 (OSHA HCS)
Label 8 Packing group II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Mazirard pictograms VFR 1910 (OSHA HCS)
Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Maxima Sub elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Warard pictograms Kare Substance
Special precautions for user Warning: Corrosive substances EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Warand pictograms Work
Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": UN "Segregulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Comparison of the substance of the substan
Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Image: Content of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Work
Marine Pollutant (DOT): No UN "Model Regulation": UN3265, Corrosive liquid, acidic, organic, n.o.s. (3-Chlorobenzenesulfonyl chloride), 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
Signal word Danger Hazard statements P360 P361 P363 P364 P364 P364 P363 P364
16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product is conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / -

Product name: 3-Chlorobenzenesulfonyl chloride

(Contd. of page 4)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Anal Martime Code for Dangerous Goods by Road)
IMDG: International Martime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Martime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
UPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Jaces of Conference of Covernmental Industrial Hygienists (USA)
MTP: National Toxicology Program (USA)
INTP: National Toxicology Program (USA)
USA