



Page 1/5 Printing date 05/05/2017 Revision date 05/04/2017 Version 1

	Version	1	
	dentification		
	roduct identifier		
	roduct name: <u>Aluminum n-butoxide</u>		
(tock number: 87754 AS Number:		
E	085-30-1 C number:		
	letails of the supplier of the safety data sheet lanufacturer/Supplier:		
7	Ifa Aesar her her her her her her her her her he		
Ĵ	0 Bond Street /ard Hill, MA 01835-8099 el: 800-343-0660		
F	ax: 800-322-4757		
Ë	mail: tech@alfa.com ww.alfa.com		
1	iformation Department: Health Safety and Environmental Department		
Ľ	mergency telephone number: uring normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.		
21	lazard(s) identification	Ē	
	lassification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)		
•	GHS02 Flame		
ļ	lam. Sol. 2. H228. Flammable solid.		
•	GHS07		
3	kin Irrit. 2 H315 Causes skin irritation.		
	iye Irrit. 2A H319 Causes serious eye irritation.		
Ì	TOT SE 3 H335 May cause respiratory irritation. l azards not otherwise classified No information known.		
(abel elements iHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) lazard pictograms		
0			
	ignal word Warning		
- F	azard statements		
ŀ	228 Flammable solid. 315 Causes skin irritation.		
ŀ	1319 Causes serious eye irritation. 1335 May cause respiratory irritation. recautionary statements		
ŀ	recautionary statements 210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
ŀ	280 Wear protective gloves. 305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	VHMIS classification 4 - Flammable solid		
Ĭ	2B - Toxic material causing other toxic effects		
(
	lassification system		
(MIS ratings (scale 0-4) Hazardous Materials Identification System)		
	EALTH ☐ Health (acute effects) = 1 RE 2 Flammability = 2		
	EACTIVITY I Physical Hazard = 1		
Ģ	other hazards Sesults of PBT and vPvB assessment		
ŀ	BT: Not applicable. PvB: Not applicable.		
3 Composition/information on ingredients			
	composition/information on ingreatients chemical characterization: Substances		
	r AS# Description: 085-30-1 Aluminum n-butoxide		
9	toncentration: ≤100% tentification number(s):		
1	C number: 221-394-2		
	(Contd. or page	2)	

(Contd. on page 2)

Product name: Aluminum n-butoxide

(Contd. of page 1)

	(Contd. of page 1)
4 First-aid measures Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor	
Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture Contact with water releases flammable gases If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Aluminum oxide Advice for firefighters Protective equipment: Wear sulf-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.	
Methods and material for containment and cleaning up: Keep away from ignition sources. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed.	
7 Handling and storage	
Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed.	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility:	
Store away from water/moisture. Store away from oxidizing agents. <i>Further information about storage conditions:</i> Store under dry inert gas. This product is moisture sensitive.	
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems:	
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.	
Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	
	(Contd. on page 3) USA

Product name: Aluminum n-butoxide

(Contd. of page 2)

Recommended filter device for short term use: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands:

Impervious gloves Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses with side shields / NIOSH (US) or EN 166(EU) **Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and che General Information	emical properties
Appearance: Form:	Lump
Odor: Odor threshold:	Not determined Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	102 °C (216 °F) Not determined Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Highly flammable. Not determined Not determined Not determined.
Danger of explosion: Explosion limits:	Not determined.
Lower:	Not determined
Upper: Vapor pressure:	Not determined Not applicable.
Density:	Not deprivation
Density: Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate Solubility in / Miscibility with	Not applicable.
Water:	Reacts
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	Neterski
dynamic: kinematic:	Not applicable. Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with water Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Water/moisture Hazardous decomposition products:

Hazardous decomposition products: Carbon monoxide and carbon dioxide Aluminum oxide

11 Toxicological information

Toxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes. Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes:

Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

(Contd. on page 4)

Product name: Aluminum n-butoxide (Contd. of page 3) Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN3181 UN proper shipping name DOT Metal salts of organic compounds, flammable, n.o.s. (Aluminum n-butoxide) 3181 Metal salts of organic compounds, flammable, n.o.s. (Aluminum n-butoxide) METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. (Aluminum n-ADR IMDG, IATA butoxide) Transport hazard class(es) DOT ∰ Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1 Label ADR 働 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives 4.1 Class Label ĪMDG, IATA Ø Class Label 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 41 Packing group DOT, ADR, IMDG, IATA 111 Environmental hazards: Marine pollutant (IMDG): No Warning: Flammable solids, self-reactive substances and solid desensitised Special precautions for user explosives F-A,S-I EMS Number: Segregation groups Stowage Category Heavy metals and their salts (including their organometallic compounds) B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg Quantity limitations Marine Pollutant (DOT): No IMDG 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Limited quantities (LQ) Excepted quantities (EQ) UN 3181 METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. (ALUMINUM N-BUTOXIDE), 4.1, III UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 5)

Product name: Aluminum n-butoxide

(Contd. of page 4)

P280 Wear protective gloves. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not insee. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Information to ensure proper use and protect the neurin and safety of employees. This information is furnished without warranty, and any use conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. **Department issuing SDS:** Global Marketing Department **Date of preparation/Revision:** Print date, revision date and version number are in the header of each page. **Abbreviations and acronyms:** RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ITA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO: International Air Transport Association" (ICAO) ADR Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IDG: International Marting Code for Dangerous Goods DOI: US Department of Transport des marchandises dangereuses bear concerning the International Carriage of Dangerous Goods by Road) IDG: International Marting Code for System (IGA) WHMIS: Workplace Hazardous Materials Information System (Canada) LCSO: Lethal dose, 50 percent DBT: Persistent, Bloaccumulative ADF: Versistent, Bloaccumulative ADF: Versistent, Bloaccumulative ADF: Versistent, Bloaccumulative ADF: Persistent, Bloaccumulative ADF: Versistent, Bloaccumulative ADF: Versis

USA