(Contd. on page 2)

Printing date 02.07.2013 Revision: 23.10.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking 3-Chlorobenzylzinc chloride, 0.5M in THF Trade name Stock number 1.2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development 1.3 Details of the supplier of the safety data sheet Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com Manufacturer/Supplier: www.alfa.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240 Informing department: 1.4 Emergency telephone number: SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. Water-react. 2 H261 In contact with water releases flammable gases. GHS08 health hazard Carc. 2 H351 Suspected of causing cancer. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. GHS07 STOT SE 3 H335 May cause respiratory irritation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC 🔁 C; Corrosive R34: Causes burns. F; Highly flammable Highly flammable. R11: R14-19: Reacts violently with water. May form explosive peroxides. Information concerning particular hazards The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. for human and environment: Other hazards that do not result in classification No information known. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. GHS02, GHS05, GHS07, GHS08 Hazard pictograms Signal word Tetrahydrofuran 3-Chlorobenzylzinc chloride H225 Highly flammable liquid and vapour. H261 In contact with water releases flammable gases. H314 Causes severe skin burns and eye damage. H351 Suspected of causing cancer. H335 May cause respiratory irritation. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P231+P232 Handle under inert gas. Protect from moisture. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. Dispose of contents/container in accordance with local/regional/national/international Danger Hazard-determining components of labelling: Hazard statements Precautionary statements Additional information: 2.3 Other hazards Results of PBT and vPvB assessment Not applicable. Not applicable. PRT. vPvB: SECTION 3: Composition/information on ingredients 3.2 Mixtures Dangerous components: Tetrahydrofuran ■ Xn R40; ■ Xi R36/37; ■ F R11 R19 CAS: 109-99-9 EINECS: 203-726-8 88,4% ₱ Flam. Liq. 2, H225; ♥ Carc. 2, H351; ♥ Eye Irrit. 2, H319; STOT SE 3, H335 3-Chlorobenzylzinc chloride ☐ C R34 R14 CAS: 312624-13-8 11.6% Skin Corr. 1B, H314

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.07.2013 Revision: 23.10.2012

Trade name 3-Chlorobenzylzinc chloride, 0.5M in THF

(Contd. of page 1) Additional information None known.

SECTION 4: First aid measures

4.1 Description of first aid measures General information

Instantly remove any clothing soiled by the product. After inhalation

Supply fresh air. If réquired, provide artificial respiration. Keep patient warm. Consult doctor if symptoms

persist. Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice. After skin contact

Rinse opened eye for several minutes under running water. Then consult doctor. Seek medical treatment. After eve contact

After swallowing
4.2 Most important symptoms and effects,

both acute and delayed
4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available. No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents For safety reasons unsuitable extinguishing

agents 5.2 Special hazards arising from the

substance or mixture

Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen chloride (HCI) Metal oxide

Water.

5.3 Advice for firefighters Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Keep away from ignition sources

Do not allow material to be released to the environment without proper governmental permits.

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

6.3 Methods and material for containment

and cleaning up:

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards:

Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

6.4 Reference to other sections

Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Information about protection against

explosions and fires:

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Do not distill to dryness.

Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers:

Information about storage in one common

storage facility:

Store in cool location.

Store away from air. Store away from water. Do not store together with acids. Store away from oxidizing agents.

Further information about storage

conditions:

Store under dry inert gas.

This product is moisture sensitive. This product is air sensitive.

Inis product is air sensitive.

Protect from humidity and keep away from water.

Store in cool, dry conditions in well sealed containers.

Avoid contact with air / oxygen (formation of peroxide).

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Check container pressure periodically to prevent explosive peroxides.

No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

109-99-9 Tetrahydrofuran (88,4%) AGW (Germany) | 150 mg/m³, 50 ppm 2(I);DFG, EU, H, Y

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.07.2013	Revision: 23.10.2012	
Trade name 3-Chlorobenzylzinc chloride	0.5M in THE	
PEL (USA) 590 mg/m³, 200 ppm	(Contd. of page 2	
REL (USA) Short-term value: 735 mg/m² Long-term value: 590 mg/m³	5, 250 ppm	
TLV (USA) Short-term value: 295 mg/m ³	, 200 ppm 3-100 npm	
Long-term value: 147 mg/m ³	, 50 ppm	
Skin Skin		
109-99-9 Tetrahydrofuran (88,4%)		
BGW (Germany) 2 mg/l		
b		
Tetrahydrofuran		
BEI (USA) 2 mg/L urine		
end of shift		
Tetrahydrofuran Additional information:	No data	
8.2 Exposure controls	No data	
Personal protective equipment		
General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.	
	Instantly rémove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.	
	Avoid contact with the eyes and skin	
Breathing equipment:	Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations.	
Protection of hands:	Check protective gloves prior to each use for their proper condition.	
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.	
Material of gloves	Impervious gloves	
Penetration time of glove material Eye protection:	Not determined Tightly sealed safety glasses.	
Body protection:	Full face protection	
Body protection.	1 Toto Citivo Work Glottling.	
SECTION 9: Physical and chemical pro	•	
9.1 Information on basic physical and chem General Information	ical properties	
Appearance:		
Form: Colour:	Liquid Yellow to brown to black	
Smell:	Not determined	
Odour threshold:	Not determined.	
pH-value: Change in condition	Not determined.	
Melting point/Melting range:	Not determined	
Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined	
Flash point:	-17 °C (THF)	
Inflammability (solid, gaseous)	Not determined.	
Ignition temperature: Decomposition temperature:	230 °C (THF) Not determined	
Self-inflammability:	Product is not selfigniting.	
Danger of explosion:	May form explosive peroxides. Do not distill to dryness.	
Critical values for explosion:	•	
Lower: Upper:	1,5 Vol % (THF) 12,0 Vol % (THF)	
Steam pressure at 20 °C: Density at 20 °C	200 hPa (THF)	
Relative density	0,969 g/cm³ ´ Not determined.	
Vapour density Evaporation rate	Not determined. Not determined.	
Solubility in / Miscibility with		
Water: Partition coefficient (n-octanol/water):	Reacts violently Not determined.	
Viscosity:	Not determined	
dynamic: kinematic:	Not determined. Not determined.	
Solvent content:	00.407	
Organic solvents:	88,4 %	
Solids content: 9.2 Other information	11,6 % No further relevant information available.	
SECTION 10: Stability and reactivity		
10.1 Reactivity	Reacts violently with water. May form explosive peroxides.	
10.2 Chemical stability	Stable under recommended storage conditions.	
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.	
10.3 Possibility of hazardous reactions	Reacts with strong oxidizing agents Reacts violently with water	
	Reacts violently with water Forms peroxides	
10.5 Incompatible materials:	Acids	
	Air	

10.6 Hazardous decomposition products:

Air
Oxidizing agents
Water/moisture
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCI)
Metal oxide

(Contd. on page 5)

Printing date 02.07.2013 Revision: 23.10.2012

Transport/Additional information:

Excepted quantities (EQ):

Limited quantities (LQ) Transport category

ADR

Trade name 3-Chlorobenzylzinc chloride, 0.5M in THF (Contd. of page 3) SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute toxicity: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product. LD/LC50 values that are relevant for classification: 109-99-9 Tetrahydrofuran 1650 mg/kg (rat) LD50 Oral Inhalative LC50/2H 72000 mg/m3/2H (rat) Skin irritation or corrosion: Causes severe skin burns. Eve irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effect known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. No effects known. Reproductive toxicity: Specific target organ system toxicity repeated exposure: Specific target organ system toxicity - single No effects known. exposure: No effects known Aspiration hazard: No effects known Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Corrosive SECTION 12: Ecological information 12.1 Toxicity
Aquatic toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. No further relevant information available. 12.6 Other adverse effects SECTION 13: Disposal considerations 13.1 Waste treatment methods Recommendation Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. SECTION 14: Transport information **UN-Number** ADR, IMDG, IATA UN3399 14.2 UN proper shipping name ADR 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (3-Chlorobenzylzinc chloride, TETRAHYDROFURAN) ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (3-Chlorobenzylzinc chloride, TETRAHYDROFURAN) IMDG, IATA 14.3 Transport hazard class(es) **ADR** 4.3 (WF1) Substances which, in contact with water, emit flammable gases. 4.3+3 $\,$ Class IMDG, IATA 4.3 Substances which, in contact with water, emit flammable gases. Class 4.3+3 Label Packing group ADR, IMDG, IATA Ш 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Substances which, in contact with water, emit flammable gases. Kemler Number: EMS Number: F-G,S-M 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

E2 500 ml

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.07.2013 Revision: 23.10.2012

rade name 3-Chlorobenzylzinc chloride, 0.5M in THF		
	(Contd. of page 4)	
Tunnel restriction code	D/E	
UN "Model Regulation":	UN3399, ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (3-Chlorobenzylzinc chloride, TETRAHYDROFURAN), 4.3 (3), II	
SECTION 15: Regulatory information		
Australian Inventory of Chemical Substance	ations/legislation specific for the substance or mixture	
109-99-9 Tetrahydrofuran	5	
Standard for the Uniform Scheduling of Drug	es and Poisons	
None of the ingredients is listed.	go dila i oloono	
National regulations Information about limitation of use: Classification according to VbF: Technical instructions (air):	For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed. A I Class Share in %	
Water hazard class:	NK 88,4 Water hazard class 1 (Self-assessment): slightly hazardous for water.	
Other regulations, limitations and prohibitive	e regulations	
ELINCS (European List of Notified Chemical	Substances)	
None of the ingredients is listed.		
Substances of very high concern (SVHC) ac	cording to REACH, Article 57	
None of the ingredients are listed.		
REACH - Pre-registered substances		
109-99-9 Tetrahydrofuran		
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.	
SECTION 16: Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Relevant phrases H225 Highly flammable liquid and vapour.		
Relevant phrases	H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.	
Department issuing data specification sheet Abbreviations and acronyms:	R11 Highly flammable. R14 Reacts violently with water. R19 May form explosive peroxides. R34 Causes burns. R36/37 Irritating to eyes and respiratory system. R40 Limited evidence of a carcinogenic effect. Health, Safety and Environmental Department. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Martime Code for Dangerous Goods by Road) IMDG: International Martime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal concentration, 50 percent	

DE/E