


Safety Data Sheet per OSHA HazCom 2012



Safety Data Sheet per OSHA HazCom 2012

Pı

Product name: Tris(dimethylamino)aluminum dimer	
	(Contd. of page 1)
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	`
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOX) Possibly Hydrogen cyanide (HCN) Metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage	
Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Protect from humidity and water. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data	

Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition.

(Contd. on page 3)

Safety Data Sheet per OSHA HazCom 2012

(Contd. of page 2)

Product name: Tris(dimethylamino)aluminum dimer

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Tightly sealed goggles Full face protection

Body protection: Protective work clothing

9 Physical and chemical properties			
Information on basic physical and che General Information Appearance:	emical properties		
Form:	Powder		
Color:	Light brown		
Odor: Odor threshold:	Amine-like		
	Not determined.		
pH-value:	Not applicable.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	87-89 °C (189-192 °F) 90 °C (194 °F) (0.5mm Hg; subl) Not determined		
Flash point: Flammability (solid, gaseous)	21 °C (70 °F) Highly flammable. Contact with water liberates extremely flammable gases.		
Ignition temperature:	Not determined		
Decomposition temperature:	Not determined		
Auto igniting:	Not determined.		
Danger of explosion: Explosion limits:	Not determined.		
Lower:	Not determined		
Upper:	Not determined		
Vapor pressure:	Not applicable.		
Density at 20 °C (68 °F):	0.865 g/cm³ (7.218 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not applicable.		
Evaporation rate	Not applicable.		
Solubility in / Miscibility with Water:	Poorte vielently		
water.	Reacts violently Contact with water releases flammable gases		
Partition coefficient (n-octanol/water):	Not determined		
Viscosity:			
dynamic:	Not applicable.		
kinematic:	Not applicable.		
Other information	No further relevant information available.		

10 Stability and reactivity

Reactivity Reacts violently with water. Reacts violently with water. In contact with water releases flammable gases which may ignite spontaneously. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Contact with water releases flammable gases Reacts violently with water Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Water/moisture Hazardous decomposition products: Hazardous decomposition products: Dimethylamine Carbon monoxide and carbon dioxide Nitrogen oxides Metal oxide fume Possibly Hydrogen cyanide (HCN)

11 Toxicological information

Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Aspiration nazard, no energy inform. Subacute to chronic toxicity: No effects known. Subacute to chronic toxicity: Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

(Contd. on page 4)

Safety Data Sheet per OSHA HazCom 2012

Product name: Tris(dimethylamino)aluminum dimer

Additional ecological information:	
General notes: Do not allow material to be released to the environment withou Do not allow undiluted product or large quantities to reach grou	(Contd. of page 3) It proper governmental permits.
Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
Other adverse effects No further relevant information availab	le.
3 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations Uncleaned packagings: Recommendation: Disposal must be made according to offici	
4 Transport information	
UN-Number DOT, IMDG, IATA	UN3131
UN proper shipping name DOT	Water-reactive solid corrosive n.o.s. (Tris(dimethylamino)aluminum dimer)
IMDG, IATA	Water-reactive solid, corrosive, n.o.s. (Tris(dimethylamino)aluminum dimer) WATER-REACTIVE SOLID, CORROSIVE, N.O.S. (Tris(dimethylamino)aluminum dimer)
Transport hazard class(es)	
Class	4.3 Substances which, in contact with water, emit flammable gases.
Label Class Lobal	4.3+8 4.3 (WC2) Substances which, in contact with water, emit flammable gases
Label IMDG, IATA	4.3+8
I	
Class Label	4.3 Substances which, in contact with water, emit flammable gases. 4.3+8
Packing group DOT, IMDG, IATA	1
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Substances which, in contact with water, emit flammable gases
Transport in bulk according to Annex II of MARPOL73/78 a	
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT	
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT Marine Pollutant (DOT):	and the IBC Code Not applicable. No
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT	and the IBC Code Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT Marine Pollutant (DOT):	and the IBC Code Not applicable. No UN3131, Water-reactive solid, corrosive, n.o.s. (Tris(dimethylamino)aluminum dimer), 4.3 (8), I pecific for the substance or mixture
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT Marine Pollutant (DOT): UN "Model Regulation": 5 Regulatory information Safety, health and environmental regulations/legislation signation GHS label elements The product is classified and labeled in a Hazard pictograms Image: GHS02 GHS05 Signal word Danger Hazard statements H228 Flammable solid. H260 In contact with water releases flammable gases which me H314 Causes severe skin burns and eye damage.	No UN3131, Water-reactive solid, corrosive, n.o.s. (Tris(dimethylamino)aluminum dimer), 4.3 (8), 1 pecific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS)
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT Marine Pollutant (DOT): UN "Model Regulation": '5 Regulatory information Safety, health and environmental regulations/legislation sj GHS label elements The product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard statements H228 Flammable solid. H260 In contact with water releases flammable gases which m H314 Causes severe skin burns and eye damage. Precautionary statements P210 Keep away from heat/sparks/open flames/r P280 Wear protective gloves/protective clothing/c P303+P361+P353 If on skin (or hair): Take off immediately all P305+P351+P338 IF IN EYES: Rinse cautiously with water for P310 Immediately call a POISON CENTER/docto P402+P404 Store in a dry place. Store in a closed conta National regulations This product is not listed in the U.S. Environmental Protection	And the IBC Code Not applicable. No UN3131, Water-reactive solid, corrosive, n.o.s. (Tris(dimethylamino)aluminum dimer), 4.3 (8), 1 pecific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS) nay ignite spontaneously. not surfaces. No smoking. eye protection/face protection. contaminated clothing. Rinse skin with water/shower. r several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. D// ainer. Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT Marine Pollutant (DOT): UN "Model Regulation": 5 Regulatory information Safety, health and environmental regulations/legislation s; GHS label elements The product is classified and labeled in a Hazard pictograms Marine Signal word Danger Hazard statements H220 In contact with water releases flammable gases which m H314 Causes severe skin burns and eye damage. Precautionary statements P210 Keep away from heat/sparks/open flames/l P303+P361+P353 If on skin (or hair): Take off inmediately all P305+P351+P338 IF IN EYES: Rinse cautiously with water for P310 Immediately call a POISON CENTER/doctor P404 Store in a dry place. Store in a closed contact National regulations This product is not listed in the U.S. Environmental Protection robust is not be used for commercial purposes or in formut SARA Section 313 (specific toxic chemical listings) Substated and development only. This product must be used for commercial purposes or in formut	No UN3131, Water-reactive solid, corrosive, n.o.s. (Tris(dimethylamino)aluminum dimer), 4.3 (8), 1 pecific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS) nay ignite spontaneously. not surfaces. No smoking. eye protection/face protection. contaminated clothing. Rinse skin with water/shower. r several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dr aliner. Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted by or directly under the supervision of a technically qualified individual as defined by TSCA. This liatons for commercial purposes. ance is not listed.
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT Marine Pollutant (DOT): UN "Model Regulation": 5 Regulatory information Safety, health and environmental regulations/legislation s; GHS label elements The product is classified and labeled in a Hazard pictograms Marine Signal word Danger Hazard statements H220 In contact with water releases flammable gases which m H314 Causes severe skin burns and eye damage. Precautionary statements P210 Keep away from heat/sparks/open flames/l P303+P361+P353 If on skin (or hair): Take off inmediately all P305+P351+P338 IF IN EYES: Rinse cautiously with water for P310 Immediately call a POISON CENTER/doctor P404 Store in a dry place. Store in a closed contact National regulations This product is not listed in the U.S. Environmental Protection robust is not be used for commercial purposes or in formut SARA Section 313 (specific toxic chemical listings) Substated and development only. This product must be used for commercial purposes or in formut	And the IBC Code Not applicable. No UN3131, Water-reactive solid, corrosive, n.o.s. (Tris(dimethylamino)aluminum dimer), 4.3 (8), 1 pecific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS) hay ignite spontaneously. hot surfaces. No smoking. eye protection/face protection. contaminated clothing. Rinse skin with water/shower. r several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Transport in bulk according to Annex II of MARPOL73/78 a Transport/Additional information: DOT Marine Pollutant (DOT): UN "Model Regulation": '5 Regulatory information Safety, health and environmental regulations/legislation signation GHS label elements The product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard pictograms Image: Comparison of the product is classified and labeled in a Hazard statements H228 Flammable solid. H230 Wear protective gloves/protective clothing/e P210 Keep away from heat/sparks/open flames/r P210 Keep away from heat/sparks/open flames/r P210 Keep away from heat/sparks/open flames/r P303+P361+P353 If on skin (or hair): Take off immediately all P303+P361+P353 IF IN EYES: Rinse cautiously with water for p310 Immediately call a POISON CENTER/doct p402+P404 Store in a dry place. Store in a closed conta National regulations This product is not listed in the U.S. Environmental Protection to research and development only. This product must be used product must not be used for commercial purpose	And the IBC Code Not applicable. No UN3131, Water-reactive solid, corrosive, n.o.s. (Tris(dimethylamino)aluminum dimer), 4.3 (8), 1 pecific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS) nay ignite spontaneously. not surfaces. No smoking. eye protection/face protection. contaminated clothing. Rinse skin with water/shower. r several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Df almer. Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted by or directly under the supervision of a technically qualified individual as defined by TSCA. This lations for commercial purposes. ance is not listed. isted.

Product name: Tris(dimethylamino)aluminum dimer

(Contd. of page 4)

Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 /
Abbreviations and acronyms:

RD: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods kegulations by the "International Air Transport Association" (IATA)
ICAO: The Technical Instructions by the "International Civil Aviation Organization" (ICAO)
IAR: Abcreviations and le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IAR: AbCR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (ICAO)
ICAO: The Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ICAO: Thermational Martitume Code for Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IAR: Accent européen sur le transport Association
IAR: Accenteration, Supersont Association
IAR: Accenteration, Supersont Association
IAR: Accenteration, Supersont Association
IAR: Accenteration, Supersont
IAR: Accenteration, Supersont
IAR: Accenteration, Supersont
IAR: Accenteration, Supersont
IAR: Accenteration Agercy Bioaccumulative
ACGIH: American Achterial IAR: Administration (