F

| 5 | | |
|--|--|-----------|
| SECTION 1: Identification of the substa | ance/mixture and of the company/undertaking | |
| 1.1 Product identifier Trade name | 3,5-Dimethylphenylmagnesium bromide, 0.5M in 2-MeTHF | |
| Stock number: 1.2 Relevant identified uses of the substance | H54057 | |
| Identified use: | SU24 Scientific research and development | |
| 1.3 Details of the supplier of the safety data Manufacturer/Supplier: | Alfa Aesar GmbH & Co KG | |
| | A Johnson Matthey Company Zeppelinstr. 7b | |
| | 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 | |
| | Email: tech@alfa.com | |
| Informing department: | www.alfa.com Product safety Tel + +049 (0) 7275 988687-0 | |
| 1.4 Emergency telephone number: | Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz | |
| | www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240 | |
| SECTION 2: Hazards identification 2.1 Classification of the substance or mixtur | | |
| Classification according to Regulation (EC) | | |
| GHS02 flame | | |
| Flam. Liq. 2 H225 Highly flammable liquid ar | ıd vapour. | |
| GHS05 corrosion | | |
| Skin Corr. 1B H314 Causes severe skin burns | | |
| Classification according to Directive 67/548/ | EEC or Directive 1999/45/EC | |
| R34: Causes burns. | | |
| F; Highly flammable | | |
| R11: Highly flammable. | | |
| R14-19: Reacts violently with water. May form Information concerning particular hazards | | |
| for human and environment: | The product has to be labelled due to the calculation procedure of the "General Classification guideline preparations of the EU" in the latest valid version. | for |
| Other hazards that do not result in classification | No information known. | |
| 2.2 Label elements Labelling according to Regulation (EC) No | | |
| 1272/2008 Hazard pictograms | The product is classified and labelled according to the CLP regulation. GHS02, GHS05 | |
| Signal word | Danger | |
| Hazard-determining components of labelling: | 3,5-Dimethylphenylmagnesium bromide | |
| Hazard statements | H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. | |
| Precautionary statements | 3,5-Dimethylphenylmagnesium bromide H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. | |
| | P303+P361+P353 IF ON SKIN (or nair): Remove/Take on immediately all contaminated clothing. Rinse with water/shower. | |
| | P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. | s, if |
| | P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/internationa | ıl |
| Additional information: | regulations. EUH014 Reacts violently with water. | |
| 2.3 Other hazards | EUH019 May form explósive peroxides. | |
| Results of PBT and vPvB assessment PBT: | Not applicable. | |
| vPvB: | Not applicable. | |
| SECTION 3: Composition/information of 3.2 Mixtures | on ingredients | |
| Dangerous components: | | |
| CAS: 96-47-9 2-Methyltetrahydrofuran EINECS: 202-507-4 | ● F R11 R19 | 90,0% |
| CAS: 34696-73-6 3,5-Dimethylphenylmagne | Image: Second | 10,0% |
| | R14-19_ I ⊗ Flam. Sol. 1, H228; ⊗ Skin Corr. 1B, H314 | , |
| Additional information | None known. | |
| SECTION 4: First aid measures | | |
| 4.1 Description of first aid measures General information | Instantly remove any clothing soiled by the product. | |
| After inhalation | Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. | S |
| After skin contact | Seek immediate medical advice. Instantly wash with water and soap and rinse thoroughly. | |
| After eye contact | Seek immediate medical advice. Rinse opened eye for several minutes under running water. Then consult doctor. | |
| After swallowing 4.2 Most important symptoms and effects, | Seek medical treatment. | |
| both acute and delayed | No further relevant information available. (Contd. o | n page 2) |
| | (contai o | DF/F |

Revision: 24.10.2011

Trade name 3,5-Dimethylphenylmagnesium bromide, 0.5M in 2-MeTHF (Contd. of page 1) 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents For safety reasons unsuitable extinguishing CO2, sand, extinguishing powder. Do not use water. Water. agents 5.2 Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Metal oxide Hydrogen bromide (HBr) 5.3 Advice for firefighters Protective equipment: Wear self-contained breathing apparatus. Wear full protective suit. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil. 6.2 Environmental precautions: 6.3 Methods and material for containment Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to item 13. and cleaning up: Dispose of contaminated material as waste according to item 13 Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Keep away from ignition sources. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal. Prevention of secondary hazards: 6.4 Reference to other sections SECTION 7: Handling and storage Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care. 7.1 Precautions for safe handling Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously. .2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: Store in cool location. Information about storage in one common Store away from oxidizing agents. Store away from strong bases. Store away from air. storage facility: Store away from water. Further information about storage Store under dry inert gas. This product is moisture sensitive. This product is air sensitive. Protect from humidity and keep away from water. Store in cool, dry conditions in well sealed containers. Avoid contact with air / oxygen (formation of peroxide). Store in a locked cabinet or with access restricted to technical experts or their assistants. conditions: Check container pressure periodically to prevent explosive peroxides. No further relevant information available. 7.3 Specific end use(s) SECTION 8: Exposure controls/personal protection Additional information about design of Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. technical systems: 8.1 Control parameters Components with critical values that require The product does not contain any relevant quantities of materials with critical values that have to be monitored monitoring at the workplace: at the workplace. Additional information: No data 8.2 Exposure controls General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Breathing equipment: Protection of hands: and varies from manufacturer to manufacturer. Material of gloves Penetration time of glove material Impervious gloves Not determined Tightly sealed safety glasses. Full face protection Eye protection: (Contd. on page 3)

Ŀ

Page 3/5

| Printing date 02.07.2013 | according to 1907/2000/EC, Article ST | Revision: 24.10.2011 | | |
|--|--|---------------------------------|--|--|
| Trade name 3,5-Dimethylphenylmagnesium bromide, 0.5M in 2-MeTHF | | | | |
| Body protection: | Protective work clothing. | (Contd. of page 2) | | |
| SECTION 9: Physical and chemical prop | | | | |
| 9.1 Information on basic physical and chemic General Information Appearance: Form: Colour: | cal properties Liquid Not determined. | | | |
| Smell: Odour threshold: | Not determined Not determined | | | |
| pH-value: | Not determined. | | | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Inflammability (solid, gaseous) Ignition temperature: Decomposition temperature: Self-inflammability: | Not determined Not determined Not determined Not applicable. Not determined Not determined Product is not selfigniting. | | | |
| Danger of explosion: | May form explosive peroxides. Do not distill to dryness. | | | |
| Critical values for explosion: Lower: Upper: Steam pressure: Density Relative density Vapour density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: | Not determined Not determined Not determined Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. | | | |
| Solvent content: Organic solvents: | 0,0 % | | | |
| Solids content: 9.2 Other information | 10,0 % No further relevant information available. | | | |
| SECTION 10: Stability and reactivity 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous reactions 10.5 Incompatible materials: 10.6 Hazardous decomposition products: | Reacts violently with water. May form explosive peroxides. Stable under recommended storage conditions. No decomposition if used and stored according to specifications. Reacts violently with water Forms peroxides Air Oxidizing agents Bases Water/moisture Carbon monoxide and carbon dioxide Metal oxide Hydrogen bromide | | | |
| SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute toxicity: | Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of presophagus and stomach. | erforation of | | |
| LD/LC50 values that are relevant for classific 96-47-9 2-Methyltetrahydrofuran | ation: | | | |
| Dermal LD50 4500 mg/kg (rabbit) Inhalative LC50/4H 6000 ppm/4H (rat) Skin irritation or corrosion: Eye irritation or corrosion: Sensitization: Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: | Causes severe skin burns. Causes serious eye damage. No sensitizing effect known. No effects known. No classification data on carcinogenic properties of this material is available from the EP/ or ACCIII | A, IARC, NTP, OSHA | | |
| Reproductive toxicity: Specific target organ system toxicity - repeated exposure: Specific target organ system toxicity - single exposure: Aspiration hazard: Additional toxicological information: | or ACGIH. No effects known. No effects known. No effects known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully k The product shows the following dangers according to the calculation method of the Gene Guidelines for Preparations as issued in the latest version: Corrosive | nown. eral EC Classification | | |
| SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity: 12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.4 Mobility in soil Additional ecological information: | No further relevant information available. No further relevant information available. No further relevant information available. No further relevant information available. | mito | | |
| General notes: | Do not allow material to be released to the environment without proper governmental per Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodie | | | |
| | | | | |

| inting date 02.07.2013 | Revision: 24.10.2 |
|--|---|
| ade name 3,5-Dimethylphenylmagnesi | ium bromide, 0.5M in 2-MeTHF |
| | (Contd. of pa |
| 12.5 Results of PBT and vPvB assessment | Avoid transfer into the environment. |
| PBT: vPvB: | Not applicable. Not applicable. |
| 12.6 Other adverse effects | No further relevant information available. |
| SECTION 13: Disposal considerations | |
| 13.1 Waste treatment methods | |
| Recommendation | Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. |
| Uncleaned packagings: | Consult state, local or national regulations for proper disposal. |
| Uncleaned packagings: Recommendation: | Disposal must be made according to official regulations. |
| SECTION 14: Transport information | |
| UN-Number ADR, IMDG, IATA | UN2924 |
| 14.2 UN proper shipping name | |
| ADR IMDG, IATA | 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
| 14.3 Transport hazard class(es) | |
| ADR | |
| * * | |
| Class | 3 (EC) Flammable liquids |
| Label | 3 (FC) Flammable liquids. 3+8 |
| IMDG, IATA | |
| | |
| Class | 3 Flammable liquids. |
| Label | 3+8 |
| Packing group ADR, IMDG, IATA | II |
| 14.5 Environmental hazards: Marine pollutant: | Νο |
| 14.6 Special precautions for user Kemler Number: | Warning: Flammable liquids. 338 |
| 14.7 Transport in bulk according to Annex II | I of MARPOL73/78 and the IBC |
| Code Transport/Additional information: | Not applicable. |
| ADR | |
| Excepted quantities (EQ): | E2 1L |
| Limited quantities (LQ) Transport category | 2 |
| Tunnel restriction code | |
| UN "Model Regulation": | UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II |
| SECTION 15: Regulatory information | |
| 15.1 Safety, health and environmental regula Australian Inventory of Chemical Substance | ations/legislation specific for the substance or mixture |
| 96-47-9 2-Methyltetrahydrofuran | |
| Standard for the Uniform Scheduling of Dru | gs and Poisons |
| None of the ingredients is listed. National regulations | |
| Information about limitation of use: | For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed. |
| Classification according to VbF: | Not applicable |
| Water hazard class: Other regulations, limitations and prohibitiv | Water hazard class 1 (Self-assessment): slightly hazardous for water. |
| ELINCS (European List of Notified Chemica | l Substances) |
| None of the ingredients is listed. Substances of very high concern (SVHC) ac | cording to REACH Article 57 |
| None of the ingredients are listed. | |
| REACH - Pre-registered substances 96-47-9 2-Methyltetrahydrofuran | |
| 15.2 Chemical safety assessment: | A Chemical Safety Assessment has not been carried out. |
| SECTION 16: Other information | |
| Employers should use this information only as | a supplement to other information gathered by them, and should make independent judgement of suitability of ect the health and safety of employees. This information is furnished without warranty, and any use of the pro |
| not in conformance with this Material Safety Da | ata Sheet, or in combination with any other product or process, is the responsibility of the user. |
| Relevant phrases | H225 Highly flammable liquid and vapour. H228 Flammable solid. |
| | H314 Causes severe skin burns and eye damage. |
| | R11 Highly flammable. R14 Reacts violently with water. |
| | R19 May form explósive peroxides. R34 Causes burns |
| Department issuing data specification sheet | t: Health, Safety and Environmental Department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the Internat Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization |
| Assistations and actonymb. | Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization |
| | (Contd. on) |

Revision: 24.10.2011

Trade name 3,5-Dimethylphenylmagnesium bromide, 0.5M in 2-MeTHF

| (Contd. of page 4 Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods IATA: International Amirime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Veordhung über brennbare Flüssigkeiten, Osterreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal dose, 50 percent DD50: Lethal dose, 50 percent |
|---|
|---|