

Safety Data Sheet per OSHA HazCom 2012

Reviewed on 02/26/20
1 Identification
Product identifier
Product name: (R)-(-)-2-Amino-3-methylbutane, ChiPros
Stock number: L16330 CAS Number:
34701-33-2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099
Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones
Acute Tox. 3 H331 Toxic if inhaled.
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS05 GHS06
Signal word Danger
Hazard statements H225 Highly flammable liquid and vapor.
H302 Hărmful if swallowed. H331 Toxic if inhaled.
H314 Causes severe skin burns and eye damage. Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification B2 - Flammable liquid
D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects E - Corrosive material
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH I Health (acute effects) = 3 FIRE I Flammability = 3 REACTIVITY Physical Hazard = 1
Other hazards
Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.
(Contd. on page

Product name: (R)-(-)-2-Amino-3-methylbutane, ChiPros

(Contd. of page 1)

	(Contd. of page 1)
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 34701-33-2 (R)-(-)-2-Amino-3-methylbutane, ChiPros	
34701-33-2 (R)-(-)-2-Amino-3-methylbutane, ChiPros 4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Harmful if swallowed. Toxic if inhaled.	
Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling 	
See Section 7 for information on personal protection equipment. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away.	
Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility:	
Store away from air. Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is air sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	(Contd. on page 3)
	USA

Product name: (R)-(-)-2-Amino-3-methylbutane, ChiPros

21

	(Contd. of page 2)
Control parameters Components with limit values that red	auire monitoring at the workplace:
	ant quantities of materials with critical values that have to be monitored at the workplace.
Exposure controls	
Personal protective equipment General protective and hygienic meas	sures
The usual precautionary measures for h	nandling chemicals should be followed.
Keep away from foodstuffs, beverages a Remove all soiled and contaminated clo Wash hands before breaks and at the e	thing immediately. nd of work
Store protective clothing separately.	
Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate v	working environment
Breathing equipment: Use self-contain Recommended filter device for short	ned respiratory protective device in emergency situations. term use:
Use a respirator with multi-purpose com	bination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or
CEN (EU). Protection of hands:	
Impervious aloves	se for their proper condition
The selection of suitable gloves prior to each us Material of gloves Fluorocarbon rubber	se for their proper condition. / depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. r (Viton)
Penetration time of glove material (in Not determined	
60 Glove thickness 0.7 mm	
Eve protection: Tightly sealed goggles	
Full face protection Body protection: Protective work cloth	ing
9 Physical and chemical properties Information on basic physical and ch	
General Information	emical properues
Appearance: Form: Color:	
Color: Odor: Odor threadald:	Cólorless Amine-like
Odor threshold: pH-value (60 g/l) at 20 °C (68 °F):	Not determined. 12
Change in condition	
Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature (stort)	Not determined 85-57 °C (185-135 °F)
Sublimation temperature / start: Flash point:	Not determined < 21 °C (< 70 °F)
Flammability (solid, gaseous) Ignition temperature:	Not determined
Decomposition temperature: Auto igniting:	Not determined Not determined
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.
Explosion limits: Lower:	Not determined
Upper: Vapor pressure:	Not determined Not determined
Density at 20 °C (68 °F): Relative density	0.746 g/cm³ (6.225 lbs/gal) Not determined.
Vapor density Evaporation rate	Not determined. Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	60 a/l
Partition coefficient (n-octanol/water) Viscosity:	: Not determined.
dynamic: kinematic:	Not determined. Not determined.
Other information	Not determined. No further relevant information available.
10 Stability and reactivity	
Reactivity No information known	
Chemical stability Stable under recom Thermal decomposition / conditions to Receive the state of	to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Re Conditions to avoid No further relevan	
Incompatible materials: Acids	

Acids Oxidizing agents Air **Hazardous decomposition products:** Carbon monoxide and carbon dioxide Nitrogen oxides

11 Toxicological information

Information on toxicological effects Acute toxicity: Harmful if swallowed. Toxic if inhaled.

(Contd. on page 4)

Safety Data Sheet per OSHA HazCom 2012		Page 4/5 Printing date 02/29/2016 Reviewed on 02/26/2016
Product name: (R)-(-)-2-Amino-3-methylbutane, ChiPros		
Swallowing will lead to a strong corrosive effect on mouth and throat and LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of the Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance	his material is available from the EPA, IARC, NTP, OSHA or ACGIH ts known. known. e acute and chronic toxicity of this substance is not fully known.	(Contd. of page 3) I.
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper g Do not allow undiluted product or large quantities to reach ground water, Avoid transfer into the environment. Rinse off of bigger amounts into drains or the aquatic environment may I use-level the pH-value is considerably reduced, so that after the use of the Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	governmental permits. , water course or sewage system. lead to increased pH-values. A high pH-value harms aquatic organ	isms. In the dilution of the ter-dangerous.
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure Uncleaned packagings: Recommendation: Disposal must be made according to official regulati		
14 Transport information UN-Number		
DOT, IMDĠ, IATA	UN2733	
UN proper shipping name DOT IMDG, IATA	Amines, flammable, corrosive, n.o.s. ((R)-(-)-2-Amino-3-m AMINES, FLAMMABLE, CORROSIVE, N.O.S. ((R)-(-)-2-4 ChiPros)	iethylbutane, ChiPros) Amino-3-methylbutane,
Transport hazard class(es) DOT \overleftrightarrow Class Label Class Label IMDG, IATA \overleftrightarrow	3 Flammable liquids. 3+8 3 (FC) Flammable liquids 3+8	
Class Label	3 Flammable liquids. 3+8	
Packing group DOT, IMDG, IATA		
Environmental hazards:	Not applicable.	
Special precautions for user EMS Number:	Warning: Flammable liquids F-E,S-C	
Segregation groups	Alkalis	
Transport in bulk according to Annex II of MARPOL73/78 and the IB Transport/Additional information:		
DOT		
Marine Pollutant (DOT): UN "Model Regulation":	<u>No</u> UN2733, Amines, flammable, corrosive, n.o.s. ((R)-(-)-2-A ChiPros), 3 (8), Il	Amino-3-methylbutane,
15 Regulatory information Safety, health and environmental regulations/legislation specific for	r the substance or mixture	

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

Product name: (R)-(-)-2-Amino-3-methylbutane, ChiPros

(Contd. of page 4)

Hazard pictograms GHS02 GHS05 GHS06 Signal word Danger Hazard statements H225 Highly flammable liquid and vapor. H225 Flighty harminable liquid and vapor. H302 Harmful if swallowed. H311 Toxic if inhaled. H314 Causes severe skin burns and eye damage. **Precautionary statements** P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 02/29/2016 / -Dete of preparation / last revision 0/229/2016 / -Abbreviations and acronyms: RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO: T. Technical Instructions by the "International Civil Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMOG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transportation IATA: International Agree IATA: International Air Transportation IATA: International Agree VHIS: Key Pressitent and very Bioaccumulative VPUE: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IATC: International Agree of Toxicology Program (USA) IATC: International Agree of Calegory 1 Eye Lan. 1: Serious eye damage/eye i USA