

Safety Data Sheet per OSHA HazCom 2012

1 Identification	
Product identifier	
Product name: 4-(Trifluoromethoxy)phenyl isocyanate	
Stock number: B20033, L16066 CAS Number:	
35037-73-1 EC number:	
252-328-0	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation.	
H227 Combustible liquid. Hazards not otherwise classified Lachrymator	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms	
GHS06 GHS08	
Signal word Danger Hazard statements	
H227 Combustible liquid. H302 Harmful if swallowed.	
H331 Toxic if inhaled. H315 Causes skin irritation.	
H319 Causes serious eye irritation. H33 <u>4</u> May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335 May cause respiratory irritation.	
Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P284 In case of inadequate ventilation wear respiratory protection. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
B3 - Combustible liquid	
D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects	
Classification system HMIS ratings (scale 0-4)	
(Hazardouš Materials Identification System)	
HEALTH Image: Constraint of the second sec	
REACTIVITY 1 Physical Hazard = 1	
(Contd. on	page 2) USA

Product name: 4-(Trifluoromethoxy)phenyl isocyanate

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 35037-73-1 4-(Trifluoromethoxy)phenyl isocyanate Identification number(s): EC number: 252-328-0

4 First-aid measures

Description of first aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

Seek immediate medical advice. **After skin contact** Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing** Seek medical treatment. **Information for doctor Meet important symptoms and offects, both agute and delayed** No further relevant information and

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture Reacts with water If this product is involved in a fire, the following can be released: Carbon meanwide. It this product is involved in a fire, the Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen fluoride (HF) Hydrogen cyanide (HCN) **Advice for firefighters Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Dispose of containinated material as waste according to section 13. Ensure adequate ventilation. **Prevention of secondary hazards:** Keep away from ignition sources. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Ensure good ventilation at the workplace. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Store away from oxidizing agents. Protect from heat. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Protect from humidity and water. Refriderate

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: No data

(Contd. on page 3)

(Contd. of page 1)

Product name: 4-(Trifluoromethoxy		ewed 0// 0//20/2003
		(Contd. of page 2
Exposure controls Personal protective equipment General protective and hygienic mea	asures	
The usual precautionary measures for Keep away from foodstuffs, beverages	handling chemicals should be followed. and feed. lothing immediately. end of work.	
Remove all solled and contaminated cl Wash hands before breaks and at the	otning immediately. end of work.	
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate	working environment. espirator when high concentrations are present.	
Protection of hands: Impervious gloves	spirator when high concentrations are present.	
Check protective aloves prior to each u	use for their proper condition.	
Eye protection: Safety glasses Body protection: Protective work cloth	ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing.	
Physical and chemical propertie	•	
Information on basic physical and c General Information		
Appearance: Form:	Liquid	
Color:	Cólorless	
Odor: Odor threshold:	Not determined Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range:	-29 °C (-20 °F) 78 °C (172 °F) (22mm Hg)	
Boiling point/Boiling range: Sublimation temperature / start:	Not determined	
Flash point: Flammability (solid, gaseous)	70 °C (158 °F) Not determined.	
Ignition temperature: Decomposition temperature:	Not determined Not determined	
Auto igniting:	Not determined.	
Danger of explosion: Explosion limits:	Product does not present an explosion hazard.	
Lower: Upper:	Not determined Not determined	
Vapor pressure: Density at 20 °C (68 °F):	Not determined 1.346 g/cm ³ (11.232 lbs/gal)	
Relative density	Not determined.	
Vapor density Evaporation rate	Not determined. Not determined.	
Solubility in / Miscibility with Water:	Reacts	
Partition coefficient (n-octanol/water Viscosity:	·	
dynamic: kinematic:	Not determined. Not determined.	
Other information	No further relevant information available.	
Stability and reactivity		
Reactivity No information known. Chemical stability Stable under recom	nmended storage conditions	
Thermal decomposition / conditions	to be avoided: Decomposition will not occur if used and stored according to specifications. socyanates may react exothermically with NH, OH or SH groups nt information available.	
Conditions to avoid No further releval Incompatible materials:	nt information available.	
Oxidizing agents Alcohols		
Amines		
Heat Water/moisture		
Hazardous decomposition products Carbon monoxide and carbon dioxide		
Nitrogen oxides Hydrogen fluoride		
Hydrogen cyanide		
1 Toxicological information		
Information on toxicological effects Acute toxicity:		
Harmful if swallowed. Toxic if inhaled.		
LD/LC50 values that are relevant for	classification: No data	
Skin irritation or corrosion: Causes Eye irritation or corrosion:	skiri irritatiori.	
Causes serious eye irritation. This product is a lachrymator.		
Sensitization: May cause allergy or as Germ cell mutagenicity: No effects ki	sthma symptoms or breathing difficulties if inhaled. nown.	

Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.

	Reviewed on 01/20/2009		
Product name: 4-(Trifluoromethoxy)phenyl isocyanate			
(Contd. of page 3)			
Subacute to chronic toxicity: Isocyanates are extremely irritating to the skin, eyes and mucous membranes.	Exposure may be fatal. Symptoms include burning sensation, coughing, wheezing,		
laryngitis, headache, nausea and vomiting. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.			
12 Ecological information			
Toxicity			
Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available.			
Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.			
Additional ecological information:			
General notes:			
Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.			
Results of PBT and vPvB assessment			
PBT: Not applicable. vPvB: Not applicable.			
Other adverse effects No further relevant information available.			
13 Disposal considerations			
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper	r dianoool		
Uncleaned packagings:	r disposai.		
Recommendation: Disposal must be made according to official regulations.			
14 Transport information			
UN-Number DOT, IMDG, IATA	UN2206		
UN proper shipping name DOT	lecevenates toxic n.o.s. (/-(Trifluoromethoxy)nhenv/jsocyanate)		
ĪMDG, IATA	Isocyanates, toxic, n.o.s. (4-(Trifluoromethoxy)phenyl isocyanate) ISOCYANATES, TOXIC, N.O.S. (4-(Trifluoromethoxy)phenyl isocyanate)		
Transport hazard class(es)			
DOT			
10xc			
	6 1 Tavia substances		
Class Label	6.1 Toxic substances. 6.1		
Class Label	6.1 (T1) Toxic substances 6.1		
IMDG, IATA			
Class	6.1 Toxic substances.		
Label	6.1		
Packing group DOT, IMDG, IATA	III		
Environmental hazards:	Not applicable.		
Special precautions for user	Warning: Toxic substances		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Coc Transport/Additional information:	de Not applicable.		
DOT			
Marine Pollutant (DOT): UN "Model Regulation":	No UN2206, Isocyanates, toxic, n.o.s. (4-(Trifluoromethoxy)phenyl isocyanate), 6.1, III		
15 Regulatory information			
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)			
Hazard pictograms	29 CFR 1910 (OSHA 1103)		
GHS06 GHS08			
Signal word Danger Hazard statements			
H227 Combustible liquid. H302 Harmful if swallowed.			
H331 Toxic if inhaled. H315 Causes skin irritation.			
H319 Causes serious eve irritation.			
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. Precautionary statements			
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.			
P284 In case of inadequate ventilation wear respiratory protection	n.		
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes P405 Store locked up.	s. Remove contact lenses, if present and easy to do. Continue rinsing.		
	(Contd. on page 5)		
	034		

(Contd. of page 4)

Product name: 4-(Trifluoromethoxy)phenyl isocyanate

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 /
Abbreviations and acronyms:

ID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Agence Transport Association
IATA: Intern

USA