

## Safety Data Sheet per OSHA HazCom 2012

Reviewed on C	11/03/2009
1 Identification	
Product identifier	
Product name: (Chloromethylene)dimethylammonium chloride	
Stock number: B24172, L12971 CAS Number: 2724 42 4	
3724-43-4 ELINCS Number:	
425-970-6 Index number:	
612-250-00-3 Relevant identified uses of the substance or mixture and uses advised against.	
Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street	
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department	
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
During normal business nours (Monday-Friday, 8am-rpm EST), call (800) 343-0660. Alter normal business nours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS08 Health hazard	
Repr. 1A H360 May damage fertility or the unborn child.	
GHS05 Corrosion	
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05 GHS07 GHS08	
Signal word Danger Hazard statements	
H304 Harmful if swallowed. H314 Causes severe skin burns and eye damage.	
H360 May damage fertility or the unborn child.	
Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P4U2 Store locked UD	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
D2A - Very toxic material causing other toxic effects	
E - Corrosive material	
Classification system HMIS ratings (scale 0-4)	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH       B       Health (acute effects) = 3         FIRE       D       Flammability = 1         Reactivity[2]       Physical Hazard = 2	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
	USA USA
(Contd	l. on page 2)

## Product name: (Chloromethylene)dimethylammonium chloride

(Contd. of page 1)

	(Contd. of page 1)
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 3724-43-4 (Chloromethylene)dimethylammonium chloride Identification number(s): ELINCS Number: 425-970-6 Index number: 612-250-00-3	
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing powder. Do not use water. CO2, sand, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing gents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen chloride (HCI) Ammonia Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
<ul> <li>6 Accidental release measures         Personal precautions, protective equipment and emergency procedures             Wear protective equipment. Keep unprotected persons away.             Ensure adequate ventilation             Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.             Methods and material for containment and cleaning up:             Use neutralizing agent.             Dispose of contaminated material as waste according to section 13.             Ensure adequate ventilation.             Do not flush with water or aqueous cleansing agents             Prevention of secondary hazards: No special measures required.             Reference to other sections             See Section 7 for information on personal protection equipment.             See Section 13 for disposal information.</li></ul>	
7 Handling and storage Handling Precautions for safe handling	
Handle under dry protective gas. Keep container tightly sealed. Ensure good ventilation at the workplace. Open and handle container with care. <b>Information about protection against explosions and fires:</b> No information known.	
Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Protect from heat. Store away from water/moisture.	
Store away from watermosture. Store away from storing bases. Store away from oxidizing agents. Store away from amines. <b>Further information about storage conditions:</b> Store under dry inert gas. This product is moisture sensitive.	
Protect from humidity and water. Keep container tightly sealed. Refrigerate <b>Specific end use(s)</b> No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
	(Contd. on page 3) USA

## Product name: (Chloromethylene)dimethylammonium chloride

(Contd. of page 2)

		(Contd. of page 2)			
Control parameters Components with limit values that req	quire monitoring at the workplace.				
The product does not contain any releva Additional information: No data	ant quantities of materials with critical values that have to be monitored at the workplace.				
Exposure controls					
Personal protective equipment General protective and hygienic meas	euroe				
The usual precautionary measures for ha	nandling chemicals should be followed.				
Keep away from foodstuffs, beverages a Remove all soiled and contaminated closed	ind feed. ithing immediately.				
Wash hands before breaks and at the er	nd of work.				
Avoid contact with the eyes and skin.	uorkina opuironmont				
Breathing equipment: Use suitable res	spirator when high concentrations are present.				
Wash hands before breaks and at the end of miniculately. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. <b>Breathing equipment:</b> Use suitable respirator when high concentrations are present. <b>Recommended filter device for short term use:</b> Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-					
purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands:					
Impervious aloves	Impervious gloves				
The selection of suitable gloves not only	Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.				
Material of gloves Nitrile rubber, NBR Penetration time of glove material (in	minutes) Not determined				
Eye protection: Tightly sealed goggles					
Full face protection Body protection: Protective work clothi	la z				
Body protection. Frotective work clothin	ng.				
9 Physical and chemical properties					
Information on basic physical and che General Information	emical properties				
Appearance: Form:	Crystalline powder				
Color:	White to yellow				
Odor: Odor threshold:	Acrid Not determined.				
pH-value:	Not applicable.				
Change in condition Melting point/Melting range:	120 °C (266 °E) (dea)				
Boiling point/Boiling range:	130 °C (266 °F) (dec) Not determined				
Sublimation temperature / start: Flash point:	Not determined Not applicable				
Flammability (solid, gaseous)	Not determined.				
Ignition temperature: Decomposition temperature:	Not determined Not determined				
Auto igniting:	Not determined.				
Danger of explosion: Explosion limits:	Product does not present an explosion hazard.				
Lower: Upper:	Not determined Not determined				
Vapor pressure:	Not applicable.				
Density: Relative density	Not determined Not determined.				
Vapor density Evaporation rate	Not applicable. Not applicable.				
Solubility in / Miscibility with					
Water: Partition coefficient (n-octanol/water):	Reacts violently : Not determined.				
Viscosity: dynamic:	Not applicable.				
kinematic: Other information	Not applicable. No further relevant information available.				
10 Stability and reactivity					
Reactivity Reacts violently with water.	we when the second diama				
Chemical stability Stable under recommendations to the terminal decomposition / conditions to the terminal decomposition of terminal decomposition decomposition of terminal decomposition decomposition of terminal decomposition decomposition of terminal decomposition of terminal decomposition of terminal decomposition d	mended storage conditions. <b>to be avoided:</b> Decomposition will not occur if used and stored according to specifications.				
Possibility of hazardous reactions					
Reacts with strong oxidizing agents Reacts violently with water <b>Conditions to avoid</b> No further relevant	t information available				
Incompatible materials:					
Bases Oxidizing agents					
Amines Water/moisture					
Heat					
Hazardous decomposition products: Carbon monoxide and carbon dioxide					
Nitrogen oxides Hydrogen chloride (HCl)					
Ammonia					
11 Toxicological information					
Information on toxicological effects					
Acute toxicity: Harmful if swallowed.					
		(Contd. on page 4) USA			

Safety Data Shee	et
per OSHA HazCom 201	2

٦

Product name: (Chloromethylene)dimethylammonium chloride					
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes severe skin burns. Eye irritation: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Other information (about experimental toxicology): Reproductive effects have been observed on tests with laboratory animals. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.					
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the ground. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.					
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.					
14 Transport information UN-Number	1102261				
DOT, IMDG, IATA UN proper shipping name	UN3261				
DOT I II C IMDG, IATA	Corrosive solid, acidic, organic, n.o.s. ((Chloromethylene)dimethylammonium chloride) CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. ((Chloromethylene) dimethylammonium chloride)				
Transport hazard class(es) DOT Class Label Class Label IMDG, IATA	8 Corrosive substances. 8 8 (C4) Corrosive substances 8				
Class Label	8 Corrosive substances. 8				
Packing group DOT, IMDG, IATA					
Environmental hazards:	Not applicable.				
Special precautions for user EMS Number:	Warning: Corrosive substances F-A,S-B				
Segregation groups	Acids				
	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				
Transport/Additional information: DOT					
Marine Pollutant (DOT):	No				
UN "Model Regulation":	UN3261, Corrosive solid, acidic, organic, n.o.s. ((Chloromethylene) dimethylammonium chloride), 8, II				
15 Regulatory information					

Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5) USA

USA

## Product name: (Chloromethylene)dimethylammonium chloride

Hazard pictograms

