



Reviewed on 01/06/2018
1 Identification
Product identifier
Product name: Ethyl L-nipecotate
Stock number: H57185 CAS Number:
37675-18-6 EC number:
609-464-4
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet
Manufacturer/Supplier: Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS05 Corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Skie krit 2. 1/215. Courses akin irritation
Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.
H227 Combustible liquid. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
$\wedge$
GHS05 GHS07
Signal word Danger Hazard statements
H227 Combustible liquid.
H315 Causes skin irritation. H318 Causes serious eye damage.
H335 May cause respiratory irritation. Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261 Avoid breáthing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
B3 - Combustible liquid
D2B - Toxic material causing other toxic effects
(☆)(Ţ)
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH     Image: Health (acute effects) = 2
FRE     Planmability = 2       REACTIVITY     Physical Hazard = 1
Other hazards
Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances
CAS# Description: 37675-18-6 Ethyl L-nipecotate
Identification number(s): EC number: 609-464-4
USA

## Pr

Pro	Product name: Ethyl L-nipecotate			
		(Contd. of page 1)		
4	First-aid measures         Description of first aid measures         After inhalation         Supply fresh air. If required, provide artificial respiration. Keep patient warm.         Seek immediate medical advice.         After skin contact         Immediately wash with water and soap and rinse thoroughly.         Seek immediate medical advice.         After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.         After swallowing Seek medical treatment.         Information for doctor         Most important symptoms and effects, both acute and delayed No further relevant information available.         Indication of any immediate medical attention and special treatment needed No further relevant information available.			
5	<ul> <li>Fire-fighting measures</li> <li>Extinguishing media</li> <li>Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.</li> <li>Special hazards arising from the substance or mixture</li> <li>If this product is involved in a fire, the following can be released:</li> <li>Carbon monoxide and carbon dioxide</li> <li>Nitrogen oxides (NOx)</li> <li>Advice for firefighters</li> <li>Protective equipment:</li> <li>Wear self-contained respirator.</li> </ul>			
6	<ul> <li>Accidental release measures</li> <li>Personal precautions, protective equipment and emergency procedures</li> <li>Wear protective equipment. Keep unprotected persons away.</li> <li>Ensure adequate ventilation</li> <li>Environmental precautions: Do not allow product to reach sewage system or any water course.</li> <li>Methods and material for containment and cleaning up:</li> <li>Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> <li>Ensure adequate ventilation.</li> <li>Prevention of secondary hazards: Keep away from ignition sources.</li> <li>Reference to other sections</li> <li>See Section 7 for information on personal protection equipment.</li> <li>See Section 13 for disposal information.</li> </ul>			
7	Handling and storage         Handling Precautions for safe handling Handle under dry protective gas.         Keep container lightly sealed.         Store in cool, dry place in tightly closed containers.         Ensure good ventilation at the workplace.         Information about protective gas.         Conditions for safe storage, including any incompatibilities         Store away from safe storage in one common storage facility:         Store away from air.         Store away from water/moisture.         Store under dry iner gas.         This product is air sensitive.         Keep container lightly sealed.         Store in cool, dry iner gas.         The product is moisture sensitive.         Further information about storage conditions:         Store in cool, dry conditions in well sealed containers.         Protect from exposure to light.         Store in cool, dry conditions in well sealed containers.         Protect from exposure to light.         Specific end use(s) No further relevant information available.			
8	Bexposure controls/personal protection     Additional information about design of technical systems:     Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.     Control parameters     Components with limit values that require monitoring at the workplace:     The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.     Additional information: No data     Exposure controls     Personal protective and hygienic measures     The usual precautionary measures for handling chemicals should be followed.     Keep away from foodstuffs, beverages and feed.     Remove all soiled and contaminated clothing immediately.     Wash hands before breaks and at the end of work.     Do not inhale dust / smoke / mist.     Avoid contact with the eyes and skin.     Maintain an ergonomically appropriate working environment.     Breathing equipment: Use suitable respirator when high concentrations are present.     Recommended filter device for short term use:     Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls.     Risk assessment should be performent and purpore and approved under appropriate work as such as uch as a darder such as being the device for short term use:	erformed to		

determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). (Contd. on page 3)

## Product name: Ethyl L-nipecotate

Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition.	(Contd. of page 2)		
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Tightly sealed goggles			
Body protection: Protective work clothing.			
9 Physical and chemical properties			
Information on basic physical and chemical properties General Information Appearance:			
'Form:     Liquid       Odor:     Not determined       Odor threshold:     Not determined.			
pH-value: Not determined.			
Change in condition Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined			
Flash point:       76 °C (169 °F)         Flammability (solid, gaseous)       Not determined.         Ignition temperature:       Not determined         Decomposition temperature:       Not determined			
Auto igniting: Not determined.			
Danger of explosion:       Not determined.         Explosion limits:       Not determined         Lower:       Not determined         Upper:       Not determined         Vapor pressure:       Not determined         Density at 20 °C (68 °F):       1.043 g/cm³ (8.704 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Vapor ation rate       Not determined.			
Solubility in / Miscibility with Water: Not determined Partition coefficient (n-octanol/water): Not determined. Viscosity:			
dynamic: Not determined. kinematic: Not determined. Other information No further relevant information available.			
Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Air Water/moisture Oxidizing agents Light Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides			
11 Toxicological information         Information on toxicological effects         Acute toxicity: No effects known.         LD/LC50 values that are relevant for classification: No data         Skin irritation or corrosion: Causes skin irritation.         Eye irritation or corrosion: Causes serious eye damage.         Sensitization: No sensitizing effects known.         Germ cell mutagenicity: No effects known.         Carcinogenicity: No effects known.         Garm cell mutagenicity: No effects known.         Specific target organ system toxicity - repeated exposure: No effects known.         Specific target organ system toxicity - single exposure: May cause respiratory irritation.         Aspiration hazard: No effects known.         Subacute to chronic toxicity: No effects known.         Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.         Carcinogenic categories			
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.			
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable.			
vPvB: Not applicable.	Contd. on page 4) USA —		

## Product name: Ethyl L-nipecotate (Contd. of page 3) Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations 14 Transport information UN-Number DOT, ADN, IMDG, IATA Not applicable UN proper shipping name DOT, ADN, IMDG, IATA Not applicable Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class Not applicable Packing group DOT, IMDG, IATA Not applicable Environmental hazards: Not applicable. Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": \_ 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms ! GHS05 GHS07 Signal word Danger Hazard statements Hazard statements H227 Combustible liquid. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements P210 P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/registration. National regulations National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Chemicals Known to Cause cancer Substance is not insted. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not liste Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 01/11/2016 / -Date of preparation / last revision 01/11/2016 / -Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transportation ENIECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent VP/B: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer

## Product name: Ethyl L-nipecotate

EPA: Environmental Protection Agency (USA) : Flammable liquids, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Page 5/5 Printing date 01/11/2016 Reviewed on 01/08/2010

(Contd. of page 4)

USA -