



1 Identification Product identifier Product name: 3-Chlorobenzylamine Stock number: A14078, L05968 **CAS Number:** 4152-90-3 EC number: 8-985-0 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. Inerrito Fisher Scheman C. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) EZ GHS05 Corrosion Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms EZ. GHS05 Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P388 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER or doctor/physician. WHMIS classification D2B - Toxic material causing other toxic effects E - Corrosive material 124 Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) 3 Health (acute effects) = 3 Flammability = 1 Physical Hazard = 1 1 ACTIVITY 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: Chlorobenzvlamine Identification number(s): EC number: 223-985-0 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. (Contd. on page 2) Information for doctor

Causes serious eve damage

Product name: 3-Chlorobenzylamine

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Page 2/5 Printing date 11/30/2015 Reviewed on 11/25/2015

(Contd. of page 1)

Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen chloride (HCI) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation **Environmental precautions:** Do not allow product to reach sewage system or any water course. **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from air. Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is air sensitive Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid context with the aves and skin. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Tightly sealed goggles Full face protection

Body protection: Protective work clothing.

Product name: 3-Chlorobenzylamine

Page 3/5 Printing date 11/30/2015 Reviewed on 11/25/2015

| | | (Contd. of page 2) |
|---|---|--------------------|
| 9 Physical and chemical propertie | 95 | |
| Information on basic physical and cl General Information Appearance: Form: | Liquid | |
| Odor: Odor threshold: | Amine-like Not determined. | |
| pH-value: | Not determined. | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: | Not determined 226 °C (439 °F) Not determined | |
| Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: | 98 °C (208 °F) Not determined. Not determined Not determined Not determined. | |
| Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density | Not determined. Not determined Not determined 1.159 g/cm ³ (9.672 lbs/gal) Not determined. | |
| Vapor density Evaporation rate Solubility in / Miscibility with Water: | Not determined. Not determined. Not miscible or difficult to mix | |
| Partition coefficient (n-octanol/water Viscosity: dynamic: kinematic: | r): Not determined. Not determined. Not determined. | |
| Other information | No further relevant information available. | |
| Thermal decomposition / conditions Possibility of hazardous reactions R Conditions to avoid No further relevan Incompatible materials: Acids Air Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Hydrogen chloride (HCI) | nt information available. | |
| 11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes severe skin burns. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed. | | |
| 12 Ecological information | | |
| Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. | | |
| 13 Disposal considerations | | |
| Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. | | |
| Recommendation: Disposal must be f | maue according to onioial regulations. | USA — |

Product name: 3-Chlorobenzylamine

| | (Contd. of page 3, | | |
|---|---|--|--|
| 14 Transport information | | | |
| UN-Number DOT, IMDG, IATA | UN2735 | | |
| UN proper shipping name | | | |
| DOT I III O IMDG, IATA | Amines, liquid, corrosive, n.o.s. (3-Chlorobenzylamine) AMINES, LIQUID, CORROSIVE, N.O.S. (3-Chlorobenzylamine) | | |
| Transport hazard class(es) | | | |
| DOT | | | |
| | | | |
| • | | | |
| Class Label | 8 Corrosive substances. 8 | | |
| Class | 8 (C7) Corrosive substances | | |
| Label IMDG, IATA | 0 | | |
| | | | |
| | | | |
| Class Label | 8 Corrosive substances. 8 | | |
| | δ | | |
| Packing group DOT, IMDG, IATA | <u> </u> | | |
| Environmental hazards: | Not applicable. | | |
| Special precautions for user EMS Number: | Warning: Corrosive substances F-A,S-B Alkalis | | |
| Segregation groups Transport in bulk according to Annex II of MARPOL73/78 and t | | | |
| Transport/Additional information: | | | |
| DOT | | | |
| Marine Pollutant (DOT): UN "Model Regulation": | No UN2735, Amines, liquid, corrosive, n.o.s. (3-Chlorobenzylamine), 8, III | | |
| | | | |
| GHS05 Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P309 IF exposed or if you feel unwell. P310 Immediately call a POISON CENTER or doctor/physician. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed in the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to the REACH Regulations for UN of the manufacturing, placing on the market and use must be observed. Substance is not listed. <tr< th=""></tr<> | | | |
| information to ensure proper use and protect the health and safety | ner information gathered by them, and should make independent judgement of suitability of this of employees. This information is furnished without warranty, and any use of the product not in on with any other product or process, is the responsibility of the user. | | |
| HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent vPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) | | | |

Product name: 3-Chlorobenzylamine

OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 (Contd. of page 4)

USA -