



Page 1/4 Printing date 02/14/2017 Revision date 02/10/2017

| Revision date 02/10/2017 |
|--|
| 1 Identification |
| Product identifier |
| Product name: <u>Ethyl propionylacetate</u> |
| Stock number: A15464, L02443 CAS Number: 4949-44-4 |
| EC number: 225-593-5 |
| Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development |
| Details of the supplier of the safety data sheet |
| Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. |
| 30 Bond Street |
| Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 |
| Fax. 600-522-4757 Email: tech@alfa.com www.alfa.com |
| Information Department: Health, Safety and Environmental Department |
| Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. |
| 2 Hazard(s) identification |
| Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) |
| CHS07 |
| Skin Irrit. 2 H315 Causes skin irritation. |
| Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. |
| STOT SE 3 H335 May cause respiratory irritation. H227 Combustible liguid. |
| Hazards not otherwise classified No information known. |
| Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms |
| \wedge |
| GHS07 |
| Signal word Warning |
| Hazard statements H227 Combustible liquid. |
| H315 Causes skin irritation. H319 Causes serious eye irritation. |
| H335 May cause respiratory irritation. Precautionary statements |
| P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P201 Wear protective gloves/protective clothing/eye protection/face protection. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P362 Take off contaminated clothing and wash before reven |
| |
| P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. |
| WHMIS classification B3 - Combustible liquid |
| D2B - Toxic material causing other toxic effects |
| |
| Classification system |
| HMIS ratings (scale 0-4) (Hazardous Materials Identification System) |
| HEALTH 1 Health (acute effects) = 1 FIRE 2 Flammability = 2 |
| |
| Other hazards Results of PBT and vPvB assessment |
| PBT: Not applicable. vPvB: Not applicable. |
| 3 Composition/information on ingredients |
| Chemical characterization: Substances |
| CAS# Description: 4949-44-4 Ethyl propionylacetate |
| Concentration: ≤100% (Contd. on page 2) |

(Contd. on page 2)

Identification number(s): EC number: 225-593-5

4 First-aid measures

Description of first aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor

Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin.

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use suitable respirator when high concentrations are present. **Recommended filter device for short term use:** Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). **Detection of bando**:

Protection of hands:

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses

(Contd. of page 1)

(Contd. on page 3)

Product name: Ethyl propionylacetate

Body protection: Protective work clothing.

9 Physical and chemical properties

| 9 Physical and chemical properties | | |
|---|--|--|
| Information on basic physical and che General Information Appearance: Form: Odor: Odor: Odor threshold: | emical properties Liquid Not determined Not determined. | |
| pH-value: | Not determined. | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: | Not determined 190-192 °C (374-378 °F) Not determined | |
| Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: | 77 °C (171 °F) Not determined. Not determined Not determined Not determined. | |
| Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information | Not determined. Not determined Not determined 1.012 g/cm ³ (8.445 lbs/gal) Not determined. Not determined. | |
| | | |

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data

LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.

Aspendice to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

(Contd. of page 2)

LISA (Contd. on page 4)

Product name: Ethyl propionylacetate

| | (Contd. of page |
|--|--|
| 4 Transport information | |
| UN-Number | |
| DOT, ADN, IMDG, IATA | Not applicable |
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | Not applicable |
| Transport hazard class(es) | |
| DOT, ADR, ADN, IMDG, IATA | |
| Class Backing group | Not applicable |
| Packing group DOT, ADR, IMDG, IATA | Not applicable |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Not applicable. |
| Transport in bulk according to Annex II of MARPOL73/78 a | ind the IBC Code Not applicable. |
| Transport/Additional information: | |
| DOT Marina Ballutant (DOT): | No |
| Marine Pollutant (DOT): UN "Model Regulation": | No |
| | |
| 5 Regulatory information | |
| Hazard pictograms GHS07 Signal word Warning | |
| P362 IF INHALED: Remove victim to fresh air and P362 Take off contaminated clothing and wash be P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep contal P403+P235 Store in a well-ventilated place. Keep contal P501 Dispose of contents/container in accordance | s/spray. eye protection/face protection. r several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. d keep at rest in a position comfortable for breathing. efore reuse. |
| This product is not listed on the Canadian Domestic Substance SARA Section 313 (specific toxic chemical listings) Substance California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not Prop 65 - Developmental toxicity, female Substance is not listed. | isted. |
| Prop 65 - Developmental toxicity, male Substance is not liste Information about limitation of use: For use only by technica Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the I The conditions of restrictions according to Article 67 and A market and use must be observed. Substance is not listed. | ed. ally qualified individuals. REACH Regulations (EC) No. 1907/2006. Substance is not listed. Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on th |
| Annex XIV of the REACH Regulations (requiring Authorisa Chemical safety assessment: A Chemical Safety Assessment | tion for use) Substance is not listed. In thas not been carried out. |
| information to ensure proper use and protect the health and sa | o other information gathered by them, and should make independent judgement of suitability of this afety of employees. This information is furnished without warranty, and any use of the product not in th any other product or process, is the responsibility of the user. |
| Department issuing SDS: Global Marketing Department Date of preparation / last revision 02/14/2017 / - | (European Agreement concerning the International Carriage of Dangerous Goods by Road) |

VPB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) : Flammable liquids, Hazard Category 4 Skin Irnt. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irnt: 24: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

USA