

F



Revision date 10	
1 Identification	
Product identifier Product name: 4-Chloro-2-(methylthio)pyrimidine	
Stock number: B21481, L07810	
CAS Number: 49844-90-8	
EC number: 256-500-6	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099	
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department	
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
A PARTICIPACITY OF THE PARTICI	
GHS05	
Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P30 Wear protective gloves/protective clothing/eye protection/face protection. P301+P331 IF INE VESTS Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P331 IF INE VSLLOWED: rinse move/Take of immediately cantaminated clothing. P301+P330 IF INE VSLS CONSCENTER/Koctor. P303 +P331 IF SWALLOWED: rinse move/Take of immediately cantaminated clothing. P304+P340 IF INHALED: Remove vicitim to fresh air and keep at rest in a position comfortable for breathing. P303 +P331 IF SWALLOWED: rinse move/Take of immediately call a POISON CENTER/Koctor. P303 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification system HMIS MMIS classification system HMIS Mission and therials Identification System) Harmability = 1 Health (acute effects) = 3 Harmability = 1 Health (acute	
Composition/information on ingredients Chemical characterization: Substances CAS# Description: 49844-90-8 4-Chloro-2-(methylthio)pyrimidine Identification number(s): EC number: 256-500-6	
4 First-aid measures Description of first aid measures	
General information Immediately remove any clothing soiled by the product. After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm.	on page 2)
	USA -

Product name: 4-Chloro-2-(methylthio)pyrimidine

(Contd. of page 1) Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor **Most important symptoms and effects, both acute and delayed** Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Or how monovide and earthen dioxiden discussion. It this product is involved in a fire, the i Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Nitrogen oxides (NOx) Hydrogen chloride (HCI) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Provide the containing of section 12. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in freezer (-20 °C). Information about storage in one common storage facility: Protect from heat. Store away from water/moisture. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin. Avoid contact with the eyes and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Tightly sealed goggles (Contd. on page 3)

Product name: 4-Chloro-2-(methylthio)pyrimidine

Full face protection

(Contd	of page	21
(Comu.	or page	2)

Full face protection Body protection: Protective work clothing.				
9 Physical and chemical propertie Information on basic physical and cl				
General Information				
Appearance: Form:	Liquid			
Color: Odor:	Pále yellow Pungent			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	ca -2 °C (ca 28 °F) 118-120 °C (244-248 °F) (9mm) Not determined			
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	> 110 °C (> 230 °F) Not determined. Not determined Not determined Not determined.			
Danger of explosion: Explosion limits:	Not determined.			
Lower:	Not determined			
Upper: Vapor pressure:	Not determined Not determined			
Density at 20 °C (68 °F):	1.38 g/cm³ (11.516 lbs/gal) Not determined.			
Relative density ` Vapor density	Not determined.			
Evaporation rate Solubility in / Miscibility with	Not determined.			
Water: Not miscible or difficult to mix Partition coefficient (n-octanol/water): Not determined.				
Viscosity: dynamic:	Not determined.			
kinematic: Other information	Not determined. No further relevant information available.			
Additional information	This product may form a precipitate.			
10 Stability and reactivity				
Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Oxidizing agents Heat Heat Heat Carbon monoxide and carbon dioxide Sulfur oxides (SOX) Nitrogen oxides Hydrogen chloride (HCl) Additional information: This product may form a precipitate.				
11 Toxicological information				
Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA. JARC. NTP. OSHA or ACGIH.				
Reproductive foxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.				
Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.				
12 Ecological information				
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information:				

Additional ecological information: General notes: Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

	Revision date 10/28/20
roduct name: 4-Chloro-2-(methylthio)pyrimidine	
Other adverse effects No further relevant information avail	ilable. (Contd. of page
3 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulatio. Uncleaned packagings: Recommendation: Disposal must be made according to of	
4 Transport information	
UN-Number	
DOT, IMDG, IATA UN proper shipping name	UN1760
DOT IMDG, IATA	Corrosive liquids, n.o.s. (4-Chloro-2-(methylthio)pyrimidine) CORROSIVE LIQUID, N.O.S. (4-Chloro-2-(methylthio)pyrimidine)
Transport hazard class(es)	
Class Label	8 Corrosive substances. 8
Class Label	8 (C9) Corrosive substances 8
IMDG, IATA	
Class Label	8 Corrosive substances. 8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user EMS Number:	Warning: Corrosive substances F-A,S-B
Transport in bulk according to Annex II of MARPOL73/7	7 -
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	UN1760, Corrosive liquids, n.o.s. (4-Chloro-2-(methylthio)pyrimidine), 8, III
P305+P351+P338 IF IN EYES: Rinse calutiously with water P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT P304+P340 IF INHALED: Remove victim to fresh air P310 Immediately call a POISON CENTER/dc P363 Wash contaminated clothing before reus P405 Store locked up. P501 Dispose of contents/container in accorda	In accordance with 29 CFR 1910 (OSHA HCS) mg/eye protection/face protection. immediately all contaminated clothing. Rinse skin with water/shower. r for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. induce vomiting. and keep at rest in a position comfortable for breathing. pctor. se. ance with local/regional/national/international regulations.
to research and development only. This product must be us product must not be used for commercial purposes or in for This product is not listed on the Canadian Domestic Substa SARA Section 313 (specific toxic chemical listings) Sub California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance i Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not Information about limitation of use. For use only by tech	is not listed. listed. listed. nically qualified individuals. ns the REACH Regulations (EC) No. 1907/2006. Substance is not listed. the REACH Regulations (EC) No 1907/2006 (REACH) for the manufacturing, placing on the manufacturing placing pl
Annex AIV of the REACH Regulations (requiring Author	(Contd. on page

(Contd. on page 5)

(Contd. of page 4)

Product name: 4-Chloro-2-(methylthio)pyrimidine

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/01/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritme Code for Dangerous Goods DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritme Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent CAS: International Streament Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

USA