

5414-19-7 Bis(2-bromoethyl) ether



1 Identification Product identifier Product name: Bis(2-bromoethyl) ether Stock number: L11510 **CAS Number:** 5414-19-7 EC number: 26-504-2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Details of the supplier of the safety da Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. ! GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. H227 Combustible liquid. Hazards not otherwise classified Lachrymator Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms ! GHS05 GHS07 Signal word Danger Hazard statements H227 Combustible liquid. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Precautionary statements 

 Precautionary statements

 P210
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P304+P340
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

 P310
 Immediately call a POISON CENTER/doctor.

 P326
 Take of contaminated clothing and wash before rause.

P310 P362 Take off contaminated clothing and wash before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. P405 P403+P233 P50 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification Combustible liquid D2B - Toxic material causing other toxic effects ð Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 2 2 Flammability = 2 Flammability = 2 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description:

Identification number(s): EC number: 226-504-2

#### 4 First-aid measures

#### Description of first aid measures After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice. After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

### Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Advice for firefighters Protective equipment:

Wear self-contained respirator. Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Ensure adequate ventration. **Prevention of secondary hazards:** Keep away from ignition sources. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

#### Control parameters

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

#### Exposure controls

Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the ever and ckin

Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use suitable respirator when high concentrations are present.

Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

## Protection of hands:

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

# Page 2/4 Printing date 08/04/2016 Revision date 08/01/2016

(Contd. of page 1)

## Product name: Bis(2-bromoethyl) ether

Eye protection: Tightly sealed goggles Body protection: Protective work clothing. (Contd. of page 2)

Body protection: Protective work clothin	ing.		
9 Physical and chemical properties	;		
Information on basic physical and chemical properties General Information			
Appearance: Form:	Liquid		
Odor:	Nót determined		
Odor threshold:	Not determined.		
· · ·	Not determined.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 92-93 °C (198-199 °F) (12mm) Not determined		
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	85 °C (185 °F) Not determined. Not determined Not determined		
Auto igniting:	Not determined.		
Danger of explosion: Explosion limits: Lower:	Not determined. Not determined		
Upper:	Not determined		
Vapor pressure: Density at 20 °C (68 °F):	Not determined 1.845 g/cm³ (15.397 lbs/gal)		
Relative density Vapor density	Not determined. Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water):	Not miscible or difficult to mix : Not determined.		
Viscosity:			
dynamic: kinematic:	Not determined. Not determined.		
Other information	No further relevant information available.		
Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen bromide 11 Toxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: This product is a lachrymator.			
Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.			
Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.			
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.			
13 Disposal considerations			
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. (Contd. on page 4)			

	Nevision date 00/01/2010		
Product name: Bis(2-bromoethyl) ether			
Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	(Contd. of page 3)		
14 Transport information			
UN-Number	Alex		
DOT, ADN, IMDG, IATA UN proper shipping name	Not applicable		
UN proper shipping name DOT, ADN, IMDG, IATA	Not applicable		
Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class	Not applicable		
Packing group DOT, IMDG, IATA	Not applicable		
Environmental hazards:	Not applicable.		
Special precautions for user	Not applicable.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			
Transport/Additional information:			
DOT Marine Pollutant (DOT):	No		
UN "Model Regulation":	-		
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS05 GHS07			
Signal word Danger      Hazard statements      Hazard statements      Hazard statements      Hazard combustible liquid.      H315 Causes sexion:      H316 Causes sexion:      H317 Causes sexion:      Precautionary statements      P210    Keep away from heat/sparks/open flames/hot surfaces No smoking.      P261    Avoid breatining dust/fume/gas/mist/vapours/spray.      P280    Wear protective gloves/protective clothing/eye protection/face protection.      P305+P351+P338    Filk PLKE: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.      P310    Immediately call a POISON CENTER/doctor.      P362    Take off contaminated clothing and wash before reuse.      P403    Store locked up.      P403+P233    Store locked up.      P403    Dispose of contents/container in accordance with local/regional/national/international regulations.      National regulations    All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.      All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).    SARA Section 313 (specific toxic chemical listings) Substance is not listed.      Prop 65 - Chemicals known to cause ca			
Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Sub Chemical safety assessment: A Chemical Safety Assessment has not been ca	bstance is not listed. arried out.		
<b>16 Other information</b> Employers should use this information only as a supplement to other information information to ensure proper use and protect the health and safety of employees conformance with this Material Safety Data Sheet, or in combination with any oth	n gathered by them, and should make independent judgement of suitability of this s. This information is furnished without warranty, and any use of the product not in ther product or process, is the responsibility of the user.		
Department issuing SDS: Global Marketing Department Date of preparation / last revision 08/04/2016 / - Abbreviations and acronyms:      ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement DOT: US Department of String (USA)      WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal dose, 50 percent    Department (USA)      VPB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Stety and Health Administration (USA)      NTP: National Toxicology Program (USA)      NTP: National Toxicology Program (USA)      IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)      : Flammable liquids, Hazard Category 4      Skin Int't. 2: Skin corrosion/irritation, Hazard Category 2	concerning the International Carriage of Dangerous Goods by Road)		

: Flammable liquids, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3