# Safety Data Sheet acc. to OSHA HCS



Page 1/6 Printing date 03/23/2018 Revision date 03/21/2018 Version 1

1 Identification

Product identifier

Product name: Hydroxylamine hydrochloride

Stock number: 36416 CAS Number: 5470-11-1 EC number: 226-798-2 Index number: Index number:

612-123-00-2. Relevant identified uses of the substance or mixture and uses advised against. No further relevant information available. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification


Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Met. Corr.1 H290 May be corrosive to metals.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

#### Hazard pictograms









GHS05 GHS07 GHS08

#### Signal word Warning

Hazard statements
H290 May be corrosive to metals.

H290 May be corrosive to metals.
H302+H312 Harmful if swallowed or in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements
P273 Avoid release to the environment.
P280 Wear protective gloves / protective clothing.
P406 Store in corrosive resistant container with a resistant inner liner.
WHMIS classification
D18 - Toxic material causing immediate and serious toxic effects

D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects

Corrosive material - Dangerously reactive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 1
Physical Hazard = 2

(Contd. on page 2)

(Contd. of page 1)

#### Product name: Hydroxylamine hydrochloride

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

#### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 5470-11-1 Hydroxylamine hydrochloride Concentration: ≤100%

Identification number(s): EC number: 226-798-2 Index number: 612-123-00-2

#### 4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes skin irritation.
Harmful if swallowed.

Causes serious eye irritation. Harmful in contact with skin.

Suspected of causing cancer. May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Thin product is invoved in a line, the carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen chloride (HCl) Advice for firefighters Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: 0.42 mg/m3

PAC-1: 0.42 mg/m3 PAC-2: 4.7 mg/m3 PAC-3: 28 mg/m3

#### 7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Keep away from heat and direct sunlight.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: Prevent impact and friction.

Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from water/moisture. Store away from oxidizing agents. Store away from metals.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

(Contd. on page 3)

#### Product name: Hydroxylamine hydrochloride

Protect from humidity and water. Specific end use(s) No further relevant information available

(Contd. of page 2)

#### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

3.6

#### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Crystalline Odor: Odor threshold: Not determined.

pH-value (10 g/l) at 20 °C (68 °F):

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start: 152 °C (306 °F) (dec) Not determined Not determined Flammability (solid, gaseous) Ignition temperature: Not determined Not determined Decomposition temperature: Auto igniting: Not determined Not determined.

Danger of explosion:

Risk of explosion by shock, friction, fire or other sources of ignition.

Explosion limits:

Not determined Lower: Upper: Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density Not applicable. 1.67 g/cm³ (13.936 lbs/gal) Not determined. Not applicable.

Relative density
Vapor density
Evaporation rate
Solubility in / Miscibility with
Water at 20 °C (68 °F): Not applicable.

865 g/l Soluble Partition coefficient (n-octanol/water): Not determined. Not applicable. dvnamic:

kinematic:

Not applicable. No further relevant information available. Other information

#### 10 Stability and reactivity

Reactivity Unstable explosive.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Oxidizing agents Metals Water/moisture

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides Hydrogen chloride (HCI)

#### 11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful in contact with skin.

(Contd. on page 4)

## Version 1 Product name: Hydroxylamine hydrochloride (Contd. of page 3) Harmful if swallowed. Danger through skin absorption. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: Oral LD50 141 mg/kg (rat) Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: May cause irritation Sensitization: May cause an allergic skin reaction. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: Suspected of causing cancer. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: May cause damage to organs through prolonged or repeated exposure. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Pemark: Very toxic for aquatic organisms Remark: Very toxic for aquatic organisms Additional ecological information: Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information UN-Number DOT, IMDG, IATA UN2923 UN proper shipping name DOT ADR IMDG Corrosive solids, toxic, n.o.s. (Hydroxylamine hydrochloride) 2923 Corrosive solids, toxic, n.o.s. (Hydroxylamine hydrochloride) CORROSIVE SOLID, TOXIC, N.O.S. (Hydroxylamine hydrochloride), MARINE POLIUTANT CORROSIVE SOLID, TOXIC, N.O.S. (Hydroxylamine hydrochloride) IATA Transport hazard class(es) DOT 8 Corrosive substances 8 (CT2) Corrosive substances 8+6.1 Class

8 Corrosive substances 8/6.1

Class 8 Corrosive substances

(Contd. on page 5)

Product name: Hydroxylamine hydrochloride	
	(Contd. of page 4)
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant (IMDG):	Yes (DOT) Symbol (fish and tree)
Special precautions for user Stowage Category Stowage Code	Warning: Corrosive substances B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
Marine Pollutant (DOT): Remarks:	No No Special marking with the symbol (fish and tree).
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 2923 CORROSIVE SOLIDS, TOXIC, N.O.S. (HYDROXYLAMINE HYDROCHLORIDE), 8 (6.1), III

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS07 GHS08

## Signal word Warning

Signal word Warning
Hazard statements
H290 May be corrosive to metals.
H302+H312 Harmful if swallowed or in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H351 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Precautionary statements
P273 Avoid release to the environment.
P280 Wear protective gloves / protective clothing.
P406 Store in corrosive resistant container with a resistant inner liner.
National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Other regulation about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doose, 50 percent
LD50: Lethal doose, 50 percent
LD50: Lethal doose, 50 percent
LD50: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
PVPE: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
MRC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Met. Cort.: Cornsive to metals — Category 1
Acute Tox. 4-Acute Toxicity — Category 2
Eye Irmt. 24: Serious eye damage/eye irritation — Category 2A

(Contd. on page 6)



Page 6/6 Printing date 03/23/2018 Revision date 03/21/2018 Version 1

### Product name: Hydroxylamine hydrochloride

(Contd. of page 5)

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

USA -