

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 05/11/2010

1 Identification

Product identifier

Product name: Bis(ethylcyclopentadienyl)chromium(II)

Stock number: H27335

CAS Number: 55940-03-9

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 2 H252 Self-heating in large quantities; may catch fire.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS02 GHS06

Signal word Danger Hazard statements

H250 Catches fire spontaneously if exposed to air. H252 Self-heating in large quantities; may catch fire. H301+H311 Toxic if swallowed or in contact with skin. H332 Harmful if inhaled.

Causes skin irritation. Causes serious eye irritation. H335 May cause respirátory irritation. Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361 Take off immediately all contaminated clothing.
P405 Store locked up.

Store contents under inert gas.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
B6 - Reactive flammable material
D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH 2 Health (acute effects) = 2
Flammability = 4
ACTIVITY 2 Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 2)

Product name: Bis(ethylcyclopentadienyl)chromium(II)

vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 55940-03-9 Bis(ethylcyclopentadienyl)chromium(II)

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
Spontaneously flammable in air.
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Toxic metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Substance/product is self ignitable.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.

Requirements to be met by storerooms and receptacles: Ni Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. This product is air sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Chromium (II) compounds, as Cr

Chromium (II) compounmg/m3
Belgium TWA 0.5
Denmark TWA 0.9
Finland TWA 0.01
France TWA 0.5
Ireland TWA 0.5
Sweden TWA 0.5 0.5 0.01 0.5 0.5 0.5

(Contd. on page 3)

(Contd. of page 2)

Product name: Bis(ethylcyclopentadienyl)chromium(II)

United Kingdom TWA 0.5 USA PEL 0.5

Additional information: No data

Exposure controls

Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Penetration time of glove material (in minutes) Not determined
Eye protection:

Eye protection:
Safety glasses
Full face protection:
Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Odor: Odor threshold:

Liquid Not determined Not determined.

pH-value:

Not determined.

Not determined

, Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Not determined Not determined

Flash point:

Not determined

Not determined. Not determined

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:

Not determined Spontaneously flammable in air.

Danger of explosion:

Not determined.

Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density

Not determined Not determined Not determined

Not determined Not determined Not determined

Vapor density
Evaporation rate
Solubility in / Miscibility with
Water:

Not determined.

Not determined Partition coefficient (n-octanol/water): Not determined

Viscosity. dynamic: kinematic:

Not determined

Not determined.

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity Catches fire spontaneously if exposed to air.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Spontaneously flammable in air.
Conditions to avoid No further relevant information available.
Incompatible materials:

Air

Oxidizing agents
Water/moisture
Hazardous decomposition products:

Carbon monoxide and carbon dioxide Toxic metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled.

Harmful if inhaled.
Toxic in contact with skin.
Toxic if swallowed.
Danger through skin absorption.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.

(Contd. on page 4)

Product name: Bis(ethylcyclopentadienyl)chromium(II)

(Contd. of page 3)

Subacute to chronic toxicity: No effects known.
Subacute to chronic toxicity:
Chromium powder, chromium (II) and chromium (III) compounds may cause nausea, diarrhea, vomiting, skin and eye irritation and pneumoconiosis. Although less likely than Cr(VI) compounds, the NTP considers all chromium to be potentially carcinogenic.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General potes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14	Trans	port	infori	nation
	I IAI AI			

DOT	NA2845
IMDG, IATA	UN2845
UN proper shipping name DOT IMDG, IATA	Pyrophoric liquids, organic, n.o.s. (Bis(ethylcyclopentadienyl)chromium(II)) PYROPHORIC LIQUID, ORGANIC, N.O.S. (Bis(ethylcyclopentadienyl) chromium(II))

Transport hazard class(es)

DOT



Class	4.2 Substances liable to spontaneous combustion.
Label	4.2
Class	4.2 (S1) Substances liable to spontaneous combustion
l ahol	12'



Class	4.2 Substances liable to spontaneous combustion.
Labal	12

Packing group DOT, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Substances liable to spontaneous combustion

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Marine Pollutant (DOT): No

UN2845, Pyrophoric liquids, organic, n.o.s. (Bis(ethylcyclopentadienyl) chromium(II)), 4.2, I UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS06

Signal word Danger

Hazard statements H250 Catche Hāzard statements

H250 Catches fire spontaneously if exposed to air.

H252 Self-heating in large quantities; may catch fire.

H301+H311 Toxic if swallowed or in contact with skin.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

May cause respiratory irritation.

H335 May cause respiratory irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 5)

Product name: Bis(ethylcyclopentadienyl)chromium(II)

(Contd. of page 4)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Take off immediately all contaminated clothing.
Store locked up.
P422 Store contents under inert gas.
Dispose of contents/contained.

Dispose of contents/container in accordance with local/regional/international regulations.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains chromium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Civil Aviation Organization
ICAC: International Civil Aviation Organization
ICAC: International Instructions by the "International Civil Aviation Organization" (ICAC)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Heazrdous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
INTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA