

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/26/2009

Reviewed on 06/25/2009

1 Identification of substance:**Product details:****Product name:** 2-Isopropylphenyl isocyanate**Stock number:** L10618**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description:** (CAS#)

2-Isopropylphenyl isocyanate (CAS# 56309-56-9): 100%

Identification number(s):**EINECS Number:** 260-105-4**3 Hazards identification****Hazard description:**

T Toxic

Information pertaining to particular dangers for man and environment

R 23/25 Toxic by inhalation and if swallowed.

R 36/37/38 Irritating to eyes, respiratory system and skin.

R 42 May cause sensitization by inhalation.

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	3
FIRE	2
REACTIVITY	1

Health (acute effects) = 3

Flammability = 2

Reactivity = 1

GHS label elements**Danger**

3.1/2 - Fatal if swallowed.

3.1/2 - Fatal if inhaled.

3.2/2 - Causes skin irritation.

3.3/2A - Causes serious eye irritation.

3.8/3 - May cause respiratory irritation.

**Danger**

3.4/1 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Warning

2.6/4 - Combustible liquid.

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/26/2009

Reviewed on 06/25/2009

Product name: 2-Isopropylphenyl isocyanate

(Contd. of page 1)

In case of inadequate ventilation wear respiratory protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

Specific treatment is urgent (see label).

Specific treatment (see label).

Rinse mouth.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Take off contaminated clothing and wash before reuse.

In case of fire: Use for extinction: CO₂, powder or water spray.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures

General information

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Do not induce vomiting; immediately call for medical help.

Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents Water

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

Hydrogen cyanide (HCN)

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

(Contd. on page 3)

-USA-

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/26/2009

Reviewed on 06/25/2009

Product name: 2-Isopropylphenyl isocyanate

(Contd. of page 2)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling

Information for safe handling:

Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.
Open and handle container with care.
Prevent formation of aerosols.

Information about protection against explosions and fires: Keep ignition sources away.

Storage

Requirements to be met by storerooms and receptacles: Refrigerate

Information about storage in one common storage facility:

Store away from oxidizing agents.
Protect from heat.

Store away from water/moisture.

Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Protect from humidity and water.
Refrigerate

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality.
Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties:

General Information

Form:	Liquid
Color:	Colorless
Odor:	Pungent

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	66-67°C (151-153°F) (5 mmHg)
Sublimation temperature / start:	Not determined

Flash point:	87°C (189°F)
---------------------	--------------

Ignition temperature:	Not determined
------------------------------	----------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/26/2009

Reviewed on 06/25/2009

Product name: 2-Isopropylphenyl isocyanate

(Contd. of page 3)

Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	
Not determined	
Density at 20°C (68°F):	
1.019 g/cm ³	
Solubility in / Miscibility with Water:	
Hydrolyzes	

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided:

Water/moisture
Alcohols
Amines
Oxidizing agents
Heat

Dangerous reactions Isocyanates may react exothermically with NH, OH or SH groups

Dangerous products of decomposition:

Carbon monoxide and carbon dioxide
Nitrogen oxides
Hydrogen cyanide (prussic acid)

11 Toxicological information

Acute toxicity:

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Lachrymatory effect.

Sensitization: Sensitization possible through inhalation.

Subacute to chronic toxicity:

Isocyanates are extremely irritating to the skin, eyes and mucous membranes. Exposure may be fatal. Symptoms include burning sensation, coughing, wheezing, laryngitis, headache, nausea and vomiting.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

DOT regulations:



Hazard class:

6.1

Identification number:

UN2206

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/26/2009

Reviewed on 06/25/2009

Product name: 2-Isopropylphenyl isocyanate

(Contd. of page 4)

Packing group: II
Proper shipping name (technical name): ISOCYANATES, TOXIC, N.O.S. (2-Isopropylphenyl isocyanate)
Label 6.1

Land transport ADR/RID (cross-border)

ADR/RID class: 6.1 (T1) Toxic substances
Danger code (Kemler): 60
UN-Number: 2206
Packaging group: II
Description of goods: 2206 ISOCYANATES, TOXIC, N.O.S. (2-Isopropylphenyl isocyanate)

Maritime transport IMDG:

IMDG Class: 6.1
UN Number: 2206
Label 6.1
Packaging group: II
Proper shipping name: ISOCYANATES, TOXIC, N.O.S. (2-Isopropylphenyl isocyanate)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 6.1
UN/ID Number: 2206
Label 6.1
Packaging group: II
Proper shipping name: ISOCYANATES, TOXIC, N.O.S. (2-Isopropylphenyl isocyanate)

UN "Model Regulation": UN2206, ISOCYANATES, TOXIC, N.O.S., 6.1, II

15 Regulations

Product related hazard informations:**Hazard symbols:**

T Toxic

Risk phrases:

23/25 Toxic by inhalation and if swallowed.
 36/37/38 Irritating to eyes, respiratory system and skin.
 42 May cause sensitization by inhalation.

Safety phrases:

23 Do not breathe gas/fumes/vapour/spray.
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 36/37 Wear suitable protective clothing and gloves.
 45 In case of accident or if you feel unwell, seek medical advice immediately.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only.
 Some or all of the components of this product are not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use: For use only by technically qualified individuals.

- USA -

(Contd. on page 6)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/26/2009

Reviewed on 06/25/2009

Product name: 2-Isopropylphenyl isocyanate

(Contd. of page 5)

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

- USA -