

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 08/19/2010

1 Identification

Product identifier

Product name: 4-Chlorobenzenesulfonyl isocyanate

Stock number: L10019

CAS Number: 5769-15-3

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Encil to the Bold Faces

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms







GHS05 GHS06 GHS08

Signal word Danger
Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

Precautionary statements
Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects

- Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3

Flammability = 1

Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 5769-15-3 4-Chlorobenzenesulfonyl isocyanate

(Contd. on page 2)

Product name: 4-Chlorobenzenesulfonyl isocyanate

(Contd. of page 1)

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediate with water and seep and rippe thereughly.

Arter Skin contact: Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

Seek Immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
Reacts violently with water
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogan oxides (NION)

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Sulfur oxides (SOx) Hydrogen chloride (HCI) Possibly Hydrogen cyanide (HCN) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Store away from oxidizing agents. Store away from strong bases. Protect from heat.

Store away from water/moisture.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive. Protect from humidity and water. Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace: Not required.
Additional information: No data

Exposure controls Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.

(Contd. on page 3)

(Contd. of page 2)

Product name: 4-Chlorobenzenesulfonyl isocyanate

Breathing equipment: Use suitable respirator when high concentrations are present. **Protection of hands:**

Protection of names:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Eye protection:
Tightly sealed goggles
Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information Appearance: Form:

Liquid Colorless Color: Odor: Pungent Not determined. Odor threshold:

pH-value:

, Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Not determined 120-121 °C (248-250 °F) (0.5mm Hg) Not determined

Not determined.

Flash point: > 110 °C (> 230 °F) Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined. Not determined Not determined

Auto igniting:

Not determined. Product does not present an explosion hazard.

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined

Not determined 1.457 g/cm³ (12.159 lbs/gal) Not determined. Not determined.

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Not determined Reacts violently

Partition coefficient (n-octanol/water): Not determined dynamic: Not determined.

kinematic: Not determined. No further relevant information available Other information

10 Stability and reactivity

Reactivity Reacts violently with water.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts violently with water

Conditions to avoid No further relevant information available. Incompatible materials:

Oxidizing agents Water/moisture

Heat

Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Sulfur oxides (SOX) Hydrogen chloride (HCl) Possibly Hydrogen cyanide (HCN)

11 Toxicological information

Information on toxicological effects

Information on toxicological effects
Acute toxicity:
Toxic if inhaled.
Toxic if swallowed.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: 4-Chlorobenzenesulfonyl isocyanate

Mobility in soil No further relevant information available.
Additional ecological information:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

4	Trans	port i	inform	ation
---	-------	--------	--------	-------

UN-Number DOT, IMDG, IATA

UN2922

UN proper shipping name

Corrosive liquids, toxic, n.o.s. (4-Chlorobenzenesulfonyl isocyanate) CORROSIVE LIQUID, TOXIC, N.O.S. (4-Chlorobenzenesulfonyl isocyanate)

IMDG, IATA Transport hazard class(es)

DOT





Class Label Class

8 Corrosive substances. 8+6.1 8 (CT1) Corrosive substances Label IMDG, IATA



Packing group DOT, IMDG, IATA

11 Not applicable. Environmental hazards:

Special precautions for user Warning: Corrosive substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Label

Marine Pollutant (DOT):

UN "Model Regulation":

UN2922, Corrosive liquids, toxic, n.o.s. (4-Chlorobenzenesulfonyl isocyanate), 8

(6.1), II

8+6.1

8 Corrosive substances.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS06 GHS08

Signal word Danger
Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin for hair! Take of immediately call a POISON CENTER/ doctor/...

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

(Contd. on page 5)

(Contd. on page 5)

Product name: 4-Chlorobenzenesulfonyl isocyanate

(Contd. of page 4)

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Avuation Organization
ICAO: International Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

HSΔ