



1 Identification

Product identifier Product name: 2,6-DimethyInaphthalene Stock number: A14836 **CAS Number:** 581-42-0 EC number: 209-464-0 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. Inerrito Fisher Scheman C. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) The substance is not classified according to the Globally Harmonized System (GHS). Hazards not otherwise classified No information known. I abel elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable WHMIS classification Not controlled Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 1 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 581-42-0 2,6-Dimethylnaphthalene Identification number(s): EC number: 209-464-0 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dióxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Pick up mechanically. Prevention of secondary hazards: No special measures required. (Contd. on page 2)

26 Dir 4hvdn hthal

Page 2/4 Printing date 11/23/2015 Reviewed on 04/13/2005

Reference to other sections See Section 7 for information on safe h See Section 8 for information on perso. See Section 13 for disposal information	handling nal protection equipment. n.	(Contd. of page 1,
7 Handling and storage		
7 Handling and storage		
Handling Precautions for safe handling		
Keep container tightly sealed.		
Store in cool, dry place in tightly closed	a containers. •t explosions and fires: No information known.	
Conditions for safe storage, includir	•	
Storage		
	oms and receptacles: No special requirements. mmon storage facility: Store away from oxidizing agents.	
Further information about storage c	onditions:	
Keep container tightly sealed.	aled containers	
Store in cool, dry conditions in well sea Specific end use(s) No further relevan	nt information available.	
8 Exposure controls/personal pro	tection	
Additional information about design		
Properly operating chemical fume hood	d designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters		
Additional information: No data	equire monitoring at the workplace: Not required.	
Exposure controls		
Personal protective equipment		
General protective and hygienic mea	asures handling chemicals should be followed	
Keep away from foodstuffs, beverages	handling chemicals should be followed. and feed. lothing immediately. end of work.	
Remove all soiled and contaminated cl	lothing immediately.	
water nange natoro broake and at the		
Maintain an ergonomically appropriate	working environment.	
Breathing equipment: Use suitable re	working environment. espirator when high concentrations are present.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands:	WORKING ENVIRONMENT.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u	working environment. espirator when high concentrations are present. use for their proper condition.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on	working environment. espirator when high concentrations are present.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u	working environment. espirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth	working environment. espirator when high concentrations are present. use for their proper condition. Iy depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical propertie	working environment. espirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. es	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work clott 9 Physical and chemical properties Information on basic physical and ch General Information	working environment. espirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. es	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical propertie Information on basic physical and che General Information Appearance:	working environment. espirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. es hemical properties	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work clott 9 Physical and chemical properties Information on basic physical and ch General Information	working environment. espirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. es	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work clott 9 Physical and chemical properties Information on basic physical and cl General Information Appearance: Form: Color: Odor:	Working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. es hemical properties Powder White Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work clott 9 Physical and chemical properties Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold:	Working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. es hemical properties Powder White Not determined Not determined.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: pH-value:	Working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. es hemical properties Powder White Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical propertie Information on basic physical and cl General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition	Working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. Powder White Not determined. Not applicable.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range:	Working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. ass hemical properties Powder White Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F)	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. ass hemical properties Powder White Not determined. Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work clott 9 Physical and chemical properties Information on basic physical and cl General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flash point:	Working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not determined Not determined Not determined Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature:	Working environment. asspirator when high concentrations are present. Use for their proper condition. Ily depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. Product is not flammable. Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	working environment. aspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable Product is not flammable. Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work clott 9 Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Auto igniting:	working environment. asspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not applicable. Not applicable Not applicable. Not determined Not determined Not determined Not determined Not determined Not applicable Product is not flammable. Not determined Not determined Not determined Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and cl General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits:	Working environment. asspirator when high concentrations are present. use for their proper condition. ily depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. Not applicable Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flash point: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower:	working environment. sepirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. escience of the second sec	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flash point: Flash point: Flash point: Flash point: Sublimation temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure:	working environment. aspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable Product is not flammable. Not determined Not determined Not determined Not determined Not determined Product does not present an explosion hazard. Not determined Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and che General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melfing point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F):	working environment. sepirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable Product is not flammable. Not adetermined Not determined Not determined. Not determined.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density	working environment. sepirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) 262 °C (504 °F) Not determined Not applicable. 108-110 so transmable. Not applicable. Product is not flammable. Not determined Not applicable.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melfing point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flash point: Flash point: Flash point: Sublimation temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	working environment. sspirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. ss hemical properties Powder White Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable Product is not flammable. Not determined Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with	Working environment. sepirator when high concentrations are present. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. Product is not flammable. Not applicable Product does not present an explosion hazard. Not determined Not applicable. Not applicable.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Vapor density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/watel	working environment. sepirator when high concentrations are present. Ise for their proper condition. Ity depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable Product is not flammable. Not determined Not determined	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and che General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melfing point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flash point: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water Viscosity:	working environment. sepirator when high concentrations are present. ise for their proper condition. ily depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not determined Not determined Not determined Not determined. Not determined.	
Maintain an ergonomically appropriate Breathing equipment: Use suitable re Protection of hands: Impervious gloves Check protective gloves prior to each L The selection of suitable gloves not on Eye protection: Safety glasses Body protection: Protective work cloti 9 Physical and chemical propertie Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Vapor density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/watel	working environment. sepirator when high concentrations are present. Ise for their proper condition. Ity depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. hing. 25 hemical properties Powder White Not determined Not determined. Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not applicable. 108-110 °C (226-230 °F) 262 °C (504 °F) Not determined Not getermined Not getermined Not determined Not determined	

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide

Product name: 2,6-DimethyInaphthalene

Product name: 2,6-DIMethyInaphthalene		
	(Contd. of p	bage 2)
11 Toxicological information		
Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this mate Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute	ın.	
12 Ecological information		
 Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governr Do not allow undiluted product or large quantities to reach ground water, water Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. 	nental permits. course or sewage system.	
13 Disposal considerations		
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	r disposal.	
14 Transport information Not a hazardous material for transportation.		
UN-Number DOT, IMDG, IATA	None	
UN proper shipping name DOT, IMDG, IATA	None	
Transport hazard class(es) DOT, ADR, IMDG, IATA Class	None	
Packing group DOT, IMDG, IATA	None	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Coo		
Transport/Additional information:	Not dangerous according to the above specifications.	
DOT Marine Pollutant (DOT):	No	
to research and development only. This product must be used by or directly un product must not be used for commercial purposes or in formulations for comm SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified indi Other regulations, limitations and prohibitive regulations Substance of Verv High Concern (SVHC) according to the REACH Regula	ubstances Control Act Chemical Substance Inventory. Use of this product is rest der the supervision of a technically qualified individual as defined by TSCA. This percial purposes. viduals. tions (EC) No. 1907/2006. Substance is not listed. The Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing o	S
	(Contd. on I	

Product name: 2,6-DimethyInaphthalene

(Contd. of page 3)

16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in con Department issuing SDS: Global Marketing Department Date of preparation / last revision 1/23/2015 / -Abbreviations and acronyms: IMD6: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 60 percent VPWs very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) USA