



1 Identification		
Product identifier		
Product name: <u>4-Hydroxy-2-butanone</u>		
Stock number: L11456 CAS Number: 590-90-9		
EC number:		
209-693-6 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development		
Details of the supplier of the safety data sheet Manufacturer/Supplier:		
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street		
Themo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-322-4757 Fax: 800-322-4757		
Email. tech walla.com		
www.alfa.com Information Department: Health, Safety and Environmental Department		
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-	0789.	
		-
2 Hazard(s) identification		
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)		
GHS07		
Skin Irrit. 2 H315 Causes skin irritation.		
Eye Irrit. 2A H319 Causes serious eye irritation.		
STOT SE 3 H335 May cause respiratory irritation.		
H227 Combustible liquid.  Hazards not otherwise classified No information known.		
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms		
GHS07		
Signal word Warning		
Hăzard statements H227 Combustible liquid.		
H315 Causes skin irritation.		
H319 Causes serious eye irritation. H335 May cause respiratory irritation.		
H335 May cause respiratory irritation. Precautionary statements		
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing		
P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IE IN EVES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsin	a	
P405 Store locked up.	3.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification		
B3 - Combustible liquid D2B - Taxia material causing other taxia offects		
D2B - Toxic material causing other toxic effects		
Classification system HMIS ratings (scale 0-4)		
(Hazardous Materials Identification System)		
HEALTH       1         HEALTH       1         FIRE       2         FREACTIVITY       1         Physical Hazard = 1		
Other hazards		
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.		
		$\dashv$
3 Composition/information on ingredients Chemical characterization: Substances		
CAS# Description:		
590-90-9 4-Hydroxy-2-butanone Identification number(s):		
EC number: 209-693-6		SA .

(Contd. on page 2)

## Pr 1-Hydroxy-2-butanono du ct i

Product name: 4-Hydroxy-2-butanone	
	(Contd. of page 1)
<ul> <li>4 First-aid measures         Description of first aid measures             After inhalation             Supply fresh air. If required, provide artificial respiration. Keep patient warm.             Seek immediate medical advice.             After skin contact             Immediately wash with water and soap and rinse thoroughly.             Seek immediate medical advice.             After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.             After swallowing Seek medical treatment.             Information for doctor             Most important symptoms and effects, both acute and delayed No further relevant information available.             Indication of any immediate medical attention and special treatment needed No further relevant information available.         </li> </ul>	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on sef handling See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
<ul> <li>8 Exposure controls/personal protection</li> <li>Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.</li> <li>Control parameters</li> <li>Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>Additional information: No data</li> <li>Exposure controls</li> <li>Personal protective equipment</li> <li>General protective and hygienic measures</li> <li>The usual precautionary measures for handling chemicals should be followed.</li> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Remove all solied and contaminated clothing immediately.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Do not inhale dust / smoke / mist.</li> <li>Avoid contact with the eyes and skin.</li> <li>Maintain an ergonomically appropriate working environment.</li> <li>Breathing equipment: Use suitable respirator when high concentrations are present.</li> <li>Protection of hands:</li> <li>Impervious gloves</li> <li>Check protective gloves prior to each use for their proper condition.</li> <li>The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.</li> <li>Protection: Safety glasses</li> <li>Body protection: Protective work clothing.</li> </ul>	
9 Physical and chemical properties	
Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Colorless to pale yellow	
	(Contd. on page 3)

## Product name: 4-Hydroxy-2-butanone

Page 3/4 Printing date 11/23/2015 Reviewed on 03/28/2014

Product name: 4-Hydroxy-2-butanon	1e		
		(Contd. of page 2)	
Odor: Odor threshold:	Not determined Not determined.		
pH-value:	Not determined.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 73-76 °C (163-169 °F) (12mm) Not determined		
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	89 °C (192 °F) Not determined. Not determined Not determined Not determined.		
Danger of explosion: Explosion limits: Lower:	Not determined. Not determined		
Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with	Not determined Not determined 1.02 g/cm <sup>3</sup> (8.512 lbs/gal) Not determined. Not determined. Not determined.		
Water: Partition coefficient (n-octanol/water): Viscosity:			
dynamic: kinematic: Other information	Not determined. Not determined. No further relevant information available.		
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide			
11 Toxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.			
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.			
13 Disposal considerations Waste treatment methods Recommendation Consult state, local o Uncleaned packagings: Recommendation: Disposal must be ma Recommended cleansing agent: Wate	or national regulations to ensure proper disposal. ade according to official regulations. r, if necessary with cleansing agents.		
14 Transport information			
DOT, ADN, IMDG, IATA UN proper shipping name DOT, ADN, IMDG, IATA	Not applicable Not applicable		
		(Contd. on page 4) USA	

	Reviewed on 05/26/2014
Product name: 4-Hydroxy-2-butanone	
······································	
Turners the second alass/20)	(Contd. of page 3)
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable
Packing group DOT, IMDG, IATA	Not applicable
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL7	'3/78 and the IBC Code Not applicable.
Transport/Additional information:	
DOT Marina Pollutant (DOT):	×1_
Marine Pollutant (DOT):	No
UN "Model Regulation":	
15 Regulatory information	
	d'
Safety, health and environmental regulations/legislate GHS label elements The product is classified and labele	Ion specific for the substance or mixture ed in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms	
$\wedge$	
$\checkmark$	
GHS07	
Signal word Warning	
Hazard statements	
H227 Combustible liquid.	
H315 Causes skin irritation. H319 Causes serious eye irritation.	
H335 May cause respiratory irritation	
Precautionary statements	amaalhat aurfaaaa Na amaking
P210 Keep away from heat/sparks/open flar P261 Avoid breathing dust/fume/gas/mist/va	/apours/sprav.
P280 Wear protective gloves/protective clot	ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up	ter for several minutes. Remove contact lenses, it present and easy to up. Continue mising.
P501 Dispose of contents/container in acco	ordance with local/regional/national/international regulations.
<b>National regulations</b> All components of this product are listed in the U.S. Envir	ironmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadiar	an Non-Domestic Substance's List (NDSL).
SARA Section 313 (specific toxic chemical listings) S California Proposition 65	Substance is not listed.
Prop 65 - Chemicals known to cause cancer Substance	ce is not listed.
Prop 65 - Developmental toxicity Substance is not liste Prop 65 - Developmental toxicity, female Substance is	ed.
Prop 65 - Developmental toxicity, remaie Substance is r	s not listed. not listed.
Prop 65 - Developmental toxicity, male Substance is n Information about limitation of use: For use only by tec	chnically qualified individuals.
Other regulations, limitations and pronibilive regulations Substance of Verv High Concern (SVHC) according t	ions to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67	tons to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. 7 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the
market and use must be observed. Substance is not listed.	
Annex XIV of the REACH Regulations (requiring Auth	horisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Asses	ssment has not béen carried out.
16 Other information	
Employers should use this information only as a supplem	ment to other information gathered by them, and should make independent judgement of suitability of this
information to ensure proper use and protect the health a	and safety of employees." This information is furnished without warranty, and any use of the product not in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department	
Date of preparation / last revision 11/23/2015 / -	
Abbreviations and acronyms:	ar Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
DOT: US Department of Transportation	f Route (European Agreement concerning the International Carnage of Dangerous Cooces by Notes)
DDT: US Department of Transportation EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Societ HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)	s aty)
HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)	
LC50: Lethal concentration, 50 percent	
Whites, workplace Paralouds waterials information system (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent VPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) NTP: National Toxicology Program (USA)	a contraction of the second
OSHA: Occupational Safety and Health Administration (USA)	
NTP: National Toxicology Frogram (USA)	

- NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA