

# Safety Data Sheet per OSHA HazCom 2012

Rev	viewed on 05/20/2010
1 Identification	
Product identifier	
Product name: <u>(R)-(-)-1-Cyclohexylethylamine</u>	
Stock number: L19051 CAS Number: 5913-13-3	
EC number:	
227-634-2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department	
Emergency telephone number:	00 0700
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 92	28-0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS02 Flame	
Flam, Liq. 3 H226 Flammable liquid and vapour.	
GHS05 Corrosion	
Skin Corr. 1C H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS02 GHS05	
Signal word Danger	
Hazard statements H226 Flammable liquid and vapour.	
H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage. <b>Precautionary statements</b>	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins	sing.
P310 Immediately call a POISON CENTER/doctor/ WHMIS classification	0
B3 - Combustible liquid D2B - Toxic material causing other toxic effects	
E - Corrosive material	
Classification system HMIS ratings (scale 0-4)	
(Hazardous Materials Identification System)	
HEALTH 2 Health (acute effects) = 2	
FIRE     2     1       REACTIVITY II     Physical Hazard = 1	
Other hazards	
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances	
CAS# Description:	
CAS# Description: 5913-13-3 (R)-(-)-1-Cyclohexylethylamine Identification number(s) EC number: 227-634-2	
4 First-aid measures Description of first aid measures	
General information Immediately remove any clothing soiled by the product.	(Contd. on page 2
	USA -

# Safety Data Sheet per OSHA HazCom 2012

## Product name: (R)-(-)-1-Cvclohexvlethvlamine

Product name: (R)-(-)-1-Cyclohexylethylamine	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burms. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	(Contd. of page 1)
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Possibly Hydrogen cyanide (HCN) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liguid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool. dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from air. Further information about storage conditions: Store away from air. Further information about storage conditions: Store away from air. Further information about storage conditions: Store away from air. Further information about storage conditions: Store away from oxidizing agents. Store away from oxiditing. Store away from air. Further information about storage conditions: Store away from air. Further information about storage conditions: Store away from oxidizing agents. Store away from oxiditions in well sealed containers. Store container tightly sealed. Store in cool, dry conditions in well sealed containers. Store awa(s) No further relevant information available.	
<ul> <li>8 Exposure controls/personal protection         Additional information about design of technical systems:         Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.         Control parameters         Components with limit values that require monitoring at the workplace: Not required.         Additional information: No data         Exposure controls         Personal protective equipment         General protective equipment         General protective and hygienic measures         The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.         Remove all solid and contaminated clothing immediately.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes and skin.         Maintain an ergonomically appropriate working environment.         Breathing equipment: Use suitable respirator when high concentrations are present.         Protection of hands:         Impervious gloves         Impervious gloves         Protection of hands:         Impervious gloves         Protection of hands:         Impervious gloves         Protection of hands:         Protection of hands:         Impervious gloves         Protection of hands:         Protection of hands:</li></ul>	

Protection of names. Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Product name: (R)-(-)-1-Cyclohexylethylamine

(Contd. of page 2)

<b>Eye protection:</b> Tightly sealed goggles Full face protection <b>Body protection</b> : Protective work clothi	ing.			
9 Physical and chemical properties				
Information on basic physical and cho General Information				
Appearance: Form:	Liquid			
Color: Odor:	Colorless Amine-like			
Odor threshold:	Not determined.			
pH-value (100 g/l) at 20 °C (68 °F): Change in condition	11			
Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 177-178 °C (351-352 °F) Not determined			
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	51 °C (124 °F) Not determined. Not determined Not determined Not determined.			
Danger of explosion: Explosion limits:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.			
Lower: Upper:	Not determined Not determined			
Vapor pressure: Density at 20 °C (68 °F):	Not determined 0.866 g/cm <sup>3</sup> (7.227 lbs/gal)			
Relative density Vapor density	Not determined.			
Evaporation rate Solubility in / Miscibility with	Not determined.			
Water at 20 °C (68 °F): Partition coefficient (n-octanol/water).	100 g/l • Not determined			
Viscosity: dynamic:	Not determined.			
kinematic: Other information	Not determined. No further relevant information available.			
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Air Carbon dioxide Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Possibly Hydrogen cyanide (HCN)				
11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.				
12 Ecological information				
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.				

## Product name: (R)-(-)-1-Cyclohexylethylamine

(Contd.	of page 3)

### 13 Disposal considerations

13 Disposal considerations	
Waste treatment methods Recommendation Consult state, local or national regu Uncleaned packagings: Recommendation: Disposal must be made according	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN2733
UN proper shipping name DOT IMDG	Amines, flammable, corrosive, n.o.s. ((R)-(-)-1-Cyclohexylethylamine) AMINES, FLAMMABLE, CORROSIVE, N.O.S. ((R)-(-)-1-Cyclohexylethylamine), MARINE POLLUTANT
IATA Transport hazard class(es)	AMINES, FLAMMABLE, CORROSIVE, N.O.S. ((R)-(-)-1-Cyclohexylethylamine)
DOT	
Class	3 Flammable liquids.
Label Class Label IMDG	3+8 3 (FC) Flammable liquids 3+8
	2 Elementela linuida
Class Label IATA	3 Flammable liquids. 3+8
Class Label	3 Flammable liquids. 3+8
Packing group DOT, IMDG, IATA	<i>III</i>
Environmental hazards: Marine pollutant (IMDG):	Symbol (fish and tree)
Special precautions for user EMS Number: Segregation groups	Warning: Flammable liquids F-E,S-C Alkalis
Transport in bulk according to Annex II of MARPOL Transport/Additional information: DOT	.73/78 and the IBC Code Not applicable.
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN2733, Amines, flammable, corrosive, n.o.s. ((R)-(-)-1-Cyclohexylethylamine), 3 (8), III
P305+P351+P338 IF IN EYES: Rinse cautiously with w P310 Immediately call a POISON CENTER National regulations This product is not listed in the U.S. Environmental Prot to research and development only. This product must b product must not be used for commercial purposes or in SARA Section 313 (specific toxic chemical listings) California Proposition 65 Prop 65 - Chemicals known to cause cancer Substar Prop 65 - Developmental toxicity Substance is not list Prop 65 - Developmental toxicity for angle Substance	othing/eye protection/face protection. ately all contaminated clothing. Rinse skin with water/shower. yater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. R/doctor/ tection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This n formulations for commercial purposes. Substance is not listed. nce is not listed.
Prop 65 - Developmental toxicity, male Substance is Information about limitation of use: For use only by t Other regulations. limitations and prohibitive regula	not listed. technically qualified individuals.

USA

#### Product name: (R)-(-)-1-Cyclohexylethylamine

(Contd. of page 4) The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / 
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (IATA)
ICAO: The retinational Civil Aviation Organization
ICAO: The retinational Civil Aviation Organization
ICAO: The retinational Civil Aviation Organization
ICAO: Thermational Maritime Code for Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport A