acc. to OSHA and ANSI

Printing date 04/22/2004

Reviewed on 01/29/2000

1 Identification of substance:

Product details:

Product name: 1,3-Hexadiene, cis and trans

Stock number: 98751

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company Johnson Matthey Catalog Company, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Emergency Phone: (978) 521-6300 CHEMTREC: (800) 424-9300 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency information:

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:

```
Chemical characterization:
Description: (CAS#)
1,3-Hexadiene, cis and trans (CAS# 592-48-3), 100%
Identification number(s):
EINECS Number: 209-759-4
```

3 Hazards identification

Hazard description:



Xi Irritant F Highly flammable

Information pertaining to particular dangers for man and environment R 11 Highly flammable. R 36/37/38 Irritating to eyes, respiratory system and skin.

4 First aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents

Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.

(Contd. on page 2)

USA

acc. to OSHA and ANSI

Printing date 04/22/2004

Reviewed on 01/29/2000

Product name: 1,3-Hexadiene, cis and trans

(Contd. of page 1) Special hazards caused by the material, its products of combustion or resulting gases: In case of fire, the following can be released: Carbon monoxide and carbon dioxide Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Person-related safety precautions: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Measures for environmental protection: Do not allow material to be released to the environment without proper governmental permits. Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Keep away from ignition sources.

Additional information:

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

Information for safe handling: Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.

Storage

Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

acc. to OSHA and ANSI

Printing date 04/22/2004

Reviewed on 01/29/2000

Product name: 1,3-Hexadiene, cis and trans

(Contd. of page 2)

Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing.

General Information	
Form:	Liquid
Color:	Clear
Odor:	Not determined
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	71-72°C (160-162°F)
Sublimation temperature / start:	Not determined
Flash point:	-16°C (3°F)
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not determined
Density at 20°C (68°F):	0.714 g/cm³
Solubility in / Miscibility with	
Water:	Not determined

10 Stability and reactivity

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Materials to be avoided: Oxidizing agents Dangerous reactions No dangerous reactions known Dangerous products of decomposition: Carbon monoxide and carbon dioxide

(Contd. on page 4)

USA

acc. to OSHA and ANSI

Printing date 04/22/2004

Reviewed on 01/29/2000

Product name: 1,3-Hexadiene, cis and trans

(Contd. of page 3)

11 Toxicological informat	tion			
Acute toxicity:				
Primary irritant effect:				
_	on the skin: Irritant to skin and mucous membranes.			
on the eye: Irritating eff				
Sensitization: No sensitiz				
Subacute to chronic toxici	-			
	tation (see above), no information on illness or			
injury to humans from acut	te or chronic exposure to this product is			
available.				
Additional toxicological i				
	dge the acute and chronic toxicity of this			
substance is not fully kno	own. carcinogenic properties of this material is			
available from the EPA, IA				
12 Ecological information	n:			
General notes:				
Do not allow material to k	be released to the environment without proper			
governmental permits.				
13 Disposal consideration	ns			
Product:				
Recommendation				
	ational regulations to ensure proper disposal.			
Consult state, local or na	ational regulations to ensure proper disposal.			
Consult state, local or na Uncleaned packagings:				
Consult state, local or na Uncleaned packagings:	ational regulations to ensure proper disposal. must be made according to official regulations.			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m				
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information				
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m				
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information				
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information				
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information				
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations:	must be made according to official regulations.			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: With the state of	must be made according to official regulations.			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: With the state of	must be made according to official regulations.			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: Weight Class: Identification number: Packing group:	must be made according to official regulations. 3 UN2458 II			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: With the state of	must be made according to official regulations. 3 UN2458 II hnical			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: We hazard class: Identification number: Packing group: Proper shipping name (tech name):	must be made according to official regulations. 3 UN2458 II hnical Hexadiene			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: With the state of	must be made according to official regulations. 3 UN2458 II hnical Hexadiene			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: We hazard class: Identification number: Packing group: Proper shipping name (tech name):	must be made according to official regulations. 3 UN2458 II hnical Hexadiene			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: We hazard class: Identification number: Packing group: Proper shipping name (tech name):	must be made according to official regulations. 3 UN2458 II hnical Hexadiene			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: We hazard class: Identification number: Packing group: Proper shipping name (tech name):	must be made according to official regulations. 3 UN2458 II hnical Hexadiene			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: Weight the state of the state	and according to official regulations.			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: Weight State of the state of t	anust be made according to official regulations. 3 UN2458 II hnical Hexadiene cross-border) 3 Flammable liquids			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: Weight the state of the state	anust be made according to official regulations. 3 UN2458 II Hexadiene cross-border) 3 Flammable liquids 3b			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: Weight State of the state of t	anust be made according to official regulations. 3 UN2458 II hnical Hexadiene cross-border) 3 Flammable liquids 3b 33			
Consult state, local or na Uncleaned packagings: Recommendation: Disposal m 14 Transport information DOT regulations: Weight the state of the state	anust be made according to official regulations. 3 UN2458 II Hexadiene cross-border) 3 Flammable liquids 3b			

acc. to OSHA and ANSI

Printing date 04/22/2004

Reviewed on 01/29/2000

Product name: 1,3-Hexadiene, cis and trans

		(Contd. of page ·
Description of goods:	Hexadiene	
Maritime transport IMDG:		
IMDG Class:	3	
UN Number:	2458	
Packaging group:	II	
Proper shipping name:	Hexadiene	
Air transport ICAO-TI and	IATA-DGR:	
ICAO/IATA Class:	3	
ICAO/IATA Class: UN/ID Number:	3 2458	
-	5	

15 Regulations

Product related hazard informations:

Hazard symbols: Xi Irritant F Highly flammable

Risk phrases:

11 Highly flammable.
36/37/38 Irritating to eyes, respiratory system and skin.

Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only.

Information about limitation of use:

For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department. **Contact:** Darrell R. Sanders