

Safety Data Sheet per OSHA HazCom 2012

1 Identification Product identifier Product name: Cobalt (II) oxalate dihydrate Stock number: 13012 CAS Number: 5965-38-8 EC number: 212-409-3 Index number: 607-007-00-Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Su Bong Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) ! GHS07 Acute Tox, 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS07 Signal word Warning Hazard statements H302+H312 Harmful if swallowed or in contact with skin. 

 H312 Harmful if swallowed or in contact with skin.

 Precautionary statements

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.

 P312
 Call a POISON CENTER/doctor/.../if you feel unwell.

 P363
 Wash contaminated clothing before reuse.

 P322
 Specific measures (see on this label).

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification D1B - Toxic material causing immediate and serious toxic effects Se. Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) 
 Health
 Image: Participation

 IRE
 Image: Participation

 IRE
 Flammability = 0

 REACTIVITY
 Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 5965-38-8 Cobalt (II) oxalate dihydrate Identification number(s): EC number: 212-409-3 Index number: 607-007-00-3 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. eek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. (Contd. on page 2)

## Product name: Cobalt (II) oxalate dihydrate

(Contd. of page 1) Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special freatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide (CO) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Prevention of secondary hazards: No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Cobalt, elemental & inorganic compounds, as Co mg/m3 ACGIH TLV 0.02; Confirmed animal carcinogen 0.02, Com Carcinogen 0.05 0.05 0.05 (skin) Austria Belgium TWA Denmark TWA Finland TWA Finland FWA0.05 (skin)GermanyCarcinogenHungary TWA0.1; 0.2-STELJapan OEL0.05; 2B-CarcinogenKorea TLV0.02; Confirmed animal carcinogenNetherlands MAC-TGG0.05Norway TWA0.05Poland TWA0.05; 0.2-STELRussia0.5-STELSweden NGV0.05Switzerland MAK-W0.1; CarcinogenUnited Kingdom TWA0.1 Witzerland MAK-W 0.1; Carcinogen United Kingdom TWA 0.1 USA PEL 0.1 (dust and fume) Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves

Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses

Body protection: Protective work clothing.

Page 3/5 Printing date 11/23/2015 Reviewed on 02/12/2010

(Contd. of page 2)

9 Physical and chemical properties Information on basic physical and ch General Information Appearance:	S		
General Information			
General Information	Information on basic physical and chemical properties		
Form:	Crystalline powder		
Color:	Pink		
Odor: Odor threshold:	Odorless Not determined.		
pH-value:	Not applicable.		
Change in condition			
Melting point/Melting range:	250 °C (482 °F)		
Boiling point/Boiling range:	Not determined		
Sublimation temperature / start:	Not determined		
Flash point: Flammability (solid, gaseous)	Not applicable Not determined.		
Ignition temperature:	Not determined		
Decomposition temperature: Auto igniting:	Not determined Not determined.		
	Product does not present an explosion hazard.		
Danger of explosion: Explosion limits:			
Lower: Upper:	Not determined Not determined		
Vapor pressure:	Not applicable.		
Density at 20 °C (68 °F):	3.021 g/cm³ (25.21 lbs/gal)		
Relative density Vapor density	Not determined. Not applicable.		
Evaporation rate	Not applicable.		
Solubility in / Miscibility with Water:	Soluble		
Partition coefficient (n-octanol/water)			
Viscosity: dynamic:	Not applicable.		
kinematic:	Not applicable.		
Other information	No further relevant information available.		
Incompatible materials: Oxidizing ager Hazardous decomposition products: Carbon monoxide and carbon dioxide Metal oxide fume	nts		
11 Toxicological information Information on toxicological effects			
Acute toxicity: Harmful in contact with skin			
	Harmful if swallowed.		
Harmful in contact with skin. Harmful if swallowed.			
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption.	classification: No data		
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for c Skin irritation or corrosion: Irritant to s	skin and mucous membranes.		
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for o Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible th	skin and mucous membranes. ffect. rough skin contact.		
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for o Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible thi Germ cell mutagenicity: No effects kno	skin and mucous membranes. ffect. rough skin contact. own.		
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating of Sensitization: Sensitization possible thu Germ cell mutagenicity: No effects kno Carcinogenicity: IARC-2B: Possibly carcinogenic to huma	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals.	≥(S),	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible the Germ cell mutagenicity: No effects kno Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. s carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type yeant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans gent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.	ə(s),	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for or Skin irritation or corrosion: Irritating ef Sensitization: Sensitization possible thi Germ cell mutagenicity: No effects kno Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects know Specific target organ system toxicity	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. s carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans pent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. wn. - <b>repeated exposure:</b> No effects known.	∍(s), }.	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritant to s Sensitization: Sensitization possible th Germ cell mutagenicity: No effects kno Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects known. Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity:	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. s carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans pent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. • <b>repeated exposure:</b> No effects known. • <b>single exposure:</b> No effects known.		
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible thi Germ cell mutagenicity: No effects kno Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects known. Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen a are classified as an animal carcinogen to	skin and mucous membranes. ffect. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. accrcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans pent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. - repeated exposure: No effects known. - single exposure: No effects known. and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compol by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may		
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible th Germ cell mutagenicity: No effects kno Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects known. Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen a are classified as an animal carcinogen to cause irritation of the respiratory tract ar	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. s carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type vant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans pent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. <b>- repeated exposure:</b> No effects known. <b>- single exposure:</b> No effects known. <b>- single exposure:</b> No effects known. <b>- and tumorigen.</b> It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic composi- by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may		
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritant for Sensitization: Sensitization possible th Germ cell mutagenicity: No effects kno Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects known. Specific target organ system toxicity Specific target organ system toxicity Cobalt is an experimental neoplastigen a are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard	skin and mucous membranes. ffect. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. accrcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans pent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. - repeated exposure: No effects known. - single exposure: No effects known. and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compol by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for C Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible the Germ cell mutagenicity: No effects know Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects know Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen a are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corro kidney damage.	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. c carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studiës do not confirm an increased risk of cancer in exposed humans gent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. - repeated exposure: No effects known. - single exposure: No effects known. - single exposure: No effects known. - dutumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compou by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nd labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. lial effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. by the to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause so	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritant to s Sensitization: Sensitization possible th Germ cell mutagenicity: No effects knot Carcinogenicity: IARC-2B: Possibly carcinogenic to hum: ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects known. Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen a are classified as an animal carcinogen to cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corroc kidney damage.	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. c carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studiës do not confirm an increased risk of cancer in exposed humans gent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. - repeated exposure: No effects known. - single exposure: No effects known. - single exposure: No effects known. - dutumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compou by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nd labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. lial effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. by the to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause so	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritating ef Sensitization: Sensitization possible thi Germ cell mutagenicity: No effects knot Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects know. Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen a are classified as an animal carcinogen to cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corro kidney damage. Subacute to chronic toxicity: No effect Additional toxicological information:	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. s carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans to sort likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. <b>- repeated exposure:</b> No effects known. <b>- repeated exposure:</b> No effects known. <b>- rige exposure:</b> No effects known. <b>- single exposure:</b> No effects known. <b>- single exposure:</b> No effects known. <b>- and tumorigen.</b> It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compose by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may tial effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. Distributed to the source of the mouth, esophagus and stomach. Readily absorbed, they can cause so the known.	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible the Germ cell mutagenicity: No effects know Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects know Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen a are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corro kidney damage. Subacute to chronic toxicity: No effects Additional toxicological information: 12 Ecological information	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. s carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type want to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans to sort likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. <b>- repeated exposure:</b> No effects known. <b>- repeated exposure:</b> No effects known. <b>- rige exposure:</b> No effects known. <b>- single exposure:</b> No effects known. <b>- single exposure:</b> No effects known. <b>- and tumorigen.</b> It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compose by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may tial effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. Distributed to the source of the mouth, esophagus and stomach. Readily absorbed, they can cause so the known.	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritating ef Sensitization: Sensitization possible thin Germ cell mutagenicity: No effects knot Carcinogenicity: IARC-2B: Possibly carcinogenic to hum ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects knot Specific target organ system toxicity Specific target organ system toxicity Cobalt is an experimental neoplastigen a are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corroc kidney damage. Subacute to chronic toxicity: No effect Additional toxicological information: Toxicity Aquatic toxicity: No further relevant inf	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. scarcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type vant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans yent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. • single exposure: No effects known. • single exposure: No effects known. and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic component by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may ind labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. bosive to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause so the known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. formation available.	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritating ef Sensitization: Sensitization possible thi Germ cell mutagenicity: No effects know Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects know. Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen i are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corro kidney damage. Subacute to chronic toxicity: No effect Additional toxicological information: Toxicity Aquatic toxicity: No further relevant inf Persistence and degradability No further Subacute to chronic toxicity in further the sevent inf	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. c carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type c carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type vant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans gent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * * * * * * * and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compon by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and furmes may had labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. Ital effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. by the best of our knowledge the acute and chronic toxicity of this substance is not fully known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible thin Germ cell mutagenicity: No effects knot Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects knot Specific target organ system toxicity Specific target organ system toxicity Specific target organ system toxicity Cobalt is an experimental neoplastigen a are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corro kidney damage. Subacute to chronic toxicity: No effect Additional toxicological information: Toxicity Aquatic toxicity: No further relevant inf Persistence and degradability No furth Bioaccumulative potential No further relevant information:	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. c carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type vant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans ent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. * single exposure: No effects known. * single exposure: No effects known. and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic composi- by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nid labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. It is an experimental carcinogen of the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nid labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. It is effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. sive to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause si ts known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. formation available. her relevant information available.	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for of Skin irritation or corrosion: Irritating ef Sensitization: Sensitization possible thi Germ cell mutagenicity: No effects know Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects know. Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: Cobalt is an experimental neoplastigen a are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard Oxalates are powerful irritants and corroc kidney damage. Subacute to chronic toxicity: No effect Additional toxicological information: Toxicity Aquatic toxicity: No further relevant infor Additional ecological information:	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. c carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type vant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans ent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. * single exposure: No effects known. * single exposure: No effects known. and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic composi- by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nid labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. It is an experimental carcinogen of the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nid labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. It is effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. sive to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause si ts known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. formation available. her relevant information available.	unds /	
Harmful in contact with skin. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for C Skin irritation or corrosion: Irritant to s Eye irritation or corrosion: Irritating ef Sensitization: Sensitization possible the Germ cell mutagenicity: No effects know Carcinogenicity: IARC-2B: Possibly carcinogenic to huma ACGIH A3: Animal carcinogen: Agent is or by mechanism(s) not considered rele Available evidence suggests that the ag Reproductive toxicity: No effects know Specific target organ system toxicity Specific target organ system toxicity Specific target organ system toxicity Cobalt is an experimental neoplastigen a are classified as an animal carcinogen b cause irritation of the respiratory tract ar Chronic ingestion may result in pericard. Oxalates are powerful irritants and corroc kidney damage. Subacute to chronic toxicity: No effect Additional toxicological information: Toxicity Aquatic toxicity: No further relevant inf Persistence and degradability No furth Bioaccumulative potential No further r Mobility in soil No further relevant infor Additional ecological information: General notes: Do not allow material to be released to t	skin and mucous membranes. ffect. rough skin contact. own. ans: limited evidence in humans in the absence of sufficient evidence in experimental animals. c carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type vant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans ent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. * repeated exposure: No effects known. * single exposure: No effects known. * single exposure: No effects known. and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic composi- by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nid labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. It is an experimental carcinogen of the mouth, esophagus, and stomach. Inhalation of dusts and fumes may nid labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. It is effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. sive to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause si ts known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. formation available. her relevant information available.	unds /	

Product name: Cobalt (II) oxalate dihydrate		
Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	(Contd. of page 3,	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.	disposal.	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN3288	
UN proper shipping name DOT	Toxic solid, inorganic, n.o.s. (cobalt (II) oxalate) TOXIC SOLID, INORGANIC, N.O.S. (cobalt (II) oxalate)	
IMDG, IATA Transport hazard class(es)	I OXIC SOLID, INORGANIC, N.O.S. (cobalt (II) oxalate)	
DOT Tour		
Class Label Class Label IMDG, IATA	6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances 6.1	
Class Label	6.1 Toxic substances. 6.1	
Packing group DOT, IMDG, IATA	111	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Toxic substances	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod Transport/Additional information:	e Not applicable.	
DOT		
Marine Pollutant (DOT): UN "Model Regulation":	No UN3288, Toxic solid, inorganic, n.o.s. (cobalt (II) oxalate), 6.1, III	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms		
GHS07		
Signal word Warning Hazard statements      H302+H312 Harmful if swallowed or in contact with skin.      Precautionary statements      P280    Wear protective gloves/protective clothing/eye protection/face protection.      P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor//if you feel unwell.      P312    Call a POISON CENTER/doctor//if you feel unwell.      P363    Wash contaminated clothing before reuse.      P322    Specific measures (see on this label).      P501    Dispose of contents/container in accordance with local/regional/national/international regulations.      National regulations    All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.      All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).      SARA Section 313 (specific toxic chemical listings)		
5965-38-8 Cobalt (II) oxalate dihydrate		
California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. This product contains cobalt and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.		
40CFR372. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.		
Substance is not listed.	(Contd. on page 5, USA –	

## Product name: Cobalt (II) oxalate dihydrate

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	(Contd. of page 4)
16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	of suitability of this of the product not in
Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / - Abbreviations and acronyms: RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 60 percent WPY is very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA)	

USHA: Occupational Safety and Health Administratic NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA -