



Page 1/5 Printing date 01/19/2017 Revision date 12/22/2016

acc. to OSHA HCS Print. Revisi	ing date 01/19/2017 ion date 12/22/2016
1 Identification         Product identifier         Product name: Ethyl pyruvate         Stock number: A15045, L03900         CAS Number:         617-35-6         EC number:         210-511-2         Relevant identified uses of the substance or mixture and uses advised against.         Identified use: SU24 Scientific research and development         Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Alfa Aesar         Thermo Fisher Scientific Chemicals, Inc.         30 Bond Street         Ward Hill, MA 01835-8099         Tel: 800-322-4757         Email: tech@alfa.com         www.alfa.com         Information Department: Health, Safety and Environmental Department         Emergency telephone number:         During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928	8-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapour. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS02         Signal word Warning Hazard statements         H226 Flammable liquid and vapour.         Precoutionary statements         P210       Keep away from heat/sparks/open flames/hot surfaces No smoking.         P280       Wear protective gloves/protective clothing/eye protection/face protection.         P240       Ground/bond container and receiving equipment.         P241       Use explosion-proof electrical/ventilating/lighting/equipment.         P243       Take precautionary measures against static discharge.         P303+P361+P353 IF ON SKIN (or hair): Remove/Take of immediately all contaminated clothing. Rinse skin with water/shower.         P401       Dispose of contents/container in accordance with local/regional/national/international regulations.         WHMIS classification       B3 - Combustible liquid	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTY     Health (acute effects) = 1 FIRE 2 Reactive 1 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 617-35-6 Ethyl pyruvate Concentration: ≤100% Identification number(s): EC number: 210-511-2	
<i>4 First-aid measures</i> <i>Description of first aid measures</i> <i>After inhalation</i> <i>Supply fresh air. If required, provide artificial respiration. Keep patient warm.</i> <i>Seek immediate medical advice.</i>	(Contd. on page 2) USA –

After skin contact

Product name: Ethyl pyruvate

(Contd. of page 1)

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Protect from heat. Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Refriaerate Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-nurnose combination (US) or type ABEK (EN 14387) as a t Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Material of gloves** Butyl rubber, BR Developed for four of the second day of the manufacture of the second day of the second Material of gloves Butyl rubber, BR Penetration time of glove material (in minutes) 480 Glove thickness 0.3 mm Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form:

Liquid

(Contd. on page 3)

# Safety Data Sheet

#### Product name: Ethyl pyruvate

Product name: Ethyl pyruvate			
		(Contd. of page 2)	
Odor: Odor threshold:	Pleasant Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range: Boiling point/Boiling range:	-58 °C (-72 °F) 143-145 °C (289-293 °F)		
Sublimation temperature / start:	Not determined		
Flash point:	45 °C (113 °F)		
Flammability (solid, gaseous)	Not dèterminéd. 435 °C (815 °F)		
Ignition temperature: Decomposition temperature:	Not determined		
Auto igniting:	Not determined.		
Danger of explosion: Explosion limits:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.		
Lower:	Not determined		
Upper: Vapor pressure:	Not determined Not determined		
Density at 20 °C (68 °F):	1.05 g/cm³ (8.762 lbs/gal) Not determined.		
Relative density Vapor density	Not determined. Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with Water at 20 °C (68 °F):	10 g/l		
Partition coefficient (n-octanol/water). Viscosity:	: Not determined.		
dynamic:	Not determined.		
kinematic: Other information	Not determined. No further relevant information available.		
Possibility of hazardous reactions Re Conditions to avoid No further relevant Incompatible materials: Oxidizing agents Heat	<b>to be avoided</b> : Decomposition will not occur if used and stored according to specifications. eacts with strong oxidizing agents it information available.		
Hazardous decomposition products:	Carbon monoxide and carbon dioxide		
<ul> <li>11 Toxicological information         <ul> <li>Information on toxicological effects</li> <li>Acute toxicity: No effects known.</li> <li>LD/LC50 values that are relevant for classification: No data</li> <li>Skin irritation or corrosion: May cause irritation</li> <li>Eye irritation or corrosion: May cause irritation</li> <li>Germ cell mutagenicity: No effects known.</li> <li>Garcinogenicity: No effects known.</li> <li>Carcinogenicity: No effects known.</li> <li>Specific target organ system toxicity - repeated exposure: No effects known.</li> <li>Specific target organ system toxicity - single exposure: No effects known.</li> <li>Aspiration hazard: No effects known.</li> <li>Subscute to chronic toxicity: No effects known.</li> <li>Aspiration hazard: No effects known.</li> <li>Subscute to chronic toxicity: No effects known.</li> <li>Aspiration hazard: No effects known.</li> <li>Aspiration hazard: No effects known.</li> <li>Subscute to chronic toxicity: No effects known.</li> <li>Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.</li> <li>Carcinogenic categories</li> <li>OSHA-Ca (Occupational Safety &amp; Health Administration) Substance is not listed.</li> </ul> </li> </ul>			
12 Ecological information			
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.			
13 Disposal considerations			
Waste treatment methods	or national regulations to ensure proper disposal. nade according to official regulations.		
14 Transport information			
UN-Number			
DOT, IMDG, IATA	UN3272		
UN proper shipping name DOT	Esters, n.o.s. (Ethyl pyruvate)		
		(Contd. on page 4)	
		USA —	

## Safety Data Sheet acc. to OSHA HCS

Product name: Ethyl pyruvate

### (Contd. of page 3) IMDG, IATA ESTERS, N.O.S. (Ethyl pyruvate) Transport hazard class(es) DOT 3 Flammable liquids. Class Label (F1) Flammable liquids Class Label IMDG, IATA 3 Flammable liquids. Class Label Packing group DOT, IMDG, IATA 111 Environmental hazards: Not applicable. Special precautions for user EMS Number: Warning: Flammable liquids F-E,S-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3272, Esters, n.o.s. (Ethyl pyruvate), 3, III 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms \* GHS02 Signal word Warning Hazard statements H226 Flammable liquid and vapour. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations National regulations Precautionary statements P403 Subter II a weinvertiliated place. Neep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. Tharket and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Saf 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. contormance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 01/19/2017 / Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport dasceitation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (Canade) LC50: Lethal concentration, 50 percent UD50: US Dercent UD50: Societation Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA)

### Product name: Ethyl pyruvate

NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Flam. Liq. 3: Flammable liquids, Hazard Category 3 (Contd. of page 4)

USA