

# Safety Data Sheet per OSHA HazCom 2012

Keviewed 01/03/2	172000
1 Identification	
Product identifier Product name: <b>m-Tolyl isothiocyanate</b>	
Stock number: A17345, L10111	
CAS Number: 621-30-7	
<b>EC number:</b> 210-677-6	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Hazards not otherwise classified Lachrymator	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05 GHS06	
Signal word Danger	
Hazard statements H302+H312 Harmful if swallowed or in contact with skin.	
H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage.	
Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
P303+P361+P353 If on skin (or hair): Take off immediately all contáminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D4D Tavia metarial available immediate and excisus tavia effects	
D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH       I         HEALTH       I         FIRE       I         Flammability = 1         REACTIVITY       I         Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
TT TET HOT UPPROUND.	USA

USA (Contd. on page 2)

Page 2/5 Printing date 11/23/2015 Reviewed on 05/21/2009

(Contd. of page 1)

## 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 621-30-7 m-Tolyl isothiocyanate Identification number(s): FC number: 210.677.6 EC number: 210-677-6 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious evel analyse. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen cyanide (HCN) Sulfur oxides (SOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. Wear fully protective impervious suit. 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Ensure adequate ventilation **Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits. **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Dispose of containinated material as waste according to section 15. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Store away from water/moisture. **Further information about storage conditions:** Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. **Specific end use(s)** No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls

Personal protective equipment General protective equipment The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.

(Contd. on page 3)

rioduct name. III-TOIyi isotinocyana	116	
Protection of hands: Impervious gloves Check protective gloves prior to each us	vorking environment. pirator when high concentrations are present. The for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	(Contd. of page 2)
9 Physical and chemical properties		
Information on basic physical and ch		
General Information		
Appearance: Form:	Liquid	
Color: Odor:	Colorless Pungent	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 243 °C (469 °F) Not determined	
Flash point: Flammability (solid, gaseous)	106 °C (223 °F) Not determined.	
Ignition temperature:	Not determined	
Decomposition temperature: Auto igniting:	Not determined Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower:	Not determined	
Upper:	Not determined	
Vapor pressure: Density at 20 °C (68 °F):	Not determined 1.103 g/cm³ (9.205 lbs/gal)	
Relative density Vapor density	Not determined. Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Hydrolyzes	
Partition coefficient (n-octanol/water)		
Viscosity: dynamic:	Not determined.	
kinematic: Other information	Not determined. No further relevant information available.	
Possibility of hazardous reactions No Conditions to avoid No further relevant Incompatible materials: Alcohols Amines Oxidizing agents Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Sulfur oxides (SOx) Hydrogen cyanide	mended storage conditions. <b>'o be avoided:</b> Decomposition will not occur if used and stored according to specifications. 'dangerous reactions known t information available.	
11 Toxicological information		
Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. Danger through skin absorption. Swallowing will lead to a strong corrosiv LD/LC50 values that are relevant for o Skin irritation or corrosion: Causes se Eye irritation or corrosion: Causes serious eye damage. This product is a lachrymator. Sensitization: No sensitizing effects kno Germ cell mutagenicity: No effects kno Carcinogenicity: No effects know	evere skin burns. own. own. on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. /n. - <b>repeated exposure:</b> No effects known. - <b>single exposure:</b> No effects known.	
	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	1154
		054

USA (Contd. on page 4)

## Product name: m-Tolyl isothiocyanate

Product name: m-IOIyI ISOthIOCyanate				
		(Contd. of page 3)		
12 Ecological information				
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governr Do not allow undiluted product or large quantities to reach ground water, water Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.	nental permits. course or sewage system.			
13 Disposal considerations				
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	disposal.			
14 Transport information				
UN-Number DOT, IMDG, IATA	UN2922			
UN proper shipping name				
DOT IMDG, IATA	Corrosive liquids, toxic, n.o.s. (m-Tolyl isothiocyanate) CORROSIVE LIQUID, TOXIC, N.O.S. (m-Tolyl isothiocyanate)			
Transport hazard class(es)				
DOT Class Label Class Label IMDG, IATA	8 Corrosive substances. 8+6.1 8 (CT1) Corrosive substances 8+6.1			
Class Label	8 Corrosive substances. 8+6.1			
Packing group DOT, IMDG, IATA				
DOT, IMDG, IATA Environmental hazards:	III Not applicable.			
Special precautions for user	Warning: Corrosive substances			
EMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Coo	F-A,S-B In Nationalizable			
Transport in buik according to Annex if of MARPOLIS/18 and the IBC Cod				
DOT	A1-			
Marine Pollutant (DOT): UN "Model Regulation":	No UN2922, Corrosive liquids, toxic, n.o.s. (m-Tolyl isothiocyanate), 8	3 (6.1), ///		
<b>15 Regulatory information</b> Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS05 GHS06				
Signal word Danger Hazard statements H302+H312 Harmful if swallowed or in contact with skin. H311 Toxic if inhaled. H314 Causes severe skin burns and eye damage. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clo P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regic National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic SL to research and development only. This product must be used by or directly un product must not be used for commercial purposes or in formulations for comm SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65	onal/national/international regulations. Ibstances Control Act Chemical Substance Inventory. Use of this pr der the supervision of a technically qualified individual as defined by			
<b>Prop 65 - Chemicals known to cause cancer</b> Substance is not listed.		(Contd. on page 5)		

(Contd. of page 4)

LISA

Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use a beserved.

market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RD: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
IATA: International Civil Aviation Organization
IATA: International Air Transport Association
IATA: International Civil Aviation Organization
IATA: International Air Transport Association
IATA: International Civil Aviation Organization
IATA: International Civil Aviation Organization
IATA: International Air Transport Association
IATA: International Agistracts Service (Idvision of the American Chemical Society)