



Page 1/5 Printing date 04/16/2018 Revision date 04/13/2018 Version 2

	Version 2
1 Identification Product identifier Product name: Di-n-propyl disulfide	
Stock number: L09881 CAS Number: 629-19-6 EC number: 211-079-8	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward UIL MA 01935 2000	
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
www.ana.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-	0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS07	
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.	
Flam. Liq. 4 H227 Combustible liquid. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS07	
Signal word Warning Hazard statements H227 Combustible liquid. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from flames and hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves / eye protection / face protection. P305+P351+P388 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P401 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification B3 - Combustible liquid D2B - Toxic material causing other toxic effects	
Classification system	
Classification System HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH I Health (acute effects) = 1 FIRE I FIRE I FIRE I FIRE I Health (acute effects) = 1 FIRE I FIRE I FIRE I Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 629-19-6 Di-n-propyl disulfide Concentration: ≤100% Identification number(s): EC number: 211-079-8	
4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.	(Contd. on page 2)
	USA -

Product name: Di-n-propyl disulfide

(Contd. of page 1) Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes serious eye irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Exanguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Sulfur oxides (SOX) Hydrogen sulfide Advice for firefighters Protective acquimment: **Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Ensure adequate ventilation. **Prevention of secondary hazards:** Keep away from ignition sources. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **Protective Action Criteria for Chemicals PAC-1**: Substance is not listed PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid contact with the open and ekin Avoid contact with the eyes. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use suitable respirator when high concentrations are present. **Recommended filter device for short term use:** Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). **Protection of hands:** Impervious gloves Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Material of gloves** Nitrile rubber, NBR **Eye protection:** Safety glasses with side shields / NIOSH (US) or EN 166(EU)

(Contd. on page 3)

(Contd. of page 2)

Product name: Di-n-propyl disulfide

Body protection: Protective work clothing.

Body protection: Protective work cloth	ing.	(00///4/ 0/ page 2)
9 Physical and chemical properties		
Information on basic physical and ch General Information Appearance: Form:	Liquid	
Odor: Odor threshold:	Unpleasant Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	-86 °C (-123 °F) 193-194 °C (379-381 °F) Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	64 °C (147 °F) Not determined. Not determined Not determined	
Auto igniting:	Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure:	Not determined. Not determined Not determined Not determined	
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.96 g/cm³ (8.011 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water) Viscosity:		
dynamic: kinematic: Other information	Not determined. Not determined.	
	No further relevant information available.	
Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen sulfide		
11 Toxicological information		
Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.		
Reproductive toxicity: No effects known.		
Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation.		
Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.		
12 Ecological information		
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes:		
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies. Toxic to aquatic life. May cause long lasting harmful effects to aquatic life.		
May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable.		
vPvB: Not applicable. VPvB: Not applicable. Other adverse effects No further releva	ant information available.	
		USA

Product name: Di-n-propyl disulfide

(Contd. of page 3)

13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN3082 UN proper shipping name DOT Environmentally hazardous substances, liquid, n.o.s. (Di-n-propyl disulfide) 3082 Environmentally hazardous substances, liquid, n.o.s. (Di-n-propyl disulfide) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Di-n-propyl ADR IMDG, IATA disulfide) Transport hazard class(es) DOT, IMDG Alh. Class 9 Miscellaneous dangerous substances and articles Label ADR ۸ſĿ, <₹ Class 9 (M6) Miscellaneous dangerous substances and articles Label IATA Alh, Class Label 9 Miscellaneous dangerous substances and articles Packing group DOT, ADR, IMDG, IATA 111 Environmental hazards: Special marking (ADR): Special marking (IATA): Symbol (fish and tree, Symbol (fish and tree, Warning: Miscellaneous dangerous substances and articles F-A, S-F Special precautions for user EMS Number: Stowage Category Α Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: DOT On passenger aircraft/rail: No limit On cargo aircraft only: No limit Quantity limitations Marine Pollutant (DOT): No IMDG Limited quantities (LQ) 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Excepted quantities (ÉQ) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (DI-N-PROPYL DISULFIDE), 9, III UN "Model Regulation": 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms ! GHS07 Signal word Warning

Hazard statements H227 Combustible liquid. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

 H335 May cause respiratory irritation.

 Precautionary statements

 P210
 Keep away from flames and hot surfaces. No smoking.

 P261
 Avoid breathing dust/fume/gas/mist/vapors/spray

 P280
 Wear protective gloves / eye protection / face protection.

 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed.

Product name: Di-n-propyl disulfide

(Contd. of page 4)

California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Martime Code for Dangerous Goods DOT: US Department of Transportation

 Date of preparation/neersport

 Abbreviations and acconyms:

 ADR: Accord européen sur le transport des marchandises dangereuses par Rc

 MDG: International Maritime Code for Dangerous Goods

 DOT: US Department of Transport Association

 EINECS: European Inventory of Existing Commercial Chemical Substances

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 HMIS: Hazardous Materials Identification System (USA)

 WHMIS: Workplace Hazardous Materials Information System (Canada)

 LC50: Lethal concentration, 50 percent

 LD50: Lethal dose, 50 percent

 LD50: Cethal concentration, 50 percent

 VHC: Substances of Very High Concern

 VH2: very Persistent and very Bioaccumulative

 ACGH: American Conference of Governmental Industrial Hygienists (USA)

 OSH: Accupational Safety and Health Administration (USA)

 NTP: National Toxicology Program (USA)

 HARC: International Aprice for Agency for Research on Cancer

 EPA: Environmental Protection Agency (USA)

 Flam. Liq. 4: Flammable liquids – Category 4

 Eye Imit. 24: Serious eye damage/eye initiation – Category 2A

 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

USA