

Safety Data Sheet per OSHA HazCom 2012

1 Identification
Product identifier Product name: 2-Methoxy-6-methylpyridine
Stock number: H25772
CAS Number: 63071-03-4
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam. Liq. 3 H226 Flammable liquid and vapour.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin.
Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.
Hazards not otherwise classified Nó information known. Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS07
Signal word Warning
Hāzard statements ⁻ H226 Flammable liquid and vapour. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
B3 - Combustible liquid D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH 2 Health (acute effects) = 2
FIRE 2 Flammability = 2 REACTIVITY 1 Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment
PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances CAS# Description:
63071-03-4 2-Methoxy-6-methylpyridine
(Contd. on page 2)

(Contd. of page 1) 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. Extinguishing media 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Personal precautions, protective equipment and emergency procedures 7 Handling and storage Handling Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls

Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with organic vapor/acid gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands:

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses

Product name: 2-Methoxy-6-methylpyridine

Body protection: Protective work clothing.

(Contd. of page 2)

Body protection: Protective work clothing.			
9 Physical and chemical properties			
Information on basic physical and ch General Information Appearance: Form: Color: Odor:	emical properties Liquid Colorless to pale yellow Not determined		
Odor: Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 156 °C (313 °F) Not determined		
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	49 °C (120 °F) Not applicable. Not determined Not determined Not determined.		
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with	Product is not explosive. However, formation of explosive air/vapor mixtures is possible. Not determined Not determined 1.01 g/cm ³ (8.428 lbs/gal) Not determined. Not determined. Not determined. Not determined.		
Water: Partition coefficient (n-octanol/water) Viscosity: dynamic: kinomatic:	Not determined.		
kinematic: Other information	Not determined. No further relevant information available.		
Reactivity No information known. Chemical stability Stable under recomm Thermal decomposition / conditions to Possibility of hazardous reactions Re Conditions to avoid No further relevan Incompatible materials: Oxidizing age Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides	mended storage conditions. 'o be avoided: Decomposition will not occur if used and stored according to specifications. 'acts with strong oxidizing agents t information available. nts		
11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Aspiration hazard: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.			
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.			
13 Disposal considerations Waste treatment methods Recommendation Consult state, local of	or national regulations to ensure proper disposal.	(Contd. on page 4)	
L		UŠA –	

Safety Data Sheet per OSHA HazCom 2012

Product name: 2-Methoxy-6-methylpyridine

(Contd. of page 3)

Uncleaned packagings:

14 Transport Information UN-Number DOT, IMDG, LATA UN, proper shipping name Data Transport hazard class(es) DOT Image: Class Class Label Class Class </th <th></th>	
DOT, IMDG, IATA UN1993 UN proper shipping name Flammable liquids. n.o.s. (2-M IMDG, IATA FLAMMABLE LIQUID, N.O.S. Transport hazard class(es) DOT Image: State of the state of	
Uk proper shipping name DOC MIDG, IATA Flammable liquids, n.o.s. (2-M FLAMMABLE LIQUID, N.O.S. Transport hazard class(es) DOT Flammable liquids. Class 3 Flammable liquids. Label 3 (F1) Flammable liquids. Class 3 (F1) Flammable liquids. Label 3 (F1) Flammable liquids. Class 3 (F1) Flammable liquids. Label 3 (F1) Flammable liquids. Class 3 (F1) Flammable liquids. Label 3 Flammable liquids. Packing group III DOT, IMDG, IATA Warning: Flammable liquids. Special precautions for user Warning: Flammable liquids. Fransport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: F-E-S-E Transport delements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard statements F-Gmapble liquid and vapour. H2802 H-312 + H322 H-312 H-314 H-314 H-316 H-316 Causes stin intiation. M319 Causes stin intiation. M319 Causes stin intiation H-316 Causes stin in	
Transport hazard class(es) DOT	
DOT Class 3 Flammable liquids. 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 4 (F1) Flammable liquids. 5 (F1) Flamm	1ethoxy-6-methylpyridine) . (2-Methoxy-6-methylpyridine)
Class 3 Flammable liquids. Label 3 (F1) Flammable liquids. Special precautions for user Warning: Flammable liquids. Special precautions for user Warning: Flammable liquids. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Commental regulations/legislation specific for the substance or mixture GHS label elements Marine Pollutant (DOT): No UN "Model Regulation": UN1993, Flammable liquid s.r. Marine Pollutant (DOT): No GHS02 GHIS07 Signal word Warnin	
Label 3 G(F1) Flammable liquids Class 3 (F1) Flammable liquids Label 3 (F1) Flammable liquids Class 3 (F1) Flammable liquids Label 3 (F1) Flammable liquids Packing group DOT, MIDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Special precautions for user Warning: Flammable liquids. Transport In bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport/Additional information: DOT DOT No Win "Model Regulation": UN1993, Flammable liquids, ri VIN "Model Regulation": UN1993, Flammable liquids, ri GHS02 GHS07 Signal word Warning Hazard pictograms Fractuant is available in accordance with 29 CFR 1910 (OSHA HCS) H226 Flammable liquid and vapour. H335 Causes skin initation. Fractuanters Flammable in intation. Fractuanters Flammable in accordance with skin or if inhaled. H335 Causes skin initation. Fractuanters Flammable in the US. Environmental Properintation. F	
Label 3 G(F1) Flammable liquids Class 3 (F1) Flammable liquids Label 3 (F1) Flammable liquids Class 3 (F1) Flammable liquids Label 3 (F1) Flammable liquids Packing group DOT, MIDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Special precautions for user Warning: Flammable liquids. Transport In bulk according to Annex II of MARPOLT3/T8 and the IBC Code Not applicable. Transport/Additional information: DOT DOT No Win "Model Regulation": UN1993, Flammable liquids, ri VIN "Model Regulation": UN1993, Flammable liquids, ri GHS02 GHS07 Signal word Warning Hazard pictograms Fractuant is available in accordance with 29 CFR 1910 (OSHA HCS) H226 Flammable liquid and vapour. H335 Causes skin initation. Fractuanters Flammable in intation. Fractuanters Flammable in accordance with skin or if inhaled. H335 Causes skin initation. Fractuanters Flammable in the US. Environmental Properintation. F	
Class 3 (F1) Flammable liquids Label 3 (F1) Flammable liquids Class 3 Flammable liquids. Label 3 Not applicable. Special precautions for user Warning: Flammable liquids. EMS Number. Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport Additional information: DO OT Marine Pollutant (DOT): No UN "Model Regulation": UN1993, Flammable liquids.r. VW "Model Regulation": Classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Causes skin uritation. P210 Keep away from heat/sparks/open flames/hot s	
Label IMDG, IATA Class 3 Flammable liquids. 3 Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Environmental hazards: Not applicable. Special precautions for user Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard statements P210 Keep away from heal/sparks/open flames/hot surfaces. No smoking. P261 Keep away from heal/sparks/open flames/hot surfaces. No smoking. P261 Not shirt for have the substance or interventilated places for ordinerational/international regula National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substance scinat elenses, if pres P403	
Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids EMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1993, Flammable liquids, r 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard statements WW Word Warning Hazard statements H226 GHS02 H315 Causes skin uritation. H316 Causes skin uritation. H317 Causes skin uritation. H316 Causes skin uritation. H316 Causes skin uritation. F201 Kop awalyment be ad/spark/open flames/hot surfaces. No smoking. F201 Kop awalyment be additional dustrime diagonal/sparks/open flames/hot surfaces. No smoking. F201 Kop awalyment be additional dustrime diagonal/sparks/open flames/hot surfaces. No smoking. F201 Kop awalyment be additin be 15. Strutonomental Protection Agency Toxic Substanc	
Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids FMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": UN "Model Regulation in the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard statements Hazard statements Hazard statements Hazard statements H226 GHS02 GHS07 Signal word Warning Hazard statements H226 H315 Causes skin irritation. H316 Causes skin irritation. H226 H231 H315 Causes skin with water/she of animatiately all contaminated clothing. Rinse skin with water/she P30+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres H23+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres P30+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres P30+P331 H P333 IF in Signal word ware of sever	
Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids FMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": UN "Model Regulation in the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard statements Hazard statements Hazard statements Hazard statements H226 GHS02 GHS07 Signal word Warning Hazard statements H226 H315 Causes skin irritation. H316 Causes skin irritation. H226 H231 H315 Causes skin with water/she of animatiately all contaminated clothing. Rinse skin with water/she P30+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres H23+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres P30+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres P30+P331 H P333 IF in Signal word ware of sever	
Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids FMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": UN "Model Regulation in the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard statements Hazard statements Hazard statements Hazard statements H226 GHS02 GHS07 Signal word Warning Hazard statements H226 H315 Causes skin irritation. H316 Causes skin irritation. H226 H231 H315 Causes skin with water/she of animatiately all contaminated clothing. Rinse skin with water/she P30+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres H23+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres P30+P331 H P333 IF in Signal word ware of several minutes. Remove contact lenses, if pres P30+P331 H P333 IF in Signal word ware of sever	
Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids EMS Number: FE_SE Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT DOT No Warning: UN1993, Flammable liquids, r. DOT No UN "Model Regulation": UN1993, Flammable liquids, r. 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard plotograms WW Wword Warning Hazard statements Flammable liquid and vapour. H320 Causes skin imitation. H319 Causes skin imitation. H319 Causes skin imitation. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P303+P361+P353 If on skin (or hair): Take off immediately all contaninated clothing. Rinse skin with water/shch P303+P361+P353 If on skin (or hair): Take off immediately all contaninated clothing. Rinse skin with water/shch	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1993, Flammable liquids, rr 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms WW Marine Pollutant (Jammable liquid and vapour. H326 Flammable liquid and vapour. H327 Causes skin irritation. Parad statements Flammable liquid and vapour. H319 Causes skin irritation. Precautionary statements Parad statements P310 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P311 Safety.P33 If on skin (or hair). Take off immediately all contaminated clothing. Rinse skin with water/shc P303+P331+P333 If on skin (or hair). This product must be used by or directily under the supervision of a technical regulations. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regula National regulati	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1993, Flammable liquids, rr 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms WW GHS02 GHS07 Signal word Warning Hazard statements H226 Facad statements H319 Causes skin irritation. Precautionary statements P304+P331 H7933 If on skin (or hair). Take off immediately all contaminated clothing. Rinse skin with water/shc P304+P331 H7933 If on skin (or hair). Take off immediately all contaminated clothing. Rinse skin with water/shc P304+P331 H7933 If in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical to research and development only. This product must be used by or directly under the supervision of a technica product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical to research and development only. This product must be used by or directly under the supervision of a technica product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemi	
DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1993, Flammable liquids, r. 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Comparison of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Comparison of the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard statements H226 Flammable liquid and vapour. H3302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes serious eye irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/tume/gas/mist/vapours/spray. P303+P331+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pres P403+P235 Store in a well-venitiled place. Keep cool. P301 Dispose of contents/container in accordance with local/regional/national/international regulat National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical to research and development only. This product must be used by or directly under the supervision of a technice product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Sub SARA Section 313 (specific toxic chemical listings) Substance is not listed. Prop 65 - Developmental toxicity, m	
Marine Pollutant (DOT): No UN "Model Regulation": UN1993, Flammable liquids, r. 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms <i>Wow Wow Wow GHS02</i> GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes serious eye irritation. H319 Causes serious eye irritation. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P211 Avoid breathing dustfume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shc P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shc P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shc P305+P351+P338 IF IN EYES: Rinse caulously with water for several minutes. Remove contact lenses, if pres P403+P355 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regula National regulations This product is not listed in the U.S. Environmental Protection Agency. Toxic Substances Control Act Chemical to research and development only. This product must be used by or directly under the supervision of a technica propduct is not listed on the Canadian Domestic Substance	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	n.o.s. (2-Methoxy-6-methylpyridine), 3, III
Hāzard statements H226 Flammable liquid and vapour. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H316 Causes serious eye irritation. Precautionary statements P P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shot P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if press P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulat National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical to research and development only. This product must be used by or directly under the supervision of a technical product is not listed on the Canadian Domestic Substance is not listed. SARA Section 313 (Specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental t	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Subs The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/200 market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	ations. Substance Inventory. Use of this product is restricted ally qualified individual as defined by TSCA. This bstances List (NDSL). stance is not listed.

16 Other informationEmployers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -

(Contd. of page 4)

USA

Product name: 2-Methoxy-6-methylpyridine

- Abbreviations and acronyms:

 RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

 ICAO: International Civil Aviation Organization

 ICAO: Trechnical Instructions by the "International Civil Aviation Organization" (ICAO)

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Air Transport Association

 IATA: International Air Transport Association

 CAO: Trensportation

 IATA: International Air Transportation

 IATA: International Air Transportation

 IATA: International Air Transport Association

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 HMIS: Hazardous Materials Identification System (USA)

 WHMIS: Workplace Hazardous Materials Information System (Canada)

 LC50: Lethal concentration, 50 percent

 UPVB: very Persistent and very Bioaccumulative

 ACGHH: American Conference of Governmental Industrial Hygienists (USA)

 OSH: Occupational Safety and Health Administration (USA)

 NTP: National Toxicology Program (USA)

 MAC: International Protection Agency (USA)