

Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 03/23/2018 Revision date 03/21/2018 Version 1

1 Identification

Product identifier

Product name: 1,3-Dioxolane

Stock number: 42897 CAS Number: 646-06-0 EC number: 211-463-5 Index number:

Role number 605-017-00-2
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety and Environmental Department
Fmergency telephone number:

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Flam. Liq. 2 H225 Highly flammable liquid and vapor. **Hazards not otherwise classified** No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger
Hazard statements
H225 Highly flammable liquid and vapor.
Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves / eye protection / face protection.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
B2 - Flammable liquid



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1
Flammability = 3
Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 646-06-0 1,3-Dioxolane Concentration: ≤100% Identification number(s): EC number: 211-463-5 Index number: 605-017-00-2

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

(Contd. on page 2)

(Contd. of page 1)

Product name: 1,3-Dioxolane

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Advice for firefighters

Protective equipment:Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.

Environmental precautions: Do not allow product to reach sewage system or any water coundented and methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: 60 ppm

PAC-1: 60 ppm PAC-2: 190 ppm PAC-3: 1,000 ppm

7 Handling and storage

Handling Precautions for safe handling

Reep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:

Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

646-06-0 1,3-Dioxolane (100.0%)

Long-term value: 61 mg/m³, 20 ppm TLV (USA)

EL (Canada) Long-term value: 20 ppm

EV (Canada) Long-term value: 20 ppm

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Wash hands before breaks and at the end of work.
Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:
Impervious gloves

Check protective gloves prior to each use for their proper condition.

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Fluorocarbon rubber (Viton)

(Contd. on page 3)

Product name: 1,3-Dioxolane

Penetration time of glove material (in minutes) 480

(Contd. of page 2)

Glove thickness: 0.7 mm

Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Odor: Odor threshold: Not determined Not determined

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -95 °C (-139 °F) 74-75 °C (165-167 °F)

Not determined

Flash point:

Not determined.

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

1 °C (34 °F) Not determined. 274 °C (525 °F) Not determined

Auto igniting:

Not determined Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Danger of explosion: Explosion limits: Lower: Upper:

Not determined

Vapor pressure at 28 °C (82 °F): Density at 20 °C (68 °F):

Not determined 133 hPa (100 mm Hg) 1.06 g/cm³ (8.846 lbs/gal)

Bulk density at 20 °C (68 °F):

982.68 kg/m³

Relative density Vapor density

Not determined

Evaporation rate Solubility in / Miscibility with

Not determined Not determined.

Water: Fully miscible
Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Not determined

dynamic: kinematic:

Not determined.

No further relevant information available Other information

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions. Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance

LD/LC50 values that are relevant for classification: 3000 mg/kg (rat) Oral LD50

8480 mg/kg (rabbit) Dermal LD50

Inhalative LC50/4H 20650 mg/m3/4H (rat)

Skin irritation or corrosion: May cause irritation

Skin irritation or corrosion: way cause irritation by the corrosion: May cause irritation or corrosion: May cause irritation by the corrosion: May cause irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.

Additional ecological information: General notes:

General notes:Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. **Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable.

(Contd. on page 4)

Product name: 1,3-Dioxolane

Other adverse effects No further relevant information available

(Contd. of page 3)

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

Recommended cleansing agent: Water, it necessary with cleansing agents.	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN1166
UN proper shipping name DOT ADR IMDG, IATA	Dioxolane 1166 Dioxolane DIOXOLANE
Transport hazard class(es)	
DOT	
*	
Class Label	3 Flammable liquids
ADR	
◆	
Class Label IMDG, IATA	3 (F1) Flammable liquids 3
*	
Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	
	II
Environmental hazards:	Not applicable.
Special precautions for user EMS Number:	Warning: Flammable liquids F-E,S-D
Stowage Category Stowage Code	В
	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L
Marine Pollutant (DOT):	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L No
IMDG	140
Limited quantities (LQ) Excepted quantities (EQ)	1 <u>L</u>
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
100 100 100 100 100 100 100 100 100 100	Maximum not qualitaty por outer patients; see in

UN 1166 DIOXOLANE, 3, II

15 Regulatory information

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

Signal word Danger

Hazard statements
H225 Highly flammable liquid and vapor.

H225 Highly frammable liquid and vapor.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves / eye protection / face protection.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

(Contd. on page 5)

(Contd. of page 4)

Product name: 1,3-Dioxolane

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) if market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doncentration, 50 percent
LD50: Lethal dosce, 50 percent
LD50: Substances of Very High Concern
FDBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Flam. Liq. 2: Flammable liquids – Category 2

USA