

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 12.08.2010

Printing date 02.07.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

tert-Butylmagnesium chloride, 1M in MeTHF

Stock number:

H51164

CAS Number:

677-22-5

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Water-react. 2 H261 In contact with water releases flammable gases.



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.



F; Highly flammable

R11-14/15: Highly flammable. Reacts violently with water, liberating extremely flammable gases.

R19: May form explosive peroxides.

Information concerning particular hazards for human and environment:

Not applicable

Other hazards that do not result in classification

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

The substance is classified and labelled according to the CLP regulation.

GHS02, GHS05

Danger

H225 Highly flammable liquid and vapour.

H261 In contact with water releases flammable gases.

H314 Causes severe skin burns and eye damage.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH014 Reacts violently with water.

EUH019 May form explosive peroxides.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS# Designation:

677-22-5 tert-Butylmagnesium chloride, 1M in MeTHF

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information

After inhalation

Instantly remove any clothing soiled by the product.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Then consult doctor.

Seek medical treatment.

After skin contact

After eye contact

After swallowing

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents

CO2, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents

Water.

5.2 Special hazards arising from the substance or mixture

Reacts violently with water

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 12.08.2010

Trade name **tert-Butylmagnesium chloride, 1M in MeTHF**

(Contd. of page 1)

5.3 Advice for firefighters
Protective equipment:

If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Metal oxide

Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation

6.2 Environmental precautions:

Keep away from ignition sources
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.

Prevention of secondary hazards:
6.4 Reference to other sections

Do not flush with water or aqueous cleansing agents
Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Open and handle container with care.

Information about protection against explosions and fires:

Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Do not distill to dryness.
Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and containers:
Information about storage in one common storage facility:

Store in cool location.
Store away from strong bases.
Store away from air.
Store away from water.

Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.
This product is air sensitive.
Protect from humidity and keep away from water.
Store in cool, dry conditions in well sealed containers.
Avoid contact with air / oxygen (formation of peroxide).
Store in a locked cabinet or with access restricted to technical experts or their assistants.
Check container pressure periodically to prevent explosive peroxides.
No further relevant information available.

7.3 Specific end use(s)**SECTION 8: Exposure controls/personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters
Components with critical values that require monitoring at the workplace:
Additional information:

Not required.
No data

8.2 Exposure controls
Personal protective equipment
General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Breathing equipment:
Protection of hands:
Material of gloves
Penetration time of glove material
Eye protection:

Impervious gloves
Not determined
Tightly sealed safety glasses.
Full face protection
Protective work clothing.

Body protection:**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form: Liquid
Smell: Not determined
Odour threshold: Not determined.

pH-value: Not determined.

(Contd. on page 3)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 12.08.2010

Trade name **tert-Butylmagnesium chloride, 1M in MeTHF**

(Contd. of page 2)

Change in condition
Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined
Inflammability (solid, gaseous): Not determined.
Ignition temperature: Not determined
Decomposition temperature: Not determined
Self-inflammability: Not determined.

Danger of explosion: May form explosive peroxides.
Do not distill to dryness.

Critical values for explosion:
Lower: Not determined
Upper: Not determined
Steam pressure: Not determined
Density: Not determined
Relative density: Not determined.
Vapour density: Not determined.
Evaporation rate: Not determined.
Solubility in / Miscibility with Water: Reacts violently
Contact with water releases flammable gases

Partition coefficient (n-octanol/water): Not determined.

Viscosity:
dynamic: Not determined.
kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Reacts violently with water.
In contact with water releases flammable gases which may ignite spontaneously.
May form explosive peroxides.
Stable under recommended storage conditions.

10.2 Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions Contact with water releases flammable gases
Reacts violently with water
Forms peroxides

10.5 Incompatible materials: Air
Bases
Water/moisture

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide
Metal oxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects
Acute toxicity: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effect known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow material to be released to the environment without proper governmental permits.
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation Hand over to disposers of hazardous waste.
Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number
ADR, IMDG, IATA UN3399

(Contd. on page 4)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 12.08.2010

Trade name **tert-Butylmagnesium chloride, 1M in MeTHF**

(Contd. of page 3)

14.2 UN proper shipping name

ADR

IMDG, IATA

3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE,
FLAMMABLE (tert-Butylmagnesium chloride/2-methyltetrahydrofuran)
ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE,
FLAMMABLE (tert-Butylmagnesium chloride/2-methyltetrahydrofuran)

14.3 Transport hazard class(es)

ADR



Class

Label

IMDG, IATA



Class

Label

4.3 (WF1) Substances which, in contact with water, emit flammable gases.
4.3+3

4.3 Substances which, in contact with water, emit flammable gases.
4.3+3

Packing group

ADR, IMDG, IATA

II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Kemler Number:

EMS Number:

Warning: Substances which, in contact with water, emit flammable gases.
323
F-G,S-M

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Code

Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ):

Limited quantities (LQ)

Transport category

Tunnel restriction code

E2

500 ml

0

D/E

UN "Model Regulation":

UN3399, ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE,
FLAMMABLE (tert-Butylmagnesium chloride/2-methyltetrahydrofuran), 4.3 (3),
II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical

Substances

Standard for the Uniform Scheduling of

Drugs and Poisons

National regulations

Information about limitation of use:

Substance is not listed.

Substance is not listed.

For use only by technically qualified individuals.

Employment restrictions concerning young persons must be observed.

Water hazard class:

Other regulations, limitations and prohibitive

regulations

ELINCS (European List of Notified Chemical

Substances)

Substances of very high concern (SVHC)

according to REACH, Article 57

REACH - Pre-registered substances

15.2 Chemical safety assessment:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Substance is not listed.

Substance is not listed.

Substance is listed.

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

DE/E