

# Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 05/11/2010

#### 1 Identification

Product identifier

Product name: µ-Chloro-µ-methylenebis(cyclopentadienyl)titanium dimethylaluminum

Stock number: 17908 CAS Number: 67719-69-1 Index number: 013-004-00-2

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to air.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05

Signal word Danger Hazard statements

H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage.

Precautionary statements
Precautionary statements
P210
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
WHMIS classification

B6 - Reactive flammable material
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 3

ACTIVITY Physical Hazard = 3

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 67719-69-1 μ-Chloro-μ-methylenebis(cyclopentadienyl)titanium dimethylaluminum

Identification number(s): Index number: 013-004-00-2

(Contd. on page 2)

# Product name: µ-Chloro-µ-methylenebis(cyclopentadienyl)titanium dimethylaluminum

(Contd. of page 1)

#### 4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediate with water and seep and rippe thereughly.

Arter Skin contact: Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
Reacts violently with water
Spontaneously flammable in air.
If this product is involved in a fire, the following can be released:

If this product is involved in a life, the Advice for firefighters

Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

Precautions for safe handling

Recautions for sale handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Substance/product is self ignitable.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from oxidizing agents.
Store away from water/moisture.

Further information about storage conditions:

Avoid contact with air/oxygen.
Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

Aluminum alkyls

Aluminum alkyls
mg/m3
Belgium TWA 5
BC Canada TWA 2
Ireland TWA 2.5
Quebec Canada TWA 2
United Kingdom TWA 2
Additional information: No data

Exposure controls Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

(Contd. on page 3)

(Contd. of page 2)

## Product name: µ-Chloro-µ-methylenebis(cyclopentadienyl)titanium dimethylaluminum

Avoid contact with the eyes and skin

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Crystalline

Not determined

Not determined.

Not applicable.

Not determined Not determined Not determined Not applicable Not determined.

Not determined Not determined

Not determined Not determined Not determined

Not applicable. Not determined

Spontaneously flammable in air

Impervious gloves
Check protection of rands.
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection:
Tightly sealed goggles
Full face protection:
Protection: Protective work elething

Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Odor: Odor threshold:

pH-value:

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point:

Flammability (solid, gaseous) Ignition temperature:
Decomposition temperature:

Auto igniting:

Danger of explosion: Explosion limits: Lower: Upper:

Vapor pressure: Density: Relative density Vapor density

Evaporation rate Solubility in / Miscibility with Water: Reacts violently Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic:

Other information

Not determined. Not applicable. Not applicable.

Not applicable.

Not applicable. No further relevant information available.

## 10 Stability and reactivity

Reactivity

Reacts violently with water. Catches fire spontaneously if exposed to air.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions
Spontaneously flammable in air.
Reacts violently with water
Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Oxygen Air

Ali Alcohols Water/moisture

Hazardous decomposition products: Hydrogen chloride (HCI) Carbon monoxide and carbon dioxide

Metal oxide fume

# 11 Toxicological information

Information on toxicological effects
Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Garcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmona

Subacute to chronic toxicity: Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease. Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# 12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

## Product name: µ-Chloro-µ-methylenebis(cyclopentadienyl)titanium dimethylaluminum

Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiffued product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

	14	Trans	port	information
--	----	-------	------	-------------

UN-Number DOT, IMDG, IATA	UN3394
UN proper shipping name DOT	Organometallic substance, liquid, pyrophoric, water-reactive (μ-Chloro-μ-
IMDG, IATA	methylenebis(cyclopentadienyl)titanium dimethylaluminum) ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE (µ-Chloro-µ-methylenebis(cyclopentadienyl)titanium dimethylaluminum)

#### Transport hazard class(es)

DOT





IMDG, IATA



Class Label

4.2 Substances liable to spontaneous combustion.

4.2 Substances liable to spontaneous combustion. 4.2+4.3 4.2 (SW) Substances liable to spontaneous combustion 4.2+4.3

Packing group DOT, IMDG, IATA

Environmental hazards:

Not applicable

Special precautions for user Warning: Substances liable to spontaneous combustion

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

Marine Pollutant (DOT):

UN "Model Regulation":

UN3394, Organometallic substance, liquid, pyrophoric, water-reactive (µ-Chloro-µ-methylenebis(cyclopentadienyl)titanium dimethylaluminum), 4.2 (4.3), I

### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger

Hazard statements
H250 Catches fire spontaneously if exposed to air.
H260 In contact with water releases flammable gases which may ignite spontaneously.
H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

(Contd. on page 5)

USA



## Product name: µ-Chloro-µ-methylenebis(cyclopentadienyl)titanium dimethylaluminum

(Contd. of page 4)

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Civil Aviation Organization
ICAO: Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)