

	Reviewed on 04/25/2005
1 Identification	
Product identifier	
Product name: Magnesium naphthenate	
Stock number: 40037 CAS Number:	
68424-71-5	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (8	866) 928-0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
$\langle ! \rangle$	
GHS07	
Signal word Warning	
Hazard statements	
H315 Causes skin irritation. H319 Causes serious eye irritation.	
H335 May cause respiratory irritation. Precautionary statements	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P338 IF IN EYES: Rinse catiously with water for several minutes. Remove contact lenses, if present and easy to do. Contir P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	nue rinsing.
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
D2B - Toxic material causing other toxic effects	
$(\mathbf{T})$	
Classification system HMIS ratings (scale 0-4)	
(Hazardous Materials Identification System)	
HEALTH I Health (acute effects) = 1 FIRE I Flammability = 1	
REACTIVITY Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
68424-71-5 Magnesium naphthenate	
4 First-aid measures	
Description of first aid measures	
After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
Seek immediate medical advice.	
After eve contact Rinse opened eve for several minutes under running water. Then consult a doctor.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	(Contd. on page 2

		ewea on 04/25/2005
Product name: Magnesium naphthe	inate	
Information for doctor		(Contd. of page 1)
Most important symptoms and effect	ts, both acute and delayed No further relevant information available.	
-	attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures		
Extinguishing media Suitable extinguishing agents CO2, s	sand, extinguishing powder. Do not use water.	
Special hazards arising from the sub If this product is involved in a fire, the fo	bstance or mixture	
Carbon monoxide and carbon dioxide	Silowing can be released.	
Metal oxide fume Advice for firefighters		
<b>Protective equipment:</b> Wear self-contained respirator.		
Wear fully protective impervious suit.		
6 Accidental release measures		
Personal precautions, protective equ	upment and emergency procedures	
Wear protective equipment. Keep unpro Ensure adequate ventilation	rotected persons away.	
Environmental precautions: Do not al Methods and material for containmer	allow material to be released to the environment without proper governmental permits.	
Absorb with liquid-binding material (san Ensure adequate ventilation.	nd, diatomite, ačid binders, universal binders, sawdust).	
Prevention of secondary hazards: No	ა special measures required.	
Reference to other sections See Section 7 for information on safe ha	landling	
See Section 8 for information on person See Section 13 for disposal information	nal protection equipment.	
7 Handling and storage		
Handling		
Precautions for safe handling		
Keep container tightly sealed. Store in cool, dry place in tightly closed	I containers.	
Ensure good ventilation at the workplac Information about protection against	ce. <b>t explosions and fires:</b> No information known.	
Conditions for safe storage, including	ig any incompatibilities	
Storage Requirements to be met by storeroor	ms and receptacles: No special requirements.	
Information about storage in one con Store away from oxidizing agents	nmon storage facility:	
Store away from halogens. Further information about storage co	anditions	
Keep container tightly sealed.		I
Store in cool, dry conditions in well seal Specific end use(s) No further relevan	led containers. It information available.	
8 Exposure controls/personal prot		
Additional information about design	of technical systems:	
Properly operating chemical fume hood	d designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that re	equire monitoring at the workplace: Not required.	
Additional information: No data		
Exposure controls Personal protective equipment		
Personal protective equipment General protective and hygienic mea The usual precautionary measures for h	handling chemicals should be followed	
Keep away from foodstuffs, beverages Remove all soiled and contaminated clo Wash hands before breaks and at the e	and feed.	
Breathing equipment: Use suitable res Protection of hands:	working environment. spirator when high concentrations are present.	
Impervious gloves Check protective gloves prior to each up	use for their proper condition	
The selection of suitable gloves not only	ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Eye protection: Safety glasses Body protection: Protective work cloth	ning	
9 Physical and chemical properties		
Information on basic physical and ch		
General Information Appearance:		
Form: Color:	Liquid Dark	
Odor:	Not determined	
Odor threshold: pH-value:	Not determined. Not determined.	
Change in condition		
Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined	
Sublimation temperature / start:	Not determined	
Flash point:	Not applicable Not determined	
	NOL determined	(Contd. on page 3)
		UŠA –

## Product name: Magnesium naphthenate

Product name: Magnesium naphthe	enate			
	(Contd. of page 2,			
Flammability (solid, gaseous)	Not determined.			
Ignition temperature: Decomposition temperature:	Not determined			
Decomposition temperature: Auto igniting:	Not determined Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:	Froduct does not present an expression nazard.			
Lower:	Not determined			
Upper: Vapor pressure:	Not determined Not determined			
Density:	Not determined			
Relative density Vapor density	Not determined. Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with Water:	Not miscible or difficult to mix			
Partition coefficient (n-octanol/water)				
Viscosity:				
dynamic: kinematic:	Not determined. Not determined.			
Other information	No further relevant information available.			
10 Stability and reactivity				
Reactivity No information known.	and a taxa a and time			
Chemical stability Stable under recom Thermal decomposition / conditions	to be avoided: Decomposition will not occur if used and stored according to specifications.			
Possibility of hazardous reactions No	o dangerous reactions known			
Conditions to avoid No further relevan Incompatible materials:	it information available.			
Oxidizing agents				
Halogens				
Hazardous decomposition products: Carbon monoxide and carbon dioxide				
Metal oxide fume				
11 Toxicological information				
-				
Information on toxicological effects Acute toxicity: No effects known.				
LD/LC50 values that are relevant for (				
Skin irritation or corrosion: Causes su Eye irritation or corrosion: Causes se	kin irritation.			
Sensitization: No sensitizing effects kn				
Germ cell mutagenicity: No effects kn	own. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.			
Carcinogenicity: No classification data Reproductive toxicity: No effects know	an carcinogenic properties of this material is available from the EPA, IARC, INTP, OSHA OF ACGIH.			
Specific target organ system toxicity	repeated exposure: No effects known.			
Specific target organ system toxicity Aspiration hazard: No effects known.	r - single exposure: May cause respiratory irritation.			
Subacute to chronic toxicity				
Inhalation of magnesium compounds m	nay cause metal fume fever. Metallic magnesium which perforates the skin may cause local lesions. Some magnesium salts liac arrhythmias, respiratory effects and changes in blood chemistry following ingestion.			
Subacute to chronic toxicity: No effect	iac arrhythmias, respiratory effects and changes in biood chemistry following ingesuon. cts known			
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.			
12 Ecological information				
12 Ecological information				
Toxicity Aquatic toxicity: No further relevant in	formation available.			
Persistence and degradability No furt	ther relevant information available.			
Bioaccumulative potential No turtner i Mobility in soil No further relevant info	Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.			
Additional ecological information:				
General notes:	the anvironment without proper avanmental permite			
Avoid transfer into the environment.	the environment without proper governmental permits.			
Results of PBT and vPvB assessmen	it state of the st			
PBT: Not applicable. vPvB: Not applicable.				
vPvB: Not applicable. Other adverse effects No further releva	rant information available.			
13 Disposal considerations				
Waste treatment methods Recommendation Consult state, local	or national regulations to ensure proper disposal.			
Uncleaned packagings:				
Recommendation: Disposal must be n	nade according to official regulations.			
14 Transport information				
14 Transport information Not a hazardous material for transportation	tion.			
UN-Number				
DOT, IMDG, IATA	None			
UN proper shipping name DOT, IMDG, IATA	None			
Transport hazard class(es)				
DOT, ADR, IMDG, IATA				
Class	None			
	(Contd. on page 4, USA			

Product name: Magnesium naphthenate	
	(Contd. of page 3)
Packing group DOT, IMDG, IATA	None
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the	
Transport/Additional information:	Not dangerous according to the above specifications.
DOT	
Marine Pollutant (DOT):	No
15 Regulatory information	
Safety, health and environmental regulations/legislation specific GHS label elements The product is classified and labeled in accorda Hazard pictograms	<b>; for the substance or mixture</b> ance with 29 CFR 1910 (OSHA HCS)
GHS07	
Signal word Warning Hazard statements         H315 Causes skin irritation.         H315 Causes serious eye irritation.         H315 Causes serious eye irritation.         H315 Causes serious eye irritation.         H335 May cause respiratory irritation.         P261       Avoid breathing dust/fume/gas/mist/vapours/spray         P280       Wear protective gloves/protective clothing/eye pro         P305+P351+P338 IF IN EYES: Rinse cautiously with water for sever         P304+P340       IF INHALED: Remove person to fresh air and kee         P405       Store locked up.         P501       Dispose of contents/container in accordance with         National regulations       All components of this product are listed in the U.S. Environmental P         All components of this product are listed on the Canadian Domestic S         SARA Section 313 (specific toxic chemical listings) Substance is         California Proposition 65         Prop 65 - Chemicals known to cause cancer Substance is not listed.         Prop 65 - Developmental toxicity, smale Substance is not listed.         Prop 65 - Developmental toxicity, male Substance is not listed.         Information about limitation of use: For use only by technically quadother regulations, limitations and prohibitive regulations	n local/regional/national/international regulations. Protection Agency Toxic Substances Control Act Chemical substance Inventory. Substances List (DSL). s not listed. red. Ialified individuals. CH Regulations (EC) No. 1907/2006. Substance is not listed. x XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the For use) Substance is not listed.
information to ensure proper use and protect the health and safety of conformance with this Material Safety Data Sheet, or in combination	r information gathered by them, and should make independent judgement of suitability of this of employees. This information is furnished without warranty, and any use of the product not in with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and accronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	

LD50: Lethal dose, 50 percent <sup>\*</sup> vPvB: very Persistent and very Bioaccumulative ACGH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA