Safety Data Sheet acc. to OSHA HCS



Page 1/5 Printing date 10/24/2016 Revision date 10/21/2016

1 Identification

Product identifier

Product name: Lithium acetylide ethylenediamine complex

Stock number: 36648

CAS Number: 6867-30-7

EC number: 229-967-9

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Water-react. 2 H261 In contact with water releases flammable gas.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger Hazard statements H261 In contact with water releases flammable gas.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.
P403 Store in a well-ventilated place.
P402+P404 Store in a dry place. Store in a clased container.

Store in a dry place. Store in a closed container.

P402+P404 Store in a dry place. Store in WHMIS classification B6 - Reactive flammable material D2B - Toxic material causing other toxic effects E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 2
Physical Hazard = 3

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 6867-30-7 Lithium acetylide ethylenediamine complex Identification number(s): EC number: 229-967-9

USA

Product name: Lithium acetylide ethylenediamine complex

(Contd. of page 1)

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediate with water and seep and rippe thereughly.

Arter Skin contact: Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture

Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx) Lithium oxide

Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:

Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

(Contd. on page 3)

Product name: Lithium acetylide ethylenediamine complex

(Contd. of page 2)

Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves prior to each use for their proper condition.

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

The selection of slove material (in minutes) 480

Not determined Contact with water liberates extremely flammable gases.

Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm

Eye protection:
Tightly sealed goggles
Full face protection_

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Odor: Odor threshold:

Powder Amine-like Not determined pH-value: Not applicable.

Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto institue:

Auto igniting:

Danger of explosion: Explosion limits: Lower: Upper:

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Evaporation rate Solubility in / Miscibility with Water:

Partition coefficient (n-octanol/water): Not determined.

dvnamic: kinematic: Not determined. Not determined Not determined

Not applicable.

Not determined Not determined

Not determined

Not applicable. 1.04 g/cm³ (8.679 lbs/gal) Not determined.

ca 76 °C (ca 169 °F) (dec) Not determined

Not applicable. Reacts violently

Contact with water releases flammable gases

Not applicable.

Not applicable. No further relevant information available. Other information

10 Stability and reactivity

Reactivity

Reacts violently with water.
In contact with water releases flammable gases which may ignite spontaneously.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
Reacts with strong oxidizing agents
Contact with water releases flammable gases
Reacts violently with water
Conditions to avoid No further relevant information available.
Incompatible materials:
Acids

Acids Oxidizing agents Water/moisture Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides

Lithium oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

USA

Product name: Lithium acetylide ethylenediamine complex

(Contd. of page 3)

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional coolegical information:

Additional ecological information:

General notes:
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN3131
UN proper shipping name DOT IMDG, IATA	Water-reactive solid, corrosive, n.o.s. (Lithium acetylide ethylenediamine complex) WATER-REACTIVE SOLID, CORROSIVE, N.O.S. (Lithium acetylide ethylenediamine complex)

4.3 Substances which, in contact with water, emit flammable gases.

4.3 Substances which, in contact with water, emit flammable gases.

4.3+8
4.3 (WC2) Substances which, in contact with water, emit flammable gases

Transport hazard class(es)

DOT





Label Class Label ĪMDG, IATA



	(m 3/2)
Class	

Label Packing group DOT, IMDG, IATA

Not applicable. Environmental hazards:

Special precautions for user EMS Number: Warning: Substances which, in contact with water, emit flammable gases F-G,S-L

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Marine Pollutant (DOT):

No

UN3131, Water-reactive solid, corrosive, n.o.s. (Lithium acetylide ethylenediamine UN "Model Regulation": complex), 4.3 (8), I

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05

Signal word Danger

Hazard statements
H261 In contact with water releases flammable gas.
H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary Statements

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

In case of fire: Use for extinction: Fire-extinguishing powder.

P403

Store in a well-ventilated place.

Store in a dry place. Store in a closed container.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SaRA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.

(Contd. of page 4)

Product name: Lithium acetylide ethylenediamine complex

Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Substance is not listed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 10/24/2016 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods DOT: US Department of Transportation of T

USA