F

SECTION 1: Identification of the substa	nce/mixture and of the company/undertaking	
1.1 Product identifier Trade name	Benzylmagnesium chloride, 1M in MeTHF	
Stock number: 1.2 Relevant identified uses of the substance	H51154	
Identified use:	SU24 Scientific research and development	
1.3 Details of the supplier of the safety data Manufacturer/Supplier:	Alfa Aesar GmbH & Co.KG	
	A Johnson Matthey Company Zeppelinstr. 7b	
	76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300	
	Email: tech@alfa.com	
Informing department:	www.alfa.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)	
1.4 Emergency telephone number:	Poison Information Center Mainz	
	www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240	
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtur	e	
Classification according to Regulation (EC)	Ňo 1272/2008	
GHS02 flame		
Flam, Liq. 2 H225 Highly flammable liquid ar	id vapour.	
GHS05 corrosion		
Skin Corr. 1B_H314_Causes severe skin burns	and eye damage.	
Classification according to Directive 67/548/	EEC or Directive 1999/45/EC	
R34: Causes burns.		
 F; Highly flammable 		
R11: Highly flammable.		
R14-19: Reacts violently with water. May forr Information concerning particular hazards		
for human and environment:	The product has to be labelled due to the calculation procedure of the "General Classification guideline preparations of the EU" in the latest valid version.	for
Other hazards that do not result in classification	No information known.	
2.2 Label elements Labelling according to Regulation (EC) No		
1272/2008 Hazard pictograms	The product is classified and labelled according to the CLP regulation. GHS02, GHS05	
Signal word Hazard-determining components of	Danger	
labelling: Hazard statements	Benzylmagnesium chloride H225 Highly flammable liquid and vapour.	
Precautionary statements	H314 Causes severe skin burns and eye damage. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.	
-	H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse with water/chower	e skin
	with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.	
	P405 Store locked up.	
	P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	al
Additional information:	EUH014 Reacts violently with water. EUH019 May form explosive peroxides.	
2.3 Other hazards Results of PBT and vPvB assessment	MatazaPashis	
PBT: vPvB:	Not applicable. Not applicable.	
SECTION 3: Composition/information of	on ingredients	
3.2 Mixtures		
Dangerous components: CAS: 96-47-9 2-Methyltetrahydrofuran	E F R11	85,0%
ÉINECS: 202-507-4	R19	
CAS: 6921-34-2 Benzylmagnesium chloride	e	15,0%
Additional information	None known.	
SECTION 4: First aid measures		
4.1 Description of first aid measures General information	Instantly remove any clothing soiled by the product.	_
After inhalation	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptom persist.	IS
After skin contact	Seek immediate medical advice. Instantly wash with water and soap and rinse thoroughly.	
After eye contact	Seek immediate medical advice. Rinse opened eye for several minutes under running water. Then consult doctor.	
After swallowing 4.2 Most important symptoms and effects, both acute and delayed	Seek medical treatment. No further relevant information available.	
4.3 Indication of any immediate medical attention and special treatment needed	No further relevant information available.	
		DE/E

Revision: 25.04.2012

Trade name BenzyImagnesium chloride, 1M in MeTHF

		(Contd. of page 1)
SECTION 5: Firefighting measures		
5.1 Extinguishing media	In some of first war and so there distribute an annual anti-anti-anti-anti-anti-anti-anti-anti-	
Suitable extinguishing agents For safety reasons unsuitable extinguishing	In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.	
agents 5.2 Special hazards arising from the	Water.	
substance or mixture	Reacts violently with water If this product is involved in a fire, the following can be released:	
	Hydrogen chloride (HCl)	
5.3 Advice for firefighters	Metal ŏxide	
Protective equipment:	Wear self-contained breathing apparatus. Wear full protective suit.	
SECTION 6: Accidental release measure	95	
6.1 Personal precautions, protective	Menore to the end of the	
equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation	
6.2 Environmental precautions:	Keep away from ignition sources Do not allow material to be released to the environment without proper governmental permits.	
	Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.	
6.3 Methods and material for containment and cleaning up:	Keep away from ignition sources.	
• •	Absorb with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.	
	Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.	
Prevention of secondary hazards:	Do not flush with water or aqueous cleansing agents Keep away from ignition sources.	
6.4 Reference to other sections	See Section 7 for information on safe handling	
	See section 8 for information on personal protection equipment. See Section 13 for information on disposal.	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling	Handle under dry protective gas. Keep containers tightly sealed	
	Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.	
Information about protection against	Open and handle container with care.	
explosions and fires:	Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.	
	Do not distill to dryness.	
7.2 Conditions for safe storage, including an	Explosive peroxides may form, handle container cautiously. v incompatibilities	
Storage Requirements to be met by storerooms and		
containers: Information about storage in one common	Store in cool location.	
storage facility:	Store away from air. Store away from water.	
	Store away from strong bases. Store away from oxidizing agents.	
Further information about storage	Store under dry inert gas.	
conditions:	This product is moisture sensitive.	
	This product is air sensitive. Protect from humidity and keep away from water. Store in cool, dry conditions in well sealed containers.	
	Avoid contact with air / oxygen (formation of peroxide).	
7.2 Specific and use(a)	Avoid contact with air / oxygen (formation of peroxide). Store in a locked cabinet or with access restricted to technical experts or their assistants. Check container pressure periodically to prevent explosive peroxides. No further relevant information available.	
7.3 Specific end use(s)		
SECTION 8: Exposure controls/persona Additional information about design of	I protection	
technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an avera of at least 100 feet per minute.	age face velocity
8.1 Control parameters	טו מרובמסר זטט ובבר אבו ווווועוב.	
Components with critical values that require monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have	to be monitored
Additional information:	at the workplace. No data	
8.2 Exposure controls		
Personal protective equipment General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.	
	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.	
	Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.	
Breathing equipment:	Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations.	
Protection of hands:	Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further n	harks of quality
Material of gloves	and varies from manufacturer to manufacturer. Impervious gloves	
Material of gloves Penetration time of glove material	Not determined	
Eye protection:	Tightly sealed safety glasses. Full face protection	
Body protection:	Protective work clothing.	DE/E

Trade name BenzyImagnesium chloride, 1M in MeTHF

	(Contd. of page 2)
SECTION 9: Physical and chemical prop	perties
9.1 Information on basic physical and chemic	
General Information	
Appearance: Form:	Liquid
Colour:	Light brown to brown
Smell:	Not determined
Odour threshold:	
pH-value:	Not determined.
Change in condition Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start: Inflammability (solid, gaseous)	Not determined Not determined.
Ignition temperature:	Not determined
Decomposition temperature: Self-inflammability:	Not determined Product is not selfigniting.
-	
Danger of explosion:	May form explosive peroxides. Do not distill to dryness.
Critical values for explosion:	Net determined
Lower: Upper:	Not determined Not determined
Steam pressure:	Not determined
Density Relative density	Not determined Not determined.
Vapour density	Not determined.
Evaporation rate Solubility in / Miscibility with	Not determined.
Water:	Reacts violently
Partition coefficient (n-octanol/water): Viscosity:	Not determined.
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content: Organic solvents:	0.0 %
Solids content:	15.0 %
9.2 Other information	No further relevant information available.
SECTION 10: Stability and reactivity	
10.1 Reactivity	Reacts violently with water. May form explosive peroxides.
10.2 Chemical stability	Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions	Reacts with strong oxidizing agents
	Reacts violently with water Forms peroxides
10.5 Incompatible materials:	Air
•	Bases
	Oxidizing agents Water/moisture
10.6 Hazardous decomposition products:	Carbon monoxide and carbon dioxide
	Hydrogen chloride (HCI) Metal oxide
SECTION 11: Toxicological information	
11.1 Information on toxicological effects Acute toxicity:	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of
•	esophaguš and stomach.
LD/LC50 values that are relevant for classific	ation:
96-47-9 2-Methyltetrahydrofuran Dermal LD50 4500 mg/kg (rabbit)	
Inhalative LC50/4H 6000 ppm/4H (rat)	
Skin irritation or corrosion:	Causes severe skin burns.
Eye irritation or corrosion: Sensitization:	Causes serious eye damage. No sensitizing effect known.
Germ cell mutagenicity:	No effects known.
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:	No effects known.
Specific target organ system toxicity - repeated exposure:	No effects known.
Specific target organ system toxicity - single	
exposure:	No effects known.
Aspiration hazard: Additional toxicological information:	No effects known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. The product shows the following dangers according to the calculation method of the General EC Classification
	Guidelines for Preparations as issued in the latest version: Corrosive
SECTION 12: Ecological information	
NEU UIDN 17 ECOLOGICAL Intermation	

SECTION 12: Ecological information	
12.1 Toxicity Aquatic toxicity: 12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.4 Mobility in soil Additional ecological information:	No further relevant information available. No further relevant information available. No further relevant information available. No further relevant information available.
General notes:	Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.
12.5 Results of PRT and vPvB assessment	

Not applicable.

esults of PBT assessment PBT:

Revision: 25.04.2012

(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.07.2013	Revision: 25.04.2012
Trade name BenzyImagnesium chloride,	1M in MeTHF
vPvB: 12.6 Other adverse effects	(Contd. of page 3) No further relevant information available.
SECTION 13: Disposal considerations 13.1 Waste treatment methods Recommendation	Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.
Uncleaned packagings: Recommendation:	Disposal must be made according to official regulations.
SECTION 14: Transport information	
UN-Number	UN2924
ADR, IMDG, IATA 14.2 UN proper shipping name ADR	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
14.3 Transport hazard class(es) ADR	
Class Label IMDG, IATA	3 (FC) Flammable liquids. 3+8
Class Label	3 Flammable liquids. 3+8
Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards:	
Marine pollutant: 14.6 Special precautions for user Kemler Number:	No Warning: Flammable liquids. 338
14.7 Transport in bulk according to Annex I	of MARPOL73/78 and the IBC
Code Transport/Additional information:	Not applicable.
ADR Excepted quantities (EQ): Limited quantities (LQ) Transport category Tunnel restriction code	E2 1L 2
	D/E
UN "Model Regulation":	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II
SECTION 15: Regulatory information 15.1 Safety, health and environmental regularies Australian Inventory of Chemical Substance 96-47-9 2-Methyltetrahydrofuran	ntions/legislation specific for the substance or mixture s
Standard for the Uniform Scheduling of Dru None of the ingredients is listed.	as and Poisons
National regulations Information about limitation of use: Classification according to VbF:	Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals. Not applicable
Water hazard class: Other regulations, limitations and prohibitiv ELINCS (European List of Notified Chemica	Water hazard class 1 (Self-assessment): slightly hazardous for water. e regulations Substances)
None of the ingredients is listed. Substances of very high concern (SVHC) ac	cording to REACH. Article 57
None of the ingredients are listed.	
REACH - Pre-registered substances 96-47-9 2-Methyltetrahydrofuran	
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information Employers should use this information only as this information to ensure proper use and prote not in conformance with this Material Safety Da Relevant phrases	a supplement to other information gathered by them, and should make independent judgement of suitability of ct the health and safety of employees. This information is furnished without warranty, and any use of the product ta Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing data specification shee Abbreviations and acronyms:	H228 Flāmmable solid. H226 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage. R11 Highly flammable. R14/15 Reacts violently with water, liberating extremely flammable gases. R19 May form explosive peroxides. R34 Causes burns. Health, Safety and Environmental Department. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMD6: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) (Contd. on page 5)
	VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) (Contd. on page 5) DE/E

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Trade name Benzylmagnesium chloride, 1M in MeTHF

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent (Contd. of page 4)

Revision: 25.04.2012