

# Safety Data Sheet per OSHA HazCom 2012

Reviewed on 06/16/2008
1 Identification
Product identifier Product name: <b>Phenylsilane</b>
Stock number: 22939
CAS Number: 694-53-1
<b>EC number:</b> 211-772-5
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill MA 01835-8099
Tel: 800-343-0660 Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam. Liq. 2 H225 Highly flammable liquid and vapor. Water-react. 2 H261 In contact with water releases flammable gas.
GHS06 Skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed.
GHS07
Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS06
Signal word Danger
Hāzard statements H225 Highly flammable liquid and vapor.
H261 In contact with water releases flammable gas. H301 Toxic if swallowed.
H332 Harmful if inhaled. H315 Causes skin irritation.
H319 Causes serious eye irritation. H335 May cause respiratory irritation. <b>Precautionary statements</b>
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/
P301+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification B2 - Flammable liquid
B6 - Reactive flammable material D2B - Toxic material causing other toxic effects
$(\mathfrak{T})$
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH 2 Health (acute effects) = 2 FIRE S Flammability = 3
REACTIVITY 2 Physical Hazard = 2
Other hazards Results of PBT and vPvB assessment PBT: Not applicable

Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 2) USA Product name: Phenylsilane

vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Substances

Chemical Characterizatio CAS# Description: 694-53-1 Phenylsilane Identification number(s): EC number: 211-772-5

#### 4 First-aid measures

Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Silicon oxide Advice for firefunctions Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents **Prevention of secondary hazards:** Keep away from ignition sources. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Prevent formation of aerosols. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep inition sources away Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from air. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. This product is molecule sensitive. This product is air sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. **Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: No data

Page 2/5 Printing date 11/23/2015 Reviewed on 06/16/2008

(Contd. of page 1)

(Contd. on page 3)

		(Contd. of page 2)		
Exposure controls				
Personal protective equipment	Surge			
<b>General protective and hygienic measures</b> The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.				
Keep away from foodstuffs, beverages $\epsilon$	and feed.			
Remove all soiled and contaminated clos Wash hands before breaks and at the er	thịng immediately.			
Wash hands before breaks and at the er	id of work.			
Maintain an ergonomically appropriate v	vorking environment			
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. <b>Breathing equipment:</b> Use suitable respirator when high concentrations are present.				
Protection of nands:				
Impervious aloves				
Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on guality. Quality will your from manufacturer to manufacturer.				
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. <b>Penetration time of glove material (in minutes)</b> Not determined				
Eye protection:				
Safety glasses Full face protection				
Full face protection Body protection: Protective work clothi	ing the second se			
Body protection: Protective work doum	ng.			
9 Physical and chemical properties	2			
Information on basic physical and che General Information	emical properties	I		
General Information Appearance:				
Form:	Liquid			
Color:	Cólorless			
Odor:	Not determined			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition				
Melting point/Melting range:	Not determined			
Boiling point/Boiling range:	120 °C (248 °F)			
Sublimation temperature / start:	Not determined			
Flash point:	7 °C (45 °F)			
Flammability (solid, gaseous)	Not determined.	<b>I</b>		
Ignition temperature:	Not determined	<b>I</b>		
Decomposition temperature: Auto igniting:	Not determined Not determined.	<b>I</b>		
Danger of explosion: Explosion limits:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.	<b>I</b>		
Lower:	Not determined			
Upper:	Not determined			
	Not determined			
Vapor pressure: Density at 20 °C (68 °F):	0.88 g/cm³ (7.344 lbs/gal) Not determined.			
Relative density	Not determined.			
Vapor density	Not determined. Not determined			
Evaporation rate Solubility in / Miscibility with	Not determined.			
Water:	Contact with water releases flammable gases			
Partition coefficient (n-octanol/water):	.: Not determined.			
Viscosity:				
dynamic: kinomatic:	Not determined.			
kinematic: Other information	Not determined. No further relevant information available.			
40 Otability and reactivity				
10 Stability and reactivity				
Reactivity In contact with water release	es flammable gases which may ignite spontaneously.			
Chemical stability Stable under recomm	nended storage conditions.			
<b>Thermal decomposition / conditions to be avoided:</b> Decomposition will not occur if used and stored according to specifications.				
Possibility of hazardous reactions Contact with water releases flammable gases Conditions to avoid No further relevant information available.				
Incompatible materials:				
Air				
Water/moisture				
Hazardous decomposition products: Carbon monoxide and carbon dioxide				
Silicon oxide				
		;		
11 Toxicological information				
Information on toxicological effects Acute toxicity:				
Harmful if inhåled.				
Harmful if swallowed.				
LD/LC50 values that are relevant for c				
Skin irritation or corrosion: Causes sh	Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation.			
Sensitization or corrosion: Causes ser Sensitization: No sensitizing effects kno	10US eye Irritation.	1		
Germ cell mutagenicity: No effects kno	nwn			
Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.				
Reproductive toxicity: No effects known.				
Specific target organ system toxicity - repeated exposure: No effects known.				
Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known.				
Subacute to chronic toxicity: No effect	its known			
Subacute to chronic toxicity:				
Organic silicon compounds are generally of low toxicity. Those exhibiting moisture sensitivity may be strongly irritating or corrosive on contact.				
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	USA		
		(Contd. on page 4)		
		(oome,,		

Product name: Phenyisiiane			
	(Contd. of page 3)		
12 Ecological information			
Toxicity			
Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.			
Additional ecological information: General notes: Do not allow material to be released to the environment without proper governm	nental nermits		
Do not allow inaterial to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. <b>Results of PBT and vPvB assessment</b>			
PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.			
13 Disposal considerations Waste treatment methods			
Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.			
14 Transport information			
UN-Number			
DOT, IMDG, IATA UN proper shipping name	UN3399		
DOT IMDG, IATA	Organometallic substance, liquid, water-reactive, flammable (Phenylsilane) ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Phenylsilane)		
Transport hazard class(es)			
Class Label	4.3 Substances which, in contact with water, emit flammable gases. 4.3+3		
Class Label	4.3 (WF1) Substances which, in contact with water, emit flammable gases 4.3+3		
IMDG, IATA			
Class Label	4.3 Substances which, in contact with water, emit flammable gases. 4.3+3		
Packing group DOT, IMDG, IATA	11		
Environmental hazards:	Not applicable.		
Special precautions for user Warning: Substances which, in contact with water, emit flammable gases			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:			
DOT			
Marine Pollutant (DOT): UN "Model Regulation":	No UN3399, Organometallic substance, liquid, water-reactive, flammable		
	(Phenylsilane), 4.3 (3), II		
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture			
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms			
GHS02 GHS06			
Signal word Danger Hazard statements H225 Highly flammable liquid and vapor. H261 In contact with water releases flammable gas. H301 Toxic if swallowed.			
H301 Toxic if swallowed. H332 Harmful if inhaled. H315 Causes skin irritation.			
H319 Causes skill initiation. H319 Causes respiratory irritation. H335 May cause respiratory irritation. Precautionary statements			
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.			
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.			
P305+P351+P338 IF IN EYES: Rinśe cautiously with watér for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.			
National regulations	5		
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. (Contd. on page 5)			

# Product name: Phenylsilane All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, semale Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. (Contd. of page 4) market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Information Cristic Cristic Constraints of the product and starty of the product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms: ID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAC: International Concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAC: International Concernant le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IATA: International Air Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Air Transport Association IATA: International Contenentory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMINS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent IATA: International Agree, 50 percent IATA: International Agree, for R