

# Safety Data Sheet per OSHA HazCom 2012

	_
1 Identification	
Product identifier	
Product name: <u>3-Chloro-N-methylaniline</u>	
Stock number: A12418, L12815 CAS Number:	
7006-52-2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department	
<b>Emergency telephone number:</b> During normal hours the Health, Safety and Environmental Department at 858-716-2400. After normal hours call Chemtrec at (800) 424-9300. During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	┥
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
STOT RE 2 H373 May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin.	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation. Hazards not otherwise classified No information known.	_
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS06 GHS08	
Signal word Danger	
Hăzard statements H302+H312 Harmful if swallowed or in contact with skin.	
H331 Toxic if inhaled. H315 Causes skin irritation.	
H319 Causes serious eye irritation. H373 May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.	
Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
P261 Avoid breathing dust/fume/gas/mist/vapours/sprav.	
P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH 2 Health (acute effects) = 2	
FIRE     Flammability = 1       REACTIVITY 1     Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable.	

USA (Contd. on page 2)

Page 2/5 Printing date 11/23/2015 Reviewed on 12/05/2008

	(Contd. of page 1)
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
7006-52-2 3-Chloro-N-methylaniline	
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed Methemoglobinemia Indication of any immediate medical attention and special treatment needed No further relevant information available.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents in case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water,	
Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen chloride (HCI)	
Hydrogen chloride (HCI) Nitrogen oxides (NOx) Advice for firefighters	
Protective equipment:	
Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation	
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up:	
Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Prevention of secondary hazards: No special measures required. Reference to other sections	
See Section 7 for information on safe handling	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling	
Keep container tightly sealed. Store in cool, dry place in tightly closed containers.	
Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known.	
Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: No special requirements.	
Information about storage in one common storage facility: Store away from oxidizing agents.	
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
Store in cool, any conditions in well seared containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems:	
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters	
Components with limit values that require monitoring at the workplace: Not required. Additional information: No data	
Exposure controls	
Personal protective equipment General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.	
Remove all soiled and contaminated clothing immediately.	
Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an erronomically appropriate working environment.	
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. <b>Breathing equipment:</b> Use suitable respirator when high concentrations are present. <b>Protection of hands:</b>	
Impervious gioves	
Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Eye protection: Safety glasses	(Contd. on page 3)
	USA -

du protoction: Protoctivo work alathing

(Contd.	of page 2)

Body protection: Protective work clothi	ing.	(contai of page 2)
9 Physical and chemical properties		
Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold:		
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 243-244 °C (469-471 °F) Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	> 110 °C (> 230 °F) Not determined. Not determined Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) Viscosity: dynamic: kinematic: Other information	Product does not present an explosion hazard. Not determined Not determined 1.163 g/cm <sup>3</sup> (9.705 lbs/gal) Not determined. Not determined. Not determined. Not miscible or difficult to mix : Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.	
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recoming Thermal decomposition / conditions to Possibility of hazardous reactions No Conditions to avoid No further relevant Incompatible materials: Oxidizing age Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen chloride (HCI) Nitrogen oxides	mended storage conditions. <b>to be avoided:</b> Decomposition will not occur if used and stored according to specifications. dangerous reactions known t information available. nts	
11 Toxicological information Information on toxicological effects Acute toxicity: Harmful in contact with skin. Harmful if swallowed. Toxic if inhaled. Danger through skin absorption. LD/LC50 values that are relevant for o Skin irritation or corrosion: Causes sk Eye irritation or corrosion: Causes sk	kin irritation.	

Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure:
May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.
Specific target organ system toxicity - single exposure: No effects known.
Subacute to chronic toxicity:
Absorption into the body may lead to the formation of methemoglobin, producing cyanosis, and marked fall in blood pressure leading to collapse, coma and possibly death. Onset may be delayed 2-4 hours or longer.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

## 12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: Congrad potos: Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. **Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable.

(Contd. on page 4)

Product name: 3-Chloro-N-methylaniline

Printing date 11/23/2015 Reviewed on 12/05/2008 (Contd. of page 3) Other adverse effects No further relevant information available 13 Disposal considerations Waste treatment methods **Recommendation** Consult state, local or national regulations to ensure proper disposal. **Uncleaned packagings: Recommendation:** Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN2810 UN proper shipping name DOT Toxic, liquids, organic, n.o.s. (3-Chloro-N-methylaniline) TOXIC LIQUID, ORGANIC, N.O.S. (3-Chloro-N-methylaniline) ĨMDG, IATA Transport hazard class(es) DOT Class 6.1 Toxic substances. 6.1 6.1 6.1 Label Class (T1) Toxic substances abel IMDG, IATA 6.1 Toxic substances. Class Label Packing group DOT, IMDG, IATA 111 Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN2810, Toxic, liquids, organic, n.o.s. (3-Chloro-N-methylaniline), 6.1, III 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS06 GHS08 Signal word Danger Hazard statements H351 FOXIC If Inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H373 May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative. **Precautionary statements** P260 Do not breathe dust/fume/gas/mist/vapours/sprav H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled. 

 Precautionary statements

 P260
 Do not breathe dust/fume/gas/mist/vapours/spray.

 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, conserved is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, conserved. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# Product name: 3-Chloro-N-methylaniline

Page 5/5 Printing date 11/23/2015 Reviewed on 12/05/2008

(Contd. of page 4)

### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:
RiD: Rejelement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritume Code for Dangerous Goods
DOT: US Department of Transport Association
(ICAO)
IADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritume Code for Dangerous Goods
DOT: US Department of Transport Association
(ICAO)
IADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritume Code for Dangerous Goods
DOT: US Department of Transport Association
(IATA: International Air Transport Association
(IASA)
(ICAS)
IMDR: Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
USA)
WHMIS: Workplace Hazardous Materials Information (USA)
IMP: National Toxicobay Program (USA)
IAR: Accord International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
IAR: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA