

Safety Data Sheet per OSHA HazCom 2012

Revi	iewed on 07/25/2014
1 Identification	
Product identifier Product name: Oxone®, monopersulfate	
Stock number: 89892	
CAS Number: 70693-62-8	
EC number: 274-778-7	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
and Street 30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
www.ana.com Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 92	8-0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS03 Flame over circle	
Ox. Sol. 2 H272 May intensify fire; oxidizer.	
GHS08 Health hazard	
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
$\bigwedge \land \land \land$	
GHS03 GHS05 GHS07 GHS08	
Signal word Danger Hazard statements H227 May intensity first ovidizor	
H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H214 Courses source ship burns and ove damage.	
H314 Causes severe skin burns and eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an olergia skin raptions.	
H317 May cause an allergic skin reaction. Precautionary statements P221 P221	
P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P305+P3051+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins P405 Store locked up.	ing.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
C - Oxidizing materials D2A - Very toxic material causing other toxic effects	
E - Corrosive material	
Classification system HMIS ratings (scale 0-4)	
(Hazardous Materials Identification System)	
HEALTH I Health (acute effects) = 3 FIRE I Flammability = 2	
REACTIVITY 2 Physical Házard = 2	(Contd. on page 2)
	UŠA –

(Contd. of page 1)

Product name: Oxone®, monopersulfate

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 70693-62-8 Potassium peroxymonosulfate Identification number(s): EC number: 274-778-7

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers. For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released: Sulfur oxides (SOx) Potassium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. **Prevention of secondary hazards:** Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage Handling Precautions for safe handling

Precautions for safe handling Handle under dry protective gas. Keep container tightly seled. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Prevent formation of dust. Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. This substance is an oxidizer and its heat of reaction with reducing agents or combustil **Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles:** No special requirements. **Information about storage in one common storage facility:** Store away from flammable substances. Store away from reducing agents. Do not store with organic materials. Store away from metal powders. Store away from metal powders. Store away from storing bases. **Further information about storage conditions:** Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. **Specific end use(s)** No further relevant information available.

(Contd. on page 3)

LISA

Page 3/5 Printing date 11/24/2015 Reviewed on 07/25/2014

(Contd. of page 2)

8 Exposure controls/personal protection			
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.			
Control parameters			
Components with limit values that re-			
70693-62-8 Potassium peroxymonosu			
` ´ as Persulfates			
Additional information: No data			
Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirators with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurfying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrine rubber, NBR Penetration time of glove material (in minutes) Not determined Eye protection: Tifyhty sealed goggles			
Full face protection Body protection: Protective work cloth			
9 Physical and chemical properties	5		
Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold:	emical properties Granules White Not determined Not determined.		
pH-value:	Not determined. Not applicable.		
Change in condition			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Contact with combustible material may cause fire. Not determined Not determined Not determined.		
Danger of explosion:	Not determined.		
Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water:	Not determined Not applicable. 1.15 g/cm³ (9.597 lbs/gal) Not determined. Not applicable. Not applicable. Not applicable. Not determined		
Partition coefficient (n-octanol/water) Viscosity:): Not determined.		
dynamic:	Not applicable.		
kinematic: Other information	Not applicable. No further relevant information available.		
10 Stability and reactivity Reactivity May intensify fire; oxidizer. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with reducing agents Reacts with flammable substances Conditions to avoid No further relevant information available.			

Reacts with flammable substances **Conditions to avoid** No further relevant information available. **Incompatible materials:** Flammable substances Reducing agents Water/moisture Bases Organic materials Metal powders **Hazardous decomposition products:** Sulfur oxides (SOx) Potassium oxide

USA (Contd. on page 4)

Product name: Oxone®, monopersulfate (Contd. of page 3) 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable. **Other adverse effects** No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN3084 UN proper shipping name DOT Corrosive solids, oxidizing, n.o.s. (Potassium peroxymonosulfate) CORROSIVE SOLID, OXIDIZING, N.O.S. (Potassium peroxymonosulfate) ĨMDG, IATA Transport hazard class(es) DOT 8 Corrosive substances Class Label Class 8+5.1 8 (CO2) Corrosive substances 8+5 1 Label ĪMDG, IATA Class 8 Corrosive substances. Label 8+5.1 Packing group DOT, IMDG, IATA 11 Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3084, Corrosive solids, oxidizing, n.o.s. (Potassium peroxymonosulfate), 8 (5.1),

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

Hazard pictograms	(Contd. of page 4)
GHS03 GHS05 GHS07 GHS08	
Signal word Danger	
Hăzard statements H272 May intensify fire; oxidizer. H302 Harmful if swallowed.	
H314 Causes severe skin burns and eve damage	
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction.	
Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continu	e rinsing.
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance In All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed.	ventory.
California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed.	
Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed.	
Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufa	cturing, placing on the
market and use must be observed. Substance is not listed.	
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information	
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgeme information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any us conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	ent of suitability of this se of the product not in
Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -	
Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances	
Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) L50: Lethal dose, 50 percent vPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA- Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) NTP: National Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent vPvB: very Persistent and very Bioaccumulative	
ACGH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Tracing (USA)	
IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	
	USA