



Page 1/4 Printing date 09/25/2018 Revision date 09/21/2018 Version 2

	Version 2
1 Identification	
Product identifier	
Product name: Octenidine dihydrochloride	
Stock number: H62257 CAS Number: 70775-75-6 EC number: 274-861-8	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-	0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) The substance is not classified as hazardous according to 29 CFR 1910 (OSHA GHS). Hazards not otherwise classified No information known.	
Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable	
WHMIS classification Not controlled Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
Hazar boas indefinition system; Health (acute effects) = 1 FRE Flammability = 1 Reactivity[] Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 70775-75-6 Octenidine dihydrochloride Concentration: ≤100% Identification number(s): EC number: 274-861-8	
4 First-aid measures	
Description of first aid measures	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.	
Seek immediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor	
Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOX)	
Hydrogen chloride (HCI) Advice for firefighters	
Protective equipment:	
Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	(Contd. on page 2)
	USA -

Product name: Octenidine dihydrochloride

Ensure adequate ventilation	(Control of norm
Environmental precautions: Do not a	nandling nal protection equipment. n.
7 Handling and stars	
Conditions for safe storage, includi Storage Requirements to be met by storeroo	it explosions and fires: No information known. ng any incompatibilities oms and receptacles: No special requirements. mmon storage facility: Store away from oxidizing agents. onditions: aled containers.
0 F	4
Control parameters Components with limit values that r The product does not contain any rele Additional information: No data Exposure controls Personal protective equipment General protective and hygienic me	n of technical systems: d designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. equire monitoring at the workplace: vant quantities of materials with critical values that have to be monitored at the workplace. asures
Keen away from foodstuffs beverages	and feed
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) (purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or	working environment. centrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Drly use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ide shields / NIOSH (US) or EN 166(EU)
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dew Recommended filter device for shor Use a respirator with type N95 (USA) (purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not on Eye protection: Safety glasses with s Body protection: Protective work clot	end of work. working environment. centrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Dnly use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ide shields / NIOSH (US) or EN 166(EU) hing.
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) o purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each o The selection of suitable gloves not on Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance:	end of work. working environment. pentrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Drly use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ide shields / NIOSH (US) or EN 166(EU) hing. PS hemical properties
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. Of Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor:	end of work. working environment. crentrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Dnly use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) hing. es hemical properties Solid Not determined
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold:	end of work. working environment. crentrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Dnly use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) hing. es hemical properties Solid Not determined.
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value:	end of work. working environment. crentrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Dnly use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) hing. es hemical properties Solid Not determined
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dew Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range;	end of work. working environment. crentrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Dnly use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) hing. es hemical properties Solid Not determined.
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. Of Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flash point:	end of Work. working environment. sentrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- only use equipment tested and approved under appropriate government standards. use for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ide shields / NIOSH (US) or EN 166(EU) hing. Solid Not determined Not determined. Not applicable. 214 °C (417 °F) Not determined Not determined Not determined Not determined Not determined Not determined
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not on Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	end of work. working environment. sentrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Use for their proper condition. Jy depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ide shields / NIOSH (US) or EN 166(EU) hing. es hemical properties Solid Not determined Not determined. Not applicable. 214 °C (417 °F) Not determined Not determined Not determined
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. Of Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Beiling range: Boiling point/Beiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	end of work. working environment. ice in case of insufficient ventilation. t term use: r P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Duly use equipment tested and approved under appropriate government standards. ise for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ide shields / NIOSH (US) or EN 166(EU) hing. ts formical properties Solid Not determined. Not applicable. 214 °C (417 °F) Not determined Not determined
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flasmability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits:	end of work. working environment. ice in case of insufficient ventilation. t term use: ire 72 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- itse for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) hing. SS hemical properties Solid Not determined Not determined. Not applicable. 214 °C (417 °F) Not determined Not determined. Not determined.
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. Of Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not on Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion:	end of work. working environment. sentrations are present. ice in case of insufficient ventilation. t term use: rP 2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- only use equipment tested and approved under appropriate government standards. Ise for their proper condition. ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) hing. 28 hemical properties Solid Not determined. Not applicable. 214 °C (417 °F) Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined. Not determined Not determined. Not determined Not determined. Not determined Not determined. Not determined Not determined.
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure:	end of Work. vertrations are present. ice in case of insufficient ventilation. term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Only use equipment tested and approved under appropriate government standards. use for their proper condition. by depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) http://depends.org/lice. Solid Not determined Not determ
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. Of Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not on Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density	end of Work. vertrations are present. ice in case of insufficient ventilation. t term use: or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Only use equipment tested and approved under appropriate government standards. ise for their proper condition. by depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 166(EU) hing. Solid Not determined Not determi
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not or Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flash point: Flash point: Locomposition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density	end of work. verifications are present. ice in case of insufficient ventilation. term use: or P2 (EN 143) catridges as a backup to engineering controls. Risk assessment should be performed to determine if air- only use equipment tested and approved under appropriate government standards. ise for their proper condition. iy depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. ide shields / NIOSH (US) or EN 166(EU) hing. Solid Not determined Not determi
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) (purifying respirators are appropriate. C Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not on Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flash point: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with	end of work. verking environment. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government standards. verking environment tested and approved under appropriate government manufacturer to manufacturer. verking environment tested and tester mined to tester mined. verking environment tested envir
Wash hands before breaks and at the Maintain an ergonomically appropriate Breathing equipment: Use suitable respirator when high com Use suitable respiratory protective dev Recommended filter device for shor Use a respirator with type N95 (USA) of purifying respirators are appropriate. (Protection of hands: Impervious gloves Check protective gloves prior to each of The selection of suitable gloves not on Eye protection: Safety glasses with s Body protection: Protective work clot 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point: Flasmability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate	end of work. working environment. there in case of insufficient ventilation. term use: r P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- Thy use equipment tested and approved under appropriate government standards. Ise for their proper condition, ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. de shields / NIOSH (US) or EN 168(EU) hing. Solid Not determined Not determined

Product name: Octenidine dihydrochloride

(Contd. of page 2)

Viscosity: dynamic: kinematic: Other information Not applicable. Not applicable. No further relevant information available. 10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. **Incompatible materials:** Oxider relevant this **Incompatible materials:** Oxiderials: Oxiderial agents **Hazardous decomposition products:** Carbon monoxide and carbon dioxide Nitrogen oxides Hydrogen chloride (HCI) 11 Toxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data ED/LCS0 Values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable. **Other adverse effects** No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, ADN, IMDG, IATA Not applicable UN proper shipping name DOT, ADR, ADN, IMDG, IATA Not applicable Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class Not applicable Packing group DOT, ADR, IMDG, IATA Not applicable Environmental hazards: Not applicable Not applicable Special precautions for user Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": Not applicable 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable

(Contd. on page 4)

Product name: Octenidine dihydrochloride

(Contd. of page 3)

- National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 Developmental toxicity, Substance is not listed. Prop 65 Developmental toxicity, female Substance is not listed. Prop 65 Developmental toxicity, male Substance is not listed. Prop 65 Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

The Conditions of restrictions according to Article of and Annex XVI of the Regulation (EQ) is market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user."
Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acromyse:
DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMOG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPVB: very Persistent and very Bioaccumulative
ACGIH: American Concernation (USA)
WTP: National Toxicology Program (USA)
IAT: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA